



HEADSETS

External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

EXTERNAL CUP THREADLESS HEADSETS





HEADSETS

External Cup (Threadless)



neco

THE EPITOME OF BICYCLE COMPONENTS

H151BW

1.5" OVERSIZE HEADSET SEALED BEARING LIGHT ALLOY

HEIGHT	33.5 ± 1mm
WEIGHT	175.5g
FINISH	Silver, Black
SIZE	1-1/2" Threadless Headset
DIMENSIONS	1.5"x49.7x39.8
ACB SEALED BEARING	NHB-15 (OD 52x45°x45°)
MATERIAL	Alloy Top Cover & Cups, Alloy Crown Race



- 1.5" (38.2mm) 無牙式前叉立管
- 鋁合金(6061)上塞
- 鋁合金(6061或7075)上下碗
- 鋁合金(7075或鉻鉬鋼)下塞
- 加大型斜接觸角度密封軸承

- For 1.5" threadless steerer
- 6061/T6 top cover with seal
- 6061/T6 CNC machined cups (7075/T6 cups are optional)
- 7075/T6 CNC machined crown race (Cr-mo steel crown race is optional)
- Super oversize angular contact sealed bearing

堆積高度 (Stack Height) = 33.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	151-8	1	ID37.82x Ø1.78
2	鋁上塞 TOP COVER	鋁合金 6061/T6	151-3	1	1.5"
3	鋁斜管 COMPRESSION RING	鋁合金 6061/T6	151-2	1	1.5"
4	密封式軸承 SUPER OVERSIZED AC SEALED BEARING	軸承鋼 SUJ2	NHB-15	2	OD52x45°x45°
5	上碗 UPPER CUP	鋁合金 6061/T6	151-4	1	Ø49.7 ^{+0.15} ₋₀
6	下碗 LOWER CUP	鋁合金 6061/T6	151-5	1	Ø49.7 ^{+0.15} ₋₀
7	鋁下塞 CROWN RACE	鋁合金 7075/T6	151-6 (151S-6)	1	Ø39.8 ⁺⁰ _{-0.1}



HEADSETS

External Cup (Threadless)



neco

THE EPITOME OF BICYCLE COMPONENTS

H153BW

1.5" REDUCED TO 1 1/8" SEALED BEARING LIGHT ALLOY

HEIGHT	33.5 ± 1mm
WEIGHT	194g
FINISH	Silver, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x49.7x30
ACB SEALED BEARING	NHB-15 (OD52x45°x45°)
MATERIAL	Alloy Top Cover & Cups, Stainless Crown Race



- 1-1/8" (28.6mm) 無牙式前叉立管 (1.5"車架轉1-1/8"前叉)
- 鋁合金(6061)上塞
- 鋁合金(6061或7075)上下碗
- 鋁合金(7075或鉻鉬鋼)下塞
- 加大型斜接觸角度密封軸承
- For 1-1/8" threadless steerer (1.5" reduced to 1-1/8")
- 6061/T6 top cover with seal
- 6061/T6 CNC machined cups (7075/T6 cups is optional)
- 7075/T6 CNC machined crown race (Cr-mo steel crown race is optional)
- Super oversized angular contact sealed bearings

堆積高度 (Stack Height) = 33.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	120-8	1	ID28.5xØ2
2	鋁上塞 TOP COVER	鋁合金 6061/T6	153-3	1	1-1/8"
3	鋁斜管 COMPRESSION RING	鋁合金 6061/T6	153-2	1	1-1/8"
4	密封式軸承 SUPER OVERSIZED AC SEALED BEARING	軸承鋼 SUJ2	NHB-15	2	OD52x45°x45°
5	上碗 UPPER CUP	鋁合金 6061/T6	151-4	1	Ø49.7 ^{+0.15} ₀
6	下碗 LOWER CUP	鋁合金 6061/T6	151-5	1	Ø49.7 ^{+0.15} ₀
7	鋁下塞 CROWN RACE	鋁合金 7075/T6	153-6 (153S-6)	1	Ø30 ⁺⁰ _{0.1}



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H252

HEIGHT	29 ± 1mm
WEIGHT	98.6g
FINISH	Silver, Black
SIZE	1" Threadless Headset
DIMENSIONS	1"x30x27 or 1"x30x26.4
ACB SEALED BEARING	NHB-6B (OD41.8x45°x45°)
MATERIAL	Alloy Top Cover, Cups, & Crown Race



- 1"(25.4mm) 無牙前叉立管
- 鋁合金(6061)上塞
- 鋁合金(6061)上下碗(管徑30mm或30.2mm)
- 鋁合金(7075)下塞(內徑27mm或26.4mm)
- 斜接觸角度密封軸承

- For 1" threadless steerer
- 6061/T6 CNC machined top cover with seal
- 6061/T6 forged and CNC machined cups (headtube inner diameter 30mm or 30.2mm)
- 7075/T6 CNC machined crown race (inner diameter 27mm or 26.4mm)
- Angular contact sealed bearings

堆積高度 (Stack Height) = 29±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	121-8	1	ID25.3xØ2
2	鋁上塞 TOP COVER	鋁合金 6061/T6	252-3	1	1"
3	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	701-8	1	-
4	鋁斜管 COMPRESSION RING	鋁合金 6061/T6	05-2	1	1"
5	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	NHB-6B	2	OD41.8x45°x45°
6	碗 CUP	鋁合金 6061/T6	252-4/5	2	Ø30(Ø30.2) +0.15/-0
7	鋁下塞 CROWN RACE	鋁合金 7075/T6	05-6	1	Ø27(Ø26.4) +0/-0.1



HEADSETS

External Cup (Threadless)

neco


THE EPITOME OF BICYCLE COMPONENTS

H282

HEIGHT	29 ± 1mm
WEIGHT	95g
FINISH	Silver, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x34x30
ACB SEALED BEARING	NHB-6B (OD Ø41.8x45°x45°)
MATERIAL	6061/T6 CNC Machined Top Cover, 7075/T6 CNC Machined Crown Race
APPLICATIONS	MTB, ATB, Racing & Trekking
OPTIONAL: H282O	1-1/8"x34x30 Height: 27 ± 1mm



Optional: H282O



- 1-1/8"(28.6mm) 無牙式前叉立管
- 鋁合金(6061)上塞及上下碗
- 鋁合金(7075)下塞
- 斜接觸角度密封軸承

- For 1-1/8" threadless steerer
- 6061/T6 CNC machined top cover with seals
- 6061/T6 forged and CNC machined cups
- 7075/T6 CNC machined crown race
- Angular contact sealed bearings

堆積高度 (Stack Height) = 29±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	120-8	1	ID28.5xØ2
2	鋁上塞 TOP COVER	鋁合金 6061/T6	282-3	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	701-8	1	-
4	鋁斜管 COMPRESSION RING	鋁合金 6061/T6	51-2	1	1-1/8"
5	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	NHB-6B	2	OD41.8x45°x45°
6	碗 CUP	鋁合金 6061/T6	282-4/5	2	Ø34 (+0.15/-0.1)
7	鋁下塞 CROWN RACE	鋁合金 7075/T6	51-6	1	Ø30 (+0/-0.1)



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H370

HEIGHT	28.3 ± 1mm
WEIGHT	115g
FINISH	Silver, Black
SIZE	1-1/8" Threadless Headset
DIMENSION	1-1/8" x 34x30
ACB SEALED BEARING	NHB-6D (OD41.8x45°x45°x8H)
MATERIAL	7075 CNC Machined Top Cover & Cups & Crown-Race



- 1-1/8"(28.6mm) 無牙式前叉立管
- 鋁合金(7075)上塞及上下碗
- 鋁合金(7075)下塞
- 斜接觸角度密封軸承

- For 1-1/8" threadless steerer
- 7075/T6 CNC machined top cover with seals
- 7075/T6 CNC machined cups
- 7075/T6 CNC machined crown race
- Angular contact sealed bearings

堆積高度 (Stack Height) = 28.3±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	120-8	1	ID28.5xØ2
2	上塞 TOP COVER	鋁合金 7075/T6	370-3	1	1-1/8"
3	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	NHB-6D	2	OD41.8x45°x45°
4	鋁碗 CUP	鋁合金 7075/T6	370-4/5	2	Ø34 ^{+0.15} ₋₀
5	鋁下塞 CROWN RACE	鋁合金 7075/T6	370-6	1	Ø30 ⁺⁰ _{-0.1}

External Cup
Threadless
Headset





HEADSETS

External Cup (Threadless)

neco
THE EPITOME OF BICYCLE COMPONENTS

H610

HEIGHT	29 ± 1mm
WEIGHT	104g
FINISH	Silver, Black
SIZE	1" Threadless Headset
DIMENSIONS	1"x30x27 or 1"x30x26.4
CARTRIDGE BALL BEARING	CBB-418, (OD41.8x45°x45°)
MATERIAL	Alloy Top Cover & Cups, Steel Crown Race



- 1"(25.4mm) 無牙前叉立管
- 鋁合金(6061)上塞
- 鋁合金(6061)上下碗(管徑30mm或30.2mm)
- 鐵下塞(內徑27mm或26.4mm)
- 卡式軸承

- For 1" threadless steerer
- 6061/T6 CNC machined top cover with seal
- 6061/T6 forged and CNC machined cups (headtube inner diameter 30mm or 30.2mm)
- Steel crown race (inner diameter 27mm or 26.4mm)
- Cartridge ball bearings

堆積高度 (Stack Height) = 29±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	121-8	1	ID25.3xØ2
2	鋁上塞 TOP COVER	鋁合金 6061/T6	05-3	1	1"
3	防塵蓋 DUST-RESISTANT SEAL	橡膠 NBR	273-0	1	-
4	中國華司 ALLOY SPACER	鋁合金 6061/T6	AS3202	1	2txOD32
5	鋁斜管 COMPRESSION RING	鋁合金 6061/T6	05-2	1	1"
6	卡式軸承 CARTRIDGE BALL BEARING	鉻鉬鋼 CR-MO	CBB-418	2	OD41.8x45°x45°
7	鋁上碗 UPPER CUP	鋁合金 6061/T6	610-4	1	Ø30(Ø30.2) $^{+0.15}_{-0}$
8	鋁下碗 LOWER CUP	鋁合金 6061/T6	610-5	1	Ø30(Ø30.2) $^{+0.15}_{-0}$
9	下塞 CROWN RACE	碳鋼 STEEL	671-6	1	Ø27(Ø26.4) $^{+0}_{-0.1}$



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H626

HEIGHT	24.5 ± 1mm
WEIGHT	103.1g
FINISH	CP, Black
SIZE	1" Threadless Headset
DIMENSIONS	25.4x30x27 or 25.4x30x26.4
BALL RETAINER	5/32"x16x2pcs
MATERIAL	Full Set in Steel



- 1"(25.4mm) 無牙式前叉立管
- 整組鐵製品
- 上下珠巢

- For 1" threadless steerer
- All set steel
- Ball retainers

堆積高度 (Stack Height) = 24.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	SD3202	1	2txOD32(1")
2	固定圈 COMPRESSING RING	橡膠 NBR	820-2	1	1"
3	上塞 TOP COVER	碳鋼 STEEL	626-3	1	1"
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x16
5	碗 CUP	碳鋼 STEEL	820-5	2	Ø30 ^{+0.15} ₀
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	831SW-8	1	-
7	下塞 CROWN RACE	碳鋼 STEEL	800-6	1	Ø27(Ø26.4) ⁺⁰ _{-0.1}




HEADSETS

External Cup (Threadless)

neco
THE EPITOME OF BICYCLE COMPONENTS

H673

HEIGHT	29.5 ± 1mm
WEIGHT	92g
FINISH	Silver, Black
SIZE	1" Threadless Headset
DIMENSIONS	1"x30x27 or 1"x30x26.4
ACB SEALED BEARING	NHB-6B (OD41.8x45°x45°)
MATERIAL	Alloy Top Cover, Cups, & Crown Race



- 1"(25.4mm) 無牙前叉立管
- 鋁合金(6061)上塞
- 鋁合金(6061)上下碗(管徑30mm或30.2mm)
- 鋁合金(7075)下塞(內徑27mm或26.4mm)
- 斜接觸角度密封軸承
- For 1" threadless steerer
- 6061/T6 CNC machined top cover with seal
- 6061/T6 forged and CNC machined cups (head-tube inner diameter 30mm or 30.2mm)
- 7075/T6 CNC machined crown race (inner diameter 27mm or 26.4mm)
- Angular contact sealed bearings

堆積高度 (Stack Height) = 29.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	121-8	1	ID25.3x Ø2
2	鋁上塞 TOP COVER	鋁合金 6061/T6	05-3	1	1"
3	防塵蓋 DUST-RESISTANT SEAL	橡膠 NBR	273-0	1	-
4	墊片 MICRO SPACER	不銹鋼 SUS304	-	2	0.3t
5	鋁斜管 COMPRESSION RING	鋁合金 6061/T6	05-2	1	1"
6	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	NHB-6B	2	OD41.8x45°x45°
7	鋁上碗 UPPER CUP	鋁合金 6061/T6	610-4	1	Ø30 (Ø30.2) $^{+0.15}_{-0}$
8	鋁下碗 LOWER CUP	鋁合金 6061/T6	610-5	1	Ø30 (Ø30.2) $^{+0.15}_{-0}$
9	鋁下塞 CROWN RACE	鋁合金 7075/T6	05-6	1	Ø27 (Ø26.4) $^{+0}_{-0.1}$



HEADSETS

External Cup (Threadless)



neco

THE EPITOME OF BICYCLE COMPONENTS

H701

Smart design that gives an integrated style-like look

HEIGHT	20 ± 1mm
WEIGHT	92g
FINISH	CP, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x34x30
BALL RETAINER	1/8"x25x2pcs
MATERIAL	Full Set Steel, Dust Seal



- 1-1/8"(28.6mm)無牙式前叉立管
- 仿隱藏式車頭碗設計
- 整組鐵製品
- 上下珠巢(1/8"x25)

- For 1-1/8" threadless steerer
- Smart-style "integrated system" visual appearance
- All set steel
- Ball retainer (1/8" x25)

堆積高度 (Stack Height) = 20±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	塑膠斜管 COMPRESSION RING	塑膠 NYLON	701-2	1	1-1/8"
2	上塞 TOP COVER	碳鋼 STEEL	701-3	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	701-8	1	-
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	1/8"x25
5	碗 CUP	碳鋼 STEEL	701-4/5	2	Ø34 ^{+0.15} ₀
6	下塞 CROWN RACE	碳鋼 STEEL	701-6	1	Ø30 ⁺⁰ _{-0.1}



HEADSETS

External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H706

HEIGHT	28.6 ± 1mm
WEIGHT	95g
FINISH	Silver, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x34x30
BALL RETAINER	1/8"x25x2pcs
MATERIAL	Alloy Top Cover & Semi-Cartridge Cups, Steel Crown Race, Dust Seal
OPTIONAL: H706M	1-1/8"x34x30 Height: 35.6 ± 1mm









可選配之上塞高度
(TOP COVER IS OPTIONAL)











型號(MODEL NO.): H706



型號(MODEL NO.): H706M



1-1/8"(Ø28.6mm)



- 1-1/8"(28.6mm) 前叉立管
- 仿隱藏式車頭碗設計
- 鋁合金(6061)上塞
- 半卡式(預卡式)鋁合金(6061)上下碗
- 鐵下塞

- For 1-1/8" threadless steerer
- Smart style "integrated system" visual appearance
- 6061/T6 CNC machined top cover with seal
- 6061/T6 semi-cartridge alloy cups
- Cold forged steel crown race

堆積高度 (Stack Height) = 28.6±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	120-8	2	ID28.5x Ø2
2	鋁上塞 TOP COVER	鋁合金 6061/T6	706-3	1	1-1/8"
3	防塵蓋 DUST-RESISTANT COVER	塑膠 NYLON	701-8	1	-
4	鋁卡式碗 SEMI-CARTRIDGE ALLOY CUP	鋁合金 6061/T6	706-4/5	2	Ø34 ^{+0.15} ₋₀
5	下塞 CROWN RACE	破鋼 STEEL	146-6	1	Ø30 ⁺⁰ _{-0.1}



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H711

HEIGHT	29 ± 1mm
WEIGHT	112g
FINISH	Silver, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x34x30
CARTRIDGE BALL BEARING	CBB-418, (OD Ø41.8x45°x45°)
MATERIAL	Alloy Top Cover & Cups, Steel Crown Race
APPLICATIONS	MTB & ATB, Trekking



- 1-1/8"(28.6mm) 無牙式前叉立管
- 鋁合金(6061)上塞及上下碗
- 鐵下塞
- 卡式軸承

- For 1-1/8" threadless steerer
- 6061/T6 CNC machined top cove with seals
- 6061/T6 forged and CNC machined cups
- Cold-forged steel crown race
- Cartridge ball bearings

堆積高度 (Stack Height) = 29±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	120-8	1	ID28.5x Ø2
2	鋁上塞 TOP COVER	鋁合金 6061/T6	773-3	1	1-1/8"
3	防塵蓋 DUST-RESISTANT SEAL	橡膠 NBR	273-0	1	-
4	鋁斜管 COMPRESSION RING	鋁合金 6061/T6	52-2	1	1-1/8"
5	卡式軸承 CARTRIDGE BALL BEARING	鉻鉬鋼 CR-MO STEEL	CBB-418	2	OD41.8x45°x45°
6	上碗 UPPER CUP	鋁合金 6061/T6	773-4	1	Ø34 ^{+0.15} ₀
7	下碗 LOWER CUP	鋁合金 6061/T6	773-5	1	Ø34 ^{+0.15} ₀
8	下塞 CROWN RACE	碳鋼 STEEL	52-6	1	Ø30 ⁺⁰ _{-0.1}



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H773

HEIGHT	29±1mm
WEIGHT	102g
FINISH	Silver, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x34x30
ACB SEALED BEARING	NHB-6B (OD Ø41.8x45°x45°)
MATERIAL	6061/T6 CNC Machined Top Cover, 7075/T6 CNC Machined Crown Race



- 1-1/8"(28.6mm) 無牙式前叉立管
- 鋁合金(6061)上塞及上下碗
- 鋁合金(7075)下塞
- 斜接觸角度密封軸承

- For 1-1/8" threadless steerer
- 6061/T6 CNC machined top cover with seals
- 6061/T6 forged and CNC machined cups
- 7075/T6 CNC machined crown race
- Angular contact sealed bearings

堆積高度 (Stack Height) = 29±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	120-8	1	ID28.5xØ2
2	鋁上塞 TOP COVER	鋁合金 6061/T6	773-3	1	1-1/8"
3	防塵蓋 DUST-RESISTANT SEAL	橡膠 NBR	51-0	1	-
4	鋁斜管 COMPRESSION RING	鋁合金 6061/T6	273-0	1	1-1/8"
5	密封式軸承 AC SEALED BEARING	軸承鋼 SUJ2	NHB-6B	2	OD41.8x45°x45°
6	上碗 UPPER CUP	鋁合金 6061/T6	773-4	1	Ø34 ^{+0.15} ₋₀
7	下碗 LOWER CUP	鋁合金 6061/T6	773-5	1	Ø34 ^{+0.15} ₋₀
8	鋁下塞 CROWN RACE	鋁合金 7075/T6	51-6	1	Ø30 ⁺⁰ _{-0.1}



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H773L

HEIGHT	30.4 ± 1mm
WEIGHT	151g
FINISH	Silver, Black
SIZE	1.5" Head Tube Reduced to 1-1/8" Fork Tube External Cup Threadless Headset
DIMENSIONS	Standard For: Upper Cups Insert Dia.34.0mm Lower Cups Insert Dia.49.7mm 1.5" - 1-1/8" Taper Fork Steerer Ø39.8mm Fork Crown-Race NHB-6B & NHB-15
ACB SEALED BEARING	Full Alloy
MATERIAL	EC34/28.6 EC49.7/39.8
SHS NORM	Available Option For 1-1/8"
REMARK	Straight Fork Steerer, Ø30.0mm Crown-Race



- 1.5"轉1-1/8"前叉立管
- 車頭管外徑上小下大
(建議車頭管外徑上半部40mm,下半部56mm)
- 鋁合金(6061)上塞及上下碗
- 鋁合金(7075)下塞(內徑39.8mm或30mm)
- 斜接觸角度密封軸承(下半部軸承加大)

- For 1-1/8" upper, 1.5" bottom steerer
- For different outer-diameter head tube
- 6061/T6 top cover with seal
- 6061/T6 CNC machined cups
- 7075/T6 CNC machined crown race
(inner-diameter 39.8mm or 30mm)
- Upper: Angular contact sealed bearing
Lower: Super oversized angular contact
sealed bearing

堆積高度 (Stack Height) = 30.4±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	O形圈 O-RING	橡膠 NBR	120-8	1	ID28.5x Ø2
2	鋁上塞 TOP COVER	鋁合金 6061/T6	773-3	1	1-1/8"
3	防塵蓋 DUST-RESISTANT SEAL	橡膠 NBR	273-0	1	-
4	鋁斜管 COMPRESSION RING	鋁合金 6061/T6	51-2	1	1-1/8"
5	密封式軸承 SUPER OVERSIZED AC SEALED BEARING	軸承鋼 SUJ2	NHB-6B	1	OD41.8x45°x45°
6	上碗 UPPER CUP	鋁合金 6061/T6	773-4	1	Ø34 ^{+0.15} ₋₀
7	下碗 LOWER CUP	鋁合金 6061/T6	151A-5	1	Ø49.7 ^{+0.15} ₋₀
8	密封式軸承 SUPER OVERSIZED AC SEALED BEARING	軸承鋼 SUJ2	NHB-15	1	OD52x45°x45°
9	鋁下塞 CROWN RACE	鋁合金 7075/T6	151-6 (153-6)	1	Ø39.8(Ø30) ⁺⁰ _{-0.1}



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H825

HEIGHT	25 ± 1mm
WEIGHT	114g
FINISH	CP, Black
SIZE	1" Threadless Headset
DIMENSIONS	1"x30x27 or 1"x30x26.4
BALL RETAINER	5/32"x16x2pcs
MATERIAL	Full Set in Steel, Dust Seal
APPLICATIONS	MTB & ATB, Trekking & Comfort



- 1"(25.4mm) 無牙式前叉立管
- 整組鐵製品,上下均有防塵防水蓋
- 上下珠巢

- For 1" threadless steerer
- All set steel with seals
- Ball retainers

堆積高度 (Stack Height) = 25±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	SD3202	1	2txOD32(1")
2	固定圈 COMPRESSING RING	橡膠 NBR	820-2	1	1"
3	上塞 TOP COVER	碳鋼 STEEL	825-3	1	1"
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x16
5	碗 CUP	碳鋼 STEEL	820-5	2	Ø30 (+0.15/-0)
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	831SW-8	1	-
7	下塞 CROWN RACE	碳鋼 STEEL	800-6	1	Ø27(Ø26.4) (+0/-0.1)



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H827W

HEIGHT	28.2 ± 1mm
WEIGHT	102g
FINISH	Silver, Black
SIZE	1" Threadless Headset
DIMENSIONS	25.4x30x27 or 25.4x30x26.4
BALL RETAINER	5/32"x16x2pcs
MATERIAL	Alloy Top Cover & Lower Cup Steel Top Cone & Crown Race



- 1" (25.4mm) 無牙式前叉立管
- 鋁合金(6061)上塞及下碗
- 鐵下塞
- 上下均有防塵防水蓋
- 上下珠巢

- For 1" threadless steerer
- 6061/T6 forged and CNC machined top cover and lower cup
- Double dust-resistant seals
- Ball retainers

堆積高度 (Stack Height) = 28.2±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	鋁合金 6061/T6	AD3202	1	2xOD32(1")
2	固定圈 COMPRESSING RING	橡膠 NBR	820-2	1	1"
3	鋁上塞 TOP CONE	鋁合金 6061/T6	827W-3	1	1"
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x16
5	防水圈 DUST-RESISTANT SEAL	橡膠 NBR	807W-8	2	-
6	上管塞 UPPER CUP	碳鋼 STEEL	807W-4	1	Ø30 +0.15/-0
7	鋁下碗 LOWER CUP	鋁合金 6061/T6	807W-5	1	Ø30 +0.15/-0
8	下塞 CROWN RACE	碳鋼 STEEL	800-6	1	Ø27(Ø26.4) +0/-0.1



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H845

HEIGHT	26.5 ± 1mm
WEIGHT	142g
FINISH	CP, Black
SIZE	1-1/8"x34x30
DIMENSIONS	Ø28.6x34x30
BALL RETAINER	5/32"x22 x 2pcs
MATERIAL	Full Set in Steel, Dust Seal
APPLICATIONS	MTB & ATB, Trekking & Comfort



- 1-1/8" (28.6mm) 無牙式前叉立管 (BC 1-1/8"x34x30)
- 整組鐵製品, 上下均有防塵防水蓋
- 上下珠巢

- For 1-1/8" threadless steerer
- All set steel with seals
- Ball retainers

堆積高度 (Stack Height) = 26.5±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	SD3602	1	2txOD36(1-1/8")
2	固定圈 COMPRESSING RING	橡膠 NBR	840-2	1	1-1/8"
3	上塞 TOP COVER	碳鋼 STEEL	845-3	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x22
5	碗 CUP	碳鋼 STEEL	841-4	2	Ø34 ^{+0.15} ₋₀
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	841SW-8	1	-
7	下塞 CROWN RACE	碳鋼 STEEL	841-6	1	Ø30 ⁺⁰ _{-0.1}



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H846

HEIGHT	25 ± 1mm
WEIGHT	144g
FINISH	CP, Black
	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x34x30
BALL RETAINER	5/32"x22x2pcs
MATERIAL	Full Set in Steel, Dust Seal
APPLICATIONS	MTB & ATB, Trekking & Comfort



- 1-1/8"(28.6mm) 無牙式前叉立管
- 整組鐵製品
- 上下珠巢

- For 1-1/8" threadless steerer
- All set steel
- Ball retainers

堆積高度 (Stack Height) = 25±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	SD3602	1	2txOD36(1-1/8")
2	固定圈 COMPRESSING RING	橡膠 NBR	840-2	1	1-1/8"
3	上塞 TOP COVER	碳鋼 STEEL	846-3	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x22
5	碗 CUP	碳鋼 STEEL	841-4	2	Ø34 ^{+0.15} ₋₀
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	841SW-8	1	-
7	下塞 CROWN RACE	碳鋼 STEEL	841-6	1	Ø30 ⁺⁰ _{-0.1}



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H847W

HEIGHT	31 ± 1mm
WEIGHT	125g
FINISH	Silver, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x34x30
BALL RETAINER	5/32"x22x2pcs
MATERIAL	Alloy Top Cover & Lower Cup Steel Top Cone & Crown Race
APPLICATIONS	MTB & ATB, Trekking & Comfort



- 1-1/8"(28.6mm) 無牙式前叉立管
- 鋁合金(6061)上塞及下碗
- 鐵下塞
- 上下均有防塵防水蓋
- 上下珠巢



- For 1-1/8" threadless steerer
- 6061/T6 forged and CNC machined top cover and lower cup
- Double dust-resistant seals
- Steel crown race
- Ball retainers

堆積高度 (Stack Height) = 31±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	鋁合金 6061/T6	AD3602	1	2t×OD36(1-1/8")
2	固定圈 COMPRESSING RING	橡膠 NBR	840-2	1	1-1/8"
3	鋁上塞 TOP COVER	鋁合金 6061/T6	847W-3	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x22
5	防水圈 DUST-RESISTANT SEAL	橡膠 NBR	815W-8	2	-
6	上管塞 UPPER CONE	碳鋼 STEEL	815W-4	1	Ø34 (+0.15/-0)
7	鋁下碗 LOWER CUP	鋁合金 6061/T6	815W-5	1	Ø34 (+0.15/-0)
8	下塞 CROWN RACE	碳鋼 STEEL	703-3	1	Ø30 (+0/-0.1)

H852

HEIGHT	22 ± 1mm
WEIGHT	105g
FINISH	CP, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8" x 34 x 30
BALL RETAINER	5/32"x22x2pcs
MATERIAL	Full Set in Steel, Dust Seal
APPLICATIONS	MTB & ATB, Trekking & Comfort



- 1-1/8"(28.6mm) 無牙式前叉立管
- 整組鐵製品,上下均有防塵防水蓋
- 上下珠巢



- For 1-1/8" threadless steerer
- All set steel with seals
- Ball retainers

堆積高度 (Stack Height) = 22 ± 1 mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	塑膠斜管 COMPRESSION RING	塑膠 NYLON	115-2	1	1-1/8"
2	上塞 TOP COVER	碳鋼 STEEL	852-3	1	1-1/8"
3	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	841SW-8	2	-
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x22
5	碗 CUP	碳鋼 STEEL	841-4	2	Ø34 ^{+0.15} ₋₀
6	下塞 CROWN RACE	碳鋼 STEEL	841-6	1	Ø30 ⁺⁰ _{-0.1}

H854

HEIGHT	24.5 ± 1mm
WEIGHT	120g
FINISH	CP, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8" x 34 x 30
BALL RETAINER	5/32"x22x2pcs
MATERIAL	Full Set in Steel, Dust Seal
APPLICATIONS	MTB & ATB, Trekking & Comfort



- 1-1/8" (28.6mm) 無牙式前叉立管
- 整組鐵製品, 上下均有防塵防水蓋
- 上下珠巢

- For 1-1/8" threadless steerer
- All set steel with seals
- Ball retainers

堆積高度 (Stack Height) = $24.5 \pm 1\text{mm}$

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	塑膠斜管 COMPRESSION RING	塑膠 NYLON	115-2	1	1-1/8"
2	上塞 TOP COVER	碳鋼 STEEL	854-3	1	1-1/8"
3	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x22
4	碗 CUP	碳鋼 STEEL	841-4	2	Ø34 ^{+0.15} ₋₀
5	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	841SW-8	1	-
6	下塞 CROWN RACE	碳鋼 STEEL	841-6	1	Ø30 ⁺⁰ _{-0.1}





HEADSETS

External Cup (Threadless)

neco
THE EPITOME OF BICYCLE COMPONENTS

H855

HEIGHT	28.4 ± 1mm
WEIGHT	163g
FINISH	CP, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8" x 34 x 30
BALL RETAINER	5/32"x22 (Upper)
NEEDLE BEARING	Ø2.5x22 (Lower)
MATERIAL	Full Set in Steel, Dust Seal
APPLICATIONS	MTB & ATB, Trekking & Comfort
OPTIONAL : H826	1"x30x27 or 1"x30x26.4



- 1-1/8" (28.6mm) 無牙式前叉立管
- 整組鐵製品, 上下均有防塵防水蓋
- 上半部: 珠巢 (5/32"x22)
- 下半部: 條珠 (Ø2.5x22)

- For 1-1/8" threadless steerer
- All set steel with seals
- Upper: Ball retainer (5/32" x22)
- Lower: Needle bearing (Ø2.5x22)

堆積高度 (Stack Height) = 28.4±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	碳鋼 STEEL	SD3602	1	2txOD36
2	固定圈 COMPRESSING RING	橡膠 NBR	840-2	1	1-1/8"
3	上塞 TOP COVER	碳鋼 STEEL	845-3	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	1	5/32"x22
5	上碗 UPPER CUP	碳鋼 STEEL	841-4	1	Ø34 ^{+0.15} ₀
6	下碗 LOWER CUP	碳鋼 STEEL	856-5	1	Ø34 ^{+0.15} ₀
7	條珠珠巢 NEEDLE BEARING	碳鋼 STEEL	-	1	Ø2.5x22
8	防塵蓋 DUST-RESISTANT SEAL	橡膠 NBR	856-8	1	-
9	條珠下塞 CROWN RACE	碳鋼 STEEL	856-6	1	Ø30 ⁺⁰ _{-0.1}



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H867EW

HEIGHT	28±1mm
WEIGHT	127g
FINISH	CP, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8" x 34 x 30
BALL RETAINER	5/32"x22 2pcs
MATERIAL	Alloy Top Cover, Steel Upper & Lower Cup & Crown Race
APPLICATIONS	Light Weight, MTB & ATB, Trekking and Comfort
OPTIONAL : H236EW	1"x30x27 or 1"x30x26.4



- 1-1/8"(28.6mm) 無牙式前叉立管
- 鋁合金(6061)上塞
- 鐵下塞
- 上下均有防塵防水蓋
- 上下珠巢

- For 1-1/8" threaded
- 6061/T6 CNC machined top cover
- Steel cups and crown race
- Double seals
- Ball retainers

堆積高度 (Stack Height) = 28±1mm

NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	墊片 SPACER	鋁合金 6061/T6	AS3602	1	2xOD36(1-1/8")
2	固定圈 COMPRESSING RING	橡膠 NBR	840-2	1	1-1/8"
3	鋁上塞 ADJUSTING CONE	鋁合金 6061/T6	867W-3	1	1-1/8"
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x22
5	碗 CUP	碳鋼 STEEL	841-4	2	Ø34 ^{+0.15} ₀
6	防水圈 DUST-RESISTANT COVER	塑膠 NYLON	841SW-8	1	-
7	下塞 CROWN RACE	碳鋼 STEEL	841-6	1	Ø30 ⁺⁰ _{-0.1}



HEADSETS



External Cup (Threadless)

neco

THE EPITOME OF BICYCLE COMPONENTS

H878

HEIGHT	26.5 ± 1mm
WEIGHT	142g
FINISH	CP, Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x34x30
BALL RETAINER	5/32"x22x2pcs
MATERIAL	Full Set in Steel
APPLICATIONS	BMX, Freestyle



- 1-1/8"(28.6mm)無牙式前叉立管
- 整組鐵製品,上下均有防塵防水蓋
- 上下珠巢

- For 1-1/8" threadless steerer
- All set steel with seals
- Ball retainers

堆積高度 (Stack Height) = 26.5±1mm


NO.	零件名稱 PART NAME	材質 MATERIAL	圖號 DRAWING NO.	台量 Q'TY	尺寸 DIM. DESCRIPTION
1	斜管 COMPRESSING RING	鋁合金 6061/T6	878-2	1	1-1/8"
2	上塞 TOP COVER	碳鋼 STEEL	878-3	1	1-1/8"
3	上防水圈 UPPER DUST RESISTANT COVER	塑膠 NYLON	141-8	1	-
4	珠巢 BALL RETAINER	碳鋼 STEEL	-	2	5/32"x22
5	碗 CUP	碳鋼 STEEL	841-4	2	Ø34 ^{+0.15} ₀
6	下防水圈 LOWER DUST RESISTANT COVER	塑膠 NYLON	841-8	1	-
7	下塞 CROWN RACE	碳鋼 STEEL	841-6	1	Ø30 ⁺⁰ _{-0.1}



THE EPITOME OF BICYCLE COMPONENTS

BIG LOWER CUP

HEIGHT	30 ± 1mm
WEIGHT	180g
FINISH	CP,Black
SIZE	1-1/8" Threadless Headset
DIMENSIONS	1-1/8"x34x30
BALL RETAINER	5/32"x22(Upper) + 1/4"x15B(Lower)
MATERIAL	Steel Upper Part,CR-MO Lower Part, Dust Seal
APPLICATIONS	Heavy BMX, Freestyle



- 1-1/8"(28.6mm) 無牙式前叉立管
 - 適用於衝擊較大之越野車及表演車
 - 鉻鉬鋼下碗和下塞
 - 上下均有防塵防水蓋
 - 上半部珠巢: 5/32"x22
 - 下半部珠巢: 1/4"x15B (加大型)
-
- For 1-1/8" threadless steerer
 - For heavy duty BMX/freestyle bikes
 - SCM440 lower cup and crown race
 - Double dust-resistant seals
 - Upper: 5/32" x22 ball retainer
 - Lower: 1/4" x15B super oversized ball retainer

堆積高度 (Stack Height) = $30.4 \pm 1 \text{ mm}$

93