

NECO



CATALOGUE & TECHNICAL MANUAL 2025-2026

<https://www.necoparts.com>

CATALOGUE & TECHNICAL MANUAL 2025-2026



NECO

NECO : NEVER COME OFF PROFESSIONAL BIKE PARTS MANUFACTURERS

Neco Technology Industry Co.Ltd., founded in 1986 in Taichung ,have been in the forefront of machinery tooling design and development. Having acquired more than 30 years of experience in the cycling field ,general manager Mr. Neco Wang has been extensively making contributions to not only the growth ,development and success of the company ,but to the global bicycle industry as well.

In order to offer high quality products and expand plant capacity, we specialize in manufacturing headsets and bottom bracket components. Not only can we cover awide range of applications and finishes ,but we can also extand the capacities of alloy cold forging ,steel press ,hole tapping and CNC finishing ,etc.

Starting from 2010 ,Neco Ltd. has extended its product categories to include CNC pedals ,hubs and chainwheels, To offer the best service and shortest lead-time ,Neco Ltd. has established 4 factories in China ; one in Shunde City ,Guangdong(since 1997) ,one in Tianwang Town ,JurongCity (since 2001) and also the factory in Tianjin(since 2013).In 2016,Lingbei Motor Technology joined in Neco group, Lingbei Motor Technology(Shanghai)Co.,Ltd. is a company dedicated to the production of electric vehicle components and complete sets of systems, its products are exported to international, specializing in the motor system for electric bicycles pedal bicycles and, scooters its products are on sale in china, European and the American markets.

After constant improvement and efficient management ,every Neco factory is well established and play an important role in the Neco group.

Taiwan factory continuously focuses on high-end products and expanding design capabilities with our state-of-the-art research facility. However ,we believe the entire range of market demands from economic models to technologically cold forged CNC component.Meanwhile ,Neco Ltd. will always strive to meet the commitments to all of the customers and provide competitive and high-value products.



2025-2026

CATALOGUE & TECHNICAL MANUAL

HEADSETS 車頭碗組

Cable Routing Headsets	內走線車頭碗組	P.02 - P.04
Integrated Threaded Headsets	全隱藏式無牙車頭碗	P.06 - P.11
Semi-Integrated Threadless Headsets	半隱藏式無牙車頭碗	P.11 - P.20
Semi-Integrated Threaded Headsets	半隱藏式有牙車頭碗	P.21 - P.24
External Cup Threadless Headsets	外露式無牙車頭碗	P.24 - P.30
130° Safety Headsets	安全車頭碗	P.31 - P.34
External Cup Threaded Headsets	外露式有牙車頭碗	P.34 - P.39
E-bike Head Parts	電動車車頭碗組	P.40

ACCESSORIES 配件

Accessories	配件	P.42 - P.46
-------------	----	-------------

BOTTOM BRACKETS B.B 五通碗組

Cartridge Cotterless B.B. Sets	P.48 - P.56
Cartridge ISIS B.B. Sets	P.57 - P.59
External Cup/ Press-Fit B.B. Sets/Bottom Brackets	P.60 - P.68

PEDALS 腳踏

Clipless/CNC Pedals/BMX/City/Mountain/Road/Children	P.70 - P.76
卡踏/鋁合金腳踏/表演車用/城市車用/登山車用/跑車用/童車用	

HUBS 花鼓

Road/Mountain Bikes	跑車用/登山車用	P.78 - P.84
Quick Release	快拆	P.85

PACKAGING 補修包裝

Packaging	補修包裝	P.86 - P.87
-----------	------	-------------

CABLE ROUTING HEADSETS

內走線車頭碗組



NECO

內走線前叉碗組 CABLE ROUTING HEADSET

H329A



WEIGHT

115.8g

SIZE

1.5" Head Tube
Reduced To 1-1/8" Fork
Tube Integrated
Threadless Headset

SHIS NORM


IS52.2/28.6
IS52.2/39.8(30)

Available For
Zoom Stem Model

TDS-(R)D631-8FOV/
TDS-D632-8FOV/
TDS-D634-8FOV/
TDS-636-8FOV
TDS-645(SERIES)
-8FOV/TDS-658-8FOV/
TM-AL-20-8

OPTIONAL

H329MP:
NYLON TOP COVER



堆積高度 (STACK HEIGHT) = 15.5 ± 1mm

H331



WEIGHT

73.7g

SIZE


1.5" Head Tube
Reduced To 1-1/8" Fork
Tube Integrated
Threadless Headset

SHIS NORM

IS52.2/28.6
IS52.2/39.8(30)

Available For Zoom Model

TDS-(R)D631-8FOV/
TDS-D632-8FOV/
TDS-D634-8FOV/
TDS-636-8FOV
TDS-645(SERIES)
-8FOV/TDS-658-8FOV/
TM-AL-20-8



堆積高度 (STACK HEIGHT) = 1.8 ± 0.5 mm

H156ECR



WEIGHT


194.7g

SIZE

1.5" Head Tube
Reduced To 1-1/8" Fork
Tube
Semi-Integrated
Threadless Headset

SHIS NORM

ZS56/28.6
ZS56/39.8(30)



堆積高度 (STACK HEIGHT) = 20.6 ± 1 mm

H323MP-2WR



WEIGHT


118g

SIZE

1.5" Head Tube
Reduced To 1-1/8" Fork
Tube Semi-Integrated
Threadless Headset

SHIS NORM

ZS56/28.6
ZS56/39.8(30)



堆積高度 (STACK HEIGHT) = 21.1 ± 1 mm


H325MP

**WEIGHT**

119.5g

SIZE1.5" Head Tube
Reduced To 1-1/8" Fork
Tube Semi-Integrated
Threadless Headset**SHIS NORM**ZS56/28.6
ZS56/39.8(30)Available For
Bigstone Model

M300C



堆積高度 (STACK HEIGHT) = 20.3±1mm


H330A

**WEIGHT**

176.9g


SIZE1.5" Head Tube
Reduced To 1-1/8" Fork
Tube Semi-Integrated
Threadless Headset**SHIS NORM**ZS56/28.6
ZS56/39.8(30)

Available For Zoom Model

TDS-(R)D631-8FOV/
TDS-D632-8FOV/
TDS-D634-8FOV/
TDS-636-8FOV
TDS-645(SERIES)-
8FOV/TDS-658-8FOV/
TM-AL-20-8**OPTIONAL**H330MP:
NYLON TOP COVER

堆積高度 (STACK HEIGHT) = 19.5±1 mm


H334

**WEIGHT**

117.4g

SIZE1.5" Head Tube
Reduced To 1-1/8" Fork
Tube Semi-Integrated
Threadless Headset**SHIS NORM**ZS56/28.6
ZS56/39.8(30)

Available For Zoom Model

TDS-(R)D631-8FOV/
TDS-D632-8FOV/
TDS-D634-8FOV/
TDS-636-8FOV
TDS-645(SERIES)-
8FOV/TDS-658-8FOV/
TM-AL-20-8

堆積高度 (STACK HEIGHT) = 15.4 ± 1 mm


H335

**WEIGHT**

133g

SIZE1.5" Head Tube
Reduced To 1-1/8" Fork
Tube Semi-Integrated
Threadless Headset**SHIS NORM**ZS56/28.6
ZS56/39.8(30)Available For
CHUHNE Model

AS-E08



堆積高度 (STACK HEIGHT) = 18.9 ± 1 mm

HEADSETS

車頭碗組




NECO

H02

**WEIGHT**

50g

SIZE1" Integrated
Threadless Headset**SHIS NORM**IS38.2/25.4
IS38.2/27(26.4)

堆積高度 (STACK HEIGHT) = 10.5 ± 1mm

H22

**WEIGHT**


55g

SIZE1-1/8" Integrated
Threadless Headset**SHIS NORM**IS41.2/28.6
IS41.2/30可選配之上塞高度
(TOP COVER IS OPTIONAL)

型號(MODEL NO.): H22

型號(MODEL NO.): H22M

型號(MODEL NO.): H22H



堆積高度 (STACK HEIGHT) = 10.2 ± 1 mm

H23

**WEIGHT**


60.3g

SIZE1-1/8" Integrated
Threadless Headset**SHIS NORM**IS41.2/28.6
IS41.2/30可選配之上塞高度
(TOP COVER IS OPTIONAL)

型號(MODEL NO.): H23

型號(MODEL NO.): H23M

型號(MODEL NO.): H23H



堆積高度 (STACK HEIGHT) = 9.5 ± 1 mm

H27

**WEIGHT**


61g

SIZE1-1/8" Integrated
Threadless Headset
Campy Compatible**SHIS NORM**IS42/28.6
IS42/30可選配之上塞高度
(TOP COVER IS OPTIONAL)

型號(MODEL NO.): H27

型號(MODEL NO.): H27M

型號(MODEL NO.): H27H



堆積高度 (STACK HEIGHT) = 10.1 ± 1 mm

H50



WEIGHT



64g

SIZE

1-1/8" Integrated
Threadless Headset

SHIS NORM

IS41.2/28.6
IS41.2/30

可選配之上塞高度
(TOP COVER IS OPTIONAL)


堆積高度 (STACK HEIGHT) = 9.8 ± 1 mm

H51



WEIGHT



65g

SIZE

1-1/8" Integrated
Threadless Headset
Campy Compatible

SHIS NORM

IS42/28.6
IS42/30

可選配之上塞高度
(TOP COVER IS OPTIONAL)


堆積高度 (STACK HEIGHT) = 9.4 ± 1 mm

H51S



WEIGHT



70g

SIZE

1-1/8" Head Tube
Reduced to 1" Fork
Stem Integrated
Threadless Headset

SHIS NORM

IS42/25.4
IS42/27(26.4)

可選配之上塞高度
(TOP COVER IS OPTIONAL)


堆積高度 (STACK HEIGHT) = 9.4 ± 1 mm

H52



WEIGHT



74g

SIZE

1-1/8" Integrated
Threadless Headset
Campy Compatible

SHIS NORM

IS42/28.6
IS42/30


可選配之上塞高度
(TOP COVER IS OPTIONAL)


堆積高度 (STACK HEIGHT) = 9.4 ± 1 mm

H52MP

**WEIGHT**

70g


SIZE1-1/8" Integrated
Threadless Headset
Campy Compatible**SHIS NORM**IS42/28.6
IS42/30

堆積高度 (STACK HEIGHT) = 16.2 ± 1 mm

H160

**WEIGHT**

85g

SIZE1.5" Head Tube
Reduced to 1-1/4"
Fork Tube Integrated
Threadless Headset**SHIS NORM**IS47/31.8
IS52.2/39.8(33)

堆積高度 (STACK HEIGHT) = 8.2 ± 1 mm

H373 [H373C]


**WEIGHT**

80g

SIZE1.5" Head Tube
Reduced to 1-1/8" Fork
Tube Integrated
Threadless Headset**SHIS NORM**IS42/28.6
IS52.2/39.8(30)**OPTIONAL**H373C-Carbon Top
Cover Stack Height
10.4 ± 1 mm可選配之上塞高度
(TOP COVER IS OPTIONAL)
型號(MODEL NO.): H373

型號(MODEL NO.): H373M

型號(MODEL NO.): H373H



堆積高度 (STACK HEIGHT) = 9.7 ± 1 mm

H373S


**WEIGHT**

83.6g

SIZE1.5" Head Tube
Reduced to 1-1/8"
Fork Tube Integrated
Threadless Headset**SHIS NORM**IS42/28.6
IS52.2/39.8(30)可選配之上塞高度
(TOP COVER IS OPTIONAL)
型號(MODEL NO.): H373S

型號(MODEL NO.): H373SM

型號(MODEL NO.): H373SH



堆積高度 (STACK HEIGHT) = 9.4 ± 1 mm

H373MPS




WEIGHT

88g

SIZE

1.5" Head Tube
Reduced to 1-1/8"
Fork Tube Integrated
Threadless Headset

SHIS NORM

IS42/28.6
IS52.2/39.8 (30)


堆積高度 (STACK HEIGHT) = 16.3 ± 1 mm

H373-B52





WEIGHT

80g

SIZE

1.5" Head Tube
Reduced to 1-1/8"
Fork Tube Integrated
Threadless Headset

SHIS NORM

IS42/28.6
IS52/39.8(30)


堆積高度 (STACK HEIGHT) = 9.5 ± 1 mm

H373FT-B52




WEIGHT

75g

SIZE

1.5" Head Tube
Reduced to 1-1/8"
Fork Tube Integrated
Threadless Headset

SHIS NORM

IS42/28.6
IS52/39.8(30)


堆積高度 (STACK HEIGHT) = 4.5 ± 1 mm

H373G




WEIGHT

87g

SIZE


1.5" Head Tube
Reduced to 1-1/8"
Fork Tube Integrated
Threadless Headset

SHIS NORM



IS42/28.6
IS52.2/39.8(30)


堆積高度 (STACK HEIGHT) = 9.1 ± 1 mm

H373GMP



塑鋼上塞
PC TOP COVER ①鋁斜管
ALUMINUM COMPRESSION RING ②**WEIGHT**

88g


SIZE1.5" Head Tube
Reduced to 1-1/8"
Fork Tube Integrated
Threadless Headset**SHIS NORM**IS42/28.6
IS52.2/39.8(30)卡式上碗
STEEL UPPER CARTRIDGE CUP ③卡式下碗
STEEL LOWER CARTRIDGE CUP ④下塞
STEEL CROWN RACE ⑤

堆積高度 (STACK HEIGHT) = 16.6 ± 1 mm

H382 [1.5"]

O形圈
NBR O-Ring ①鋁上塞
ALUMINUM TOP COVER ②鋁斜管
ALUMINUM COMPRESSION RING ③密封式軸承
A.C. SEALED BEARING ④**WEIGHT**

99g






SIZE1.5" Integrated
Threadless Headset**SHIS NORM**IS52.2/38.1
IS52.2/39.8密封式軸承
A.C. SEALED BEARING ④鋁下塞
ALUMINUM CROWN RACE ⑤

堆積高度 (STACK HEIGHT) = 9.1 ± 1 mm

H382S

**WEIGHT**

113.3g

SIZE1.5" Head Tube
Reduced to 1-1/8"
Fork Tube Integrated
Threadless Headset**SHIS NORM**IS52.2/28.6
IS52.2/39.8(30)可選配之上塞高度
(TOP COVER IS OPTIONAL)
型號(MODEL NO.): H382SMO形圈
NBR O-RING ①鋁上塞
ALUMINUM TOP COVER ②O形圈
NBR O-RING ③鋁斜管
ALUMINUM COMPRESSION RING ④密封式軸承
A.C. SEALED BEARING ⑤密封式軸承
A.C. SEALED BEARING ⑤鋁下塞
ALUMINUM CROWN RACE ⑥

堆積高度 (STACK HEIGHT) = 8.7 ± 1 mm

H397





**WEIGHT**

76g

SIZE1.5" Head Tube
Reduced to 1-1/8"
Fork Tube Integrated
Threadless Headset**SHIS NORM**IS42/28.6
IS52/39.8(30)可選配之上塞高度
(TOP COVER IS OPTIONAL)
型號(MODEL NO.): H397

型號(MODEL NO.): H397M

型號(MODEL NO.): H397H

O形圈
NBR O-RING ①鋁上塞
ALUMINUM TOP COVER ②防塵蓋
NBR DUST-RESISTANT COVER ③鋁斜管
ALUMINUM COMPRESSION RING ④密封式軸承
A.C. SEALED BEARING ⑤卡式軸承
CARTRIDGE BALL BEARING ⑥鋁下塞
ALUMINUM CROWN RACE ⑦

堆積高度 (STACK HEIGHT) = 9.5 ± 1 mm

H114



WEIGHT

105q



SIZE

1-1/8"
Semi-Integrated
Threadless Headset

THIS NORM

ZS44/28.6
ZS44/30

可選配之上塞高度
(TOP COVER IS OPTIONAL)



堆積高度 (STACK HEIGHT) = 9.9 ± 1 mm

H115




WEIGHT

97q

SIZE

1-1/8"
Semi-Integrated
Threadless Headset

THIS NORM

ZS44/28.6
ZS44/30堆積高度 (STACK HEIGHT) = 9.8 ± 1 mm

H115MP



WEIGHT


113g

SIZE

1-1/8"
Semi-Integrated
Threadless Headset

THIS NORM

ZS44/28.6
ZS44/30



堆積高度 (STACK HEIGHT) = 23.6 ± 1 mm

H115M-1 [H115H-1]



WEIGHT

H115M-1:121g



H115H-1:138g

SIZE
1-1/8"
Semi-Integrated

Threadless Heads

SHIS NORM
ZS44/28.6

可選配之上塞高度
(TOP COVER IS OPTIONAL)



堆積高度 (STACK HEIGHT) = 23.2 ± 1 mm

H117DM




WEIGHT

106g

SIZE

1-1/8"
Semi-integrated
Threadless Headset

SHIS NORM

ZS44/28.6
ZS44/30

堆積高度 (STACK HEIGHT) = 23 ± 1 mm

H117SM




WEIGHT

99g

SIZE

1-1/8"
Semi-Integrated
Threadless Headset

SHIS NORM

ZS44/28.6
ZS44/30

堆積高度 (STACK HEIGHT) = 21.2 ± 1 mm

H119CDM




WEIGHT

141.3g

SIZE

1-1/8"
Semi-Integrated
Threadless Headset

SHIS NORM

ZS44/28.6
ZS44/30

堆積高度 (STACK HEIGHT) = 21.2 ± 1 mm

H119MP-1




WEIGHT

96g

SIZE

1-1/8"
Semi-integrated
Threadless Headset



SHIS NORM

ZS44/28.6
ZS44/30

堆積高度 (STACK HEIGHT) = 19.2 ± 1 mm

H124

**WEIGHT**

91g



SIZE1" Semi-Integrated
Threadless Headset**SHIS NORM**ZS44/25.4
ZS44/27(26.4)可選配之上塞高度
(TOP COVER IS OPTIONAL)

堆積高度 (STACK HEIGHT) = 10 ± 1 mm

H125

**WEIGHT**

60.8g



SIZE1-1/8" Semi-Integrated
Threadless Headset**SHIS NORM**ZS44/28.6
ZS44/30可選配之上塞高度
(TOP COVER IS OPTIONAL)

堆積高度 (STACK HEIGHT) = 10 ± 1 mm

H145

**WEIGHT**

77g



SIZE1-1/8" Semi-Integrated
Threadless Headset**SHIS NORM**ZS44/28.6
ZS44/30可選配之上塞高度
(TOP COVER IS OPTIONAL)

堆積高度 (STACK HEIGHT) = 14.1 ± 1 mm

H146

**WEIGHT**

77.8g

SIZE1-1/8" Semi-Integrated
Threadless Headset**SHIS NORM**ZS44/28.6
ZS44/30可選配之上塞高度
(TOP COVER IS OPTIONAL)

堆積高度 (STACK HEIGHT) = 9.1 ± 1 mm

H148



WEIGHT

106g

SIZE

1-1/8"
Semi-Integrated
Threadless Headset


SHIS NORM

ZS44/28.6
ZS44/30

可選配之上塞高度
(TOP COVER IS OPTIONAL)
型號(MODEL NO.): H148

型號(MODEL NO.): H148M

型號(MODEL NO.): H148H



堆積高度 (STACK HEIGHT) = 9.9 ± 1 mm

H148MP




WEIGHT

103.3g

SIZE

1-1/8"
Semi-Integrated
Threadless Headset

SHIS NORM

ZS44/28.6
ZS44/30


堆積高度 (STACK HEIGHT) = 19.5 ± 1 mm

H148MP-1




WEIGHT

107.7g

SIZE

1-1/8"
Semi-Integrated
Threadless Headset

SHIS NORM

ZS44/28.6
ZS44/30


堆積高度 (STACK HEIGHT) = 19.5 ± 1 mm

H148DM




WEIGHT

122.8g

SIZE

1-1/8"
Semi-Integrated
Threadless Headset

SHIS NORM



ZS44/28.6
ZS44/30


堆積高度 (STACK HEIGHT) = 21.6 ± 1 mm

H151S

**WEIGHT**

119g



SIZEFits 1-1/8" to 1.5"
Tapered Fork
Threadless Headset**SHIS NORM**ZS44/28.6
EC44/39.8(30)

堆積高度 (STACK HEIGHT) = 20.2 ± 1 mm

H153-1_[H153E-1]

**WEIGHT**

135g


SIZE1.5" Head Tube
Reduced to 1-1/8"
Fork Tube
Semi-Integrated
Threadless headset**SHIS NORM**ZS55(56)/28.6
ZS55(56)/39.8(30)

堆積高度 (STACK HEIGHT) = 15.6 ± 1 mm

H153E-1-001

**WEIGHT**

197.3g



SIZE1.5" Head Tube
Reduced to 1-1/8"
Fork Tube Integrated
Threadless Headset**SHIS NORM**ZS56/28.6
ZS66/45.8(39.8)

堆積高度 (STACK HEIGHT) = 15.7 ± 1 mm

H153-1C_[H153E-1C]

**WEIGHT**

145g

SIZE1.5" Head Tube
Reduced to 1-1/8"
Fork Tube
Semi-Integrated
Threadless headset**SHIS NORM**ZS55(56)/28.6
ZS55(56)/39.8(30)

堆積高度 (STACK HEIGHT) = 15.8 ± 1 mm

H156 [H156E]



WEIGHT

134g

SIZE



1.5" Head Tube Reduced to 1-1/8" Fork Tube Semi-Integrated Threadless headset

SHIS NORM

ZS44/28.6
ZS55/39.8(30)

OPTIONAL

H156E:ZS44/28.6
ZS56/39.8(30)

可選配之上塞高度
(TOP COVER IS OPTIONAL)
型號(MODEL NO.): H156


堆積高度 (STACK HEIGHT) = 9.9 ± 1 mm

H156MP [H156EMP]



WEIGHT

133g


SIZE

1.5" Head Tube Reduced to 1-1/8" Fork Tube Semi-Integrated Threadless headset

SHIS NORM

ZS44/28.6
ZS55/39.8(30)

OPTIONAL

H156EMP:ZS44/28.6
ZS56/39.8(30)


堆積高度 (STACK HEIGHT) = 19.5 ± 1 mm

H159 [H159E]



WEIGHT

127g


SIZE

1.5" Head Tube Reduced to 1-1/8" Fork Tube Semi-Integrated Threadless headset

SHIS NORM

ZS44/28.6
ZS55/39.8(30)

OPTIONAL

H159E:ZS44/28.6
ZS56/39.8(30)


堆積高度 (STACK HEIGHT) = 9.7 ± 1 mm

H162



WEIGHT



82g

SIZE

1" Semi-Integrated Threadless Headset

SHIS NORM

ZS44/25.4
ZS44/27(26.4)

可選配之上塞高度
(TOP COVER IS OPTIONAL)
型號(MODEL NO.): H162


堆積高度 (STACK HEIGHT) = 9.1 ± 1 mm


H172

**WEIGHT**

75g

SIZE1-1/8" Semi-Integrated
Threadless Headset**SHIS NORM**ZS44/28.6
ZS44/30可選配之上塞高度
(TOP COVER IS OPTIONAL)


型號(MODEL NO.): H172



型號(MODEL NO.): H172M



型號(MODEL NO.): H172H



堆積高度 (STACK HEIGHT) = 9.1 ± 1 mm

H176

**WEIGHT**

112g

SIZE1-1/8" Semi-Integrated
Threadless Headset**SHIS NORM**ZS44/28.6
ZS44/30可選配之上塞高度
(TOP COVER IS OPTIONAL)


型號(MODEL NO.): H176



型號(MODEL NO.): H176M



型號(MODEL NO.): H176H



堆積高度 (STACK HEIGHT) = 14.6 ± 1 mm

H180

**WEIGHT**

75g

SIZE1-1/8" Semi-Integrated
Threadless Headset**SHIS NORM**ZS44/28.6
ZS44/30可選配之上塞高度
(TOP COVER IS OPTIONAL)


型號(MODEL NO.): H180



型號(MODEL NO.): H180M



型號(MODEL NO.): H180H




堆積高度 (STACK HEIGHT) = 13.7 ± 1 mm

H185

**WEIGHT**

98g

SIZE1-1/8" Semi-Integrated
Threadless Headset**SHIS NORM**ZS44/28.6
ZS44/30

堆積高度 (STACK HEIGHT) = 11.7 ± 1 mm

H187



WEIGHT

130g

SIZE

1-1/4" Head Tube
Reduced to 1-1/8"
Fork Tube
Semi-Integrated
Threadless Headset

SHIS NORM

ZS44/28.6
ZS50.6/33(30)

可選配之上塞高度
(TOP COVER IS OPTIONAL)


型號(MODEL NO.): H187



型號(MODEL NO.): H187M



型號(MODEL NO.): H187H



H188



WEIGHT

106g

SIZE

1-1/4" Head Tube
Reduced to 1-1/8"
Fork Tube
Semi-Integrated
Threadless Headset

SHIS NORM

ZS44/28.6
ZS50.6/33(30)

可選配之上塞高度
(TOP COVER IS OPTIONAL)



型號(MODEL NO.): H188



型號(MODEL NO.): H188M



型號(MODEL NO.): H188H



H189



WEIGHT

102g

SIZE


1-1/4" Reduced to
1-1/8" Fork Tube
Semi-Integrated
Threadless Headset

SHIS NORM


ZS41.4/28.6
ZS50.6/33(30)

可選配之上塞高度
(TOP COVER IS OPTIONAL)


型號(MODEL NO.): H189




型號(MODEL NO.): H189M



型號(MODEL NO.): H189H



H332L



WEIGHT


82g

SIZE

1.5" Head Tube
Reduced to 1-1/8"
Fork Tube
Semi-Integrated
+ External Cup
Threadless Headset

SHIS NORM

ZS49.7/28.6
EC49.7 /39.8(30)



H108 [H108H]





WEIGHT

106g

SIZE

1" Semi-Integrated
Threaded Headset

DIMENSIONS

 $\varnothing 22.2 \times 44 /$
 $50 \times 27 (26.4)$

堆積高度 (STACK HEIGHT) = 23.2 ± 1 mm

H112N




WEIGHT

171g

SIZE

1-1/8" Semi-Integrated
Threaded Headset
w/Alloy Cover

DIMENSIONS

 $\varnothing 25.4 \times 44 / 50 \times 30$

堆積高度 (STACK HEIGHT) = 25.5 ± 1 mm

H113N




WEIGHT

163g

SIZE

1-1/8" Semi-Integrated
Threaded Headset
w/Plastic Cover

DIMENSIONS

 $\varnothing 25.4 \times 44 / 50 \times 30$

堆積高度 (STACK HEIGHT) = 25.5 ± 1 mm

H118 [H118H]





WEIGHT

103g

SIZE

1-1/8" Semi-Integrated
Threaded Headset


DIMENSIONS

 $\varnothing 25.4 \times 44 / 50 \times 30$

堆積高度 (STACK HEIGHT) = 23.5 ± 1 mm

H127

**WEIGHT**

128g

SIZE1" Semi-Integrated
Threaded Headset**DIMENSIONS**Ø22.2x41.4/
46x27(26.4)

堆積高度 (STACK HEIGHT) = 25.2 ± 1 mm


H128N

**WEIGHT**

153g

SIZE1-1/8"
Semi-Integrated
Threaded Headset**DIMENSIONS**

Ø25.4x44/50x30



堆積高度 (STACK HEIGHT) = 25.5 ± 1 mm


H129

**WEIGHT**

155g

SIZE1-1/8"
Semi-Integrated
Threaded Headset**DIMENSIONS**

Ø25.4x44/50x30




堆積高度 (STACK HEIGHT) = 23.5 ± 1 mm

H161L [H161H]

**WEIGHT**H161L: 127g
H161H: 150g**SIZE**1" Semi-Integrated
Threaded Headset**DIMENSIONS**Ø22.2x44/
50x27(26.4)可選配之上塞高度
(ADJUSTING CONE IS OPTIONAL)

型號(MODEL NO.): H161L



堆積高度 (STACK HEIGHT) = 23.7 ± 1 mm

H168




WEIGHT

100g

SIZE

1-1/8"
Semi-Integrated
Threaded Headset

DIMENSIONS

 $\varnothing 25.4 \times 44/50 \times 30$


H171L [H171H]





WEIGHT

H171L: 136g
H171H: 151g

SIZE

1-1/8"
Semi-Integrated
Threaded Headset

DIMENSIONS

 $\varnothing 25.4 \times 44/50 \times 30$


H175




WEIGHT

159g

SIZE

1-1/8"
Semi-Integrated
Threaded Headset

DIMENSIONS

 $\varnothing 25.4 \times 44/50 \times 30$


H184




WEIGHT

130g

SIZE

1-1/8"
Semi-Integrated
Threaded Headset

DIMENSIONS

 $\varnothing 28.6 \times 44/50 \times 30$


H186



WEIGHT


130g

SIZE

1-1/8"
Semi-Integrated
Threadless Headset

DIMENSIONS

Ø28.6x44/50x30



堆積高度 (STACK HEIGHT) = 17.7 ± 1 mm

H151BW [1.5"]

1.5" OVERSIZE HEADSET SEALED BEARING LIGHT ALLOY



WEIGHT

175.5g


SIZE

1-1/2" Threadless
Headset

SHIS NORM

EC49.7/38.1

EC49.7/39.8



堆積高度 (STACK HEIGHT) = 32 ± 1 mm

H153BW

1.5" REDUCED TO 1-1/8" SEALED BEARING LIGHT ALLOY



WEIGHT

194g


SIZE

1.5" Head Tube Reduced
to 1-1/8" Fork Tube
Semi-Integrated
Threadless Headset

SHIS NORM

EC49.7/28.6

EC49.7/30



堆積高度 (STACK HEIGHT) = 32 ± 1 mm

H252




WEIGHT

98.6g

SIZE

1" Threadless
Headset

SHIS NORM

EC30/25.4
EC30/27(26.4)

堆積高度 (STACK HEIGHT) = 29 ± 1 mm

H282



OPTIONAL H282O

WEIGHT

95g


SIZE

1-1/8" Threadless
Headset

SHIS NORM

EC34/28.6
EC34/30

OPTIONAL

H282O:EC34/28.6
EC34/30
Height: 27 ± 1 mm

堆積高度 (STACK HEIGHT) = 29 ± 1 mm

H370




WEIGHT

115g

SIZE

1-1/8" Threadless
Headset

SHIS NORM

EC34/28.6
EC34/30

堆積高度 (STACK HEIGHT) = 28.3 ± 1 mm

H610




WEIGHT

104g

SIZE

1" Threadless
Headset


SHIS NORM

EC30/25.4
EC30/27(26.4)

堆積高度 (STACK HEIGHT) = 29 ± 1 mm

H626

**WEIGHT**

103.1g


SIZE1" Threadless
Headset**SHIS NORM**EC30/25.4
EC30/27(26.4)

堆積高度 (STACK HEIGHT) = 24.5 ± 1 mm

H673

**WEIGHT**

92g

SIZE1" Threadless
Headset**SHIS NORM**EC30/25.4
EC30/27(26.4)


堆積高度 (STACK HEIGHT) = 29.5 ± 1 mm

H701

Smart design that gives an integrated style-like look

**WEIGHT**

92g


SIZE1-1/8" Threadless
Headset**SHIS NORM**EC34/28.6
EC34/30

堆積高度 (STACK HEIGHT) = 20 ± 1 mm

H705PS

**WEIGHT**

120g

SIZE1-1/8" Reduced to
1" Threadless Steerer**SHIS NORM**EC34/25.4
EC34/30

堆積高度 (STACK HEIGHT) = 28.3 ± 1 mm

H706 [H706M]

Smart Design That Gives An Integrated Style-Like Look



WEIGHT



95g

SIZE

1-1/8" Threadless Headset

SHIS NORM

EC34/28.6
EC34/30

可選配之上塞高度
(TOP COVER IS OPTIONAL)
型號(MODEL NO.): H706


堆積高度 (STACK HEIGHT) = 28.6 ± 1 mm

H711




WEIGHT

112g

SIZE

1-1/8" Threadless Headset

SHIS NORM

EC34/28.6
EC34/30


堆積高度 (STACK HEIGHT) = 29 ± 1 mm

H773




WEIGHT

102g

SIZE

1-1/8" Threadless Headset

SHIS NORM

EC34/28.6
EC34/30


堆積高度 (STACK HEIGHT) = 29 ± 1 mm

H773L




WEIGHT

151g

SIZE

1.5" Head Tube
Reduced to 1-1/8"

SHIS NORM

EC34/28.6
EC49.7/39.8(30)


堆積高度 (STACK HEIGHT) = 30.4 ± 1 mm


H825

**WEIGHT**

114g

SIZE

1"Threadless Headset

SHIS NORMEC30/25.4
EC30/27(26.4)

堆積高度 (STACK HEIGHT) = 25±1 mm


H827W

**WEIGHT**

102g

SIZE

1"Threaded Headset


SHIS NORMEC30/25.4
EC30/27(26.4)

堆積高度 (STACK HEIGHT) = 28.2±1 mm

H845

**WEIGHT**

169g


SIZE1-1/8"Threadless
Headset**SHIS NORM**EC34/28.6
EC34/30

堆積高度 (STACK HEIGHT) = 26.5 ±1 mm

H846

**WEIGHT**

144g

SIZE1-1/8"Threadless
Headset**SHIS NORM**EC34/28.6
EC34/30

堆積高度 (STACK HEIGHT) = 25 ±1 mm

H847W



WEIGHT


125g

SIZE

1-1/8" Threadless Headset

SHIS NORM

EC34/28.6
EC34/30



堆積高度 (STACK HEIGHT) = 31±1 mm

H852



WEIGHT


105g

SIZE

1-1/8" Threadless Headset

SHIS NORM

EC34/28.6
EC34/30



堆積高度 (STACK HEIGHT) = 22±1 mm

H854



WEIGHT


120g

SIZE

1-1/8" Threadless Headset

SHIS NORM

EC34/28.6
EC34/30



堆積高度 (STACK HEIGHT) = 25±1 mm

H855 [H826]



WEIGHT

163g

SIZE


1-1/8" Threadless Headset

SHIS NORM

EC34/28.6
EC34/30

OPTIONAL


H826 EC30/25.4
EC30/27 (26.4)
STACK HEIGHT = 25.6mm



堆積高度 (STACK HEIGHT) = 28.4 ± 1 mm

H867EW [H236EW]**WEIGHT**


127g

SIZE1-1/8" Threadless
Headset**SHIS NORM**EC34/28.6
EC34/30**OPTIONAL**H236EW EC30/25.4
EC30/27(26.4)
STACK HEIGHT
= 28.2mm

堆積高度 (STACK HEIGHT) = 28±1 mm

H878**WEIGHT**

142g

SIZE1-1/8" Threadless
Headset**SHIS NORM**EC34/28.6
EC34/30


堆積高度 (STACK HEIGHT) = 26.5±1 mm

H879

BIG LOWER CUP FOR HEAVY DUTY

**WEIGHT**

180g

SIZE1-1/8" Threadless
Headset**SHIS NORM**EC34/28.6
EC34/30

堆積高度 (STACK HEIGHT) = 30.4±1 mm



H130 130° 1" SAFETY HEADSET

H134 ^{130° 1"} SAFETY HEADSET

H135 130° 1-1/8" SAFETY HEADSET


H139 130° 1" SAFETY HEADSET

H140 130° 1-1/8" SAFETY HEADSET**WEIGHT**

164g

SIZE1-1/8" Threaded
Safety Headset**DIMENSIONS**

Ø25.4x34x30




堆積高度 (STACK HEIGHT) = 38.5 ± 1 mm

H128-130 130° 1-1/8" SAFETY SEMI-INTEGRATED HEADSET**WEIGHT**

154g

SIZE1-1/8"
Semi-Integrated
Threaded Safety
Headset**DIMENSIONS**

Ø25.4x44/50x30




堆積高度 (STACK HEIGHT) = 26.5 ± 1 mm

H128-130SA 130° 1-1/8" SAFETY SEMI-INTEGRATED HEADSET**WEIGHT**

164.8g

SIZE1-1/8"
Semi-Integrated
Threaded Safety
Headset**DIMENSIONS**

Ø25.4x44/50x30



堆積高度 (STACK HEIGHT) = 26.9 ± 1 mm

H146-130SB 130° 1-1/8" SAFETY SEMI-INTEGRATED HEADSET**WEIGHT**



108.1g

SIZE1-1/8"
Semi-Integrated
Threadless Safety
Headset**SHIS NORM**ZS44/28.6
ZS44/30可選配之上塞高度
(TOP COVER IS OPTIONAL.)

型號(MODEL NO.): H146M-130SB

型號(MODEL NO.): H146M-130SB

型號(MODEL NO.): H146H-130SB



堆積高度 (STACK HEIGHT) = 12.1 ± 1 mm

H148-130 130° 1-1/8" SAFETY SEMI-INTEGRATED HEADSET




WEIGHT

100.8g

SIZE

1-1/8"
Semi-Integrated
Threadless Safety
Headset

SHIS NORM

ZS44/28.6
ZS44/30


H148-130SA 130° 1-1/8" SAFETY SEMI-INTEGRATED HEADSET





WEIGHT

105g

SIZE

1-1/8"
Semi-Integrated
Threaded Safety
Headset

DIMENSIONS

ZS44/28.6
ZS44/30


H153-1SB 130° 1.5" SAFETY SEMI-INTEGRATED HEADSET

H153E-1SB



WEIGHT

224.9g

SIZE

1.5"Head Tube
Reduce to 1-1/8"
Fork Tube
Semi-Integrated
Threadless Safety
Headset

SHIS NORM


ZS55/28.6
ZS55/39.8(30)

OPTIONAL

H153E-1SB
ZS56/28.6
ZS56/39.8(30)

可選配之上塞高度
(TOP COVER IS OPTIONAL)

型號(MODEL NO.): H153M-1SB(H153ME-1SB)



H158-SA 130° 1.5" SAFETY SEMI-INTEGRATED HEADSET

H158ESA



WEIGHT

258.5g


SIZE

1.5"Head Tube
Reduce to 1-1/8"
Fork Tube
Semi-Integrated
Threaded Safety
Headset

DIMENSIONS

Ø25.4x55
/61x39.8(30)



OPTIONAL

H158ESA
Ø25.4x56
/62x39.8(30)


H382S-152SB

**WEIGHT**

113.3g

SIZE1.5"Head Tube
Reduced To 1-1/8"
Fork Tube Integrated
Threadless Headset**SHIS NORM**IS52.2/28.6
ZS52/30可選配之上塞高度
(TOP COVER IS OPTIONAL)
型號(MODEL NO.): H382SM-152SB

堆積高度 (STACK HEIGHT) = 13.7±1 mm

H231

**WEIGHT**


116.5g

SIZE

1-1/8" x 26T

DIMENSIONS

Ø28.6x34x30



堆積高度 (STACK HEIGHT) = 34 ±1 mm

H617

**WEIGHT**


101.8g

SIZE

1"x24T

DIMENSIONS

Ø22.2x30x27(26.4)



堆積高度 (STACK HEIGHT) = 40.5 ±1 mm

H671

**WEIGHT**


117g

SIZE

1"x24T

DIMENSIONS

Ø22.2x30x27(26.4)



堆積高度 (STACK HEIGHT) = 40.5 ±1 mm

外露式有牙車頭碗 EXTERNAL CUP THREADED HEADSETS

H717



WEIGHT


116g

SIZE

1-1/8"x26T

DIMENSIONS

Ø25.4x34x30



堆積高度 (STACK HEIGHT) = 40.5 ± 1 mm

H771



WEIGHT


120g

SIZE

1-1/8"x26T

DIMENSIONS

Ø25.4x34x30



堆積高度 (STACK HEIGHT) = 40.8 ± 1 mm

H800K



WEIGHT

123g

SIZE


1"x24T

DIMENSIONS

Ø22.2x30x27(26.4)

OPTIONAL

H800D Plain Washer (w/o nose)
H800T Threaded Washer
H800C Semi-Cartridge Cups



堆積高度 (STACK HEIGHT) = 34.3 ± 1 mm

H801K



WEIGHT


139g

SIZE

1"x24T

DIMENSIONS

Ø22.2x30x27(26.4)



堆積高度 (STACK HEIGHT) = 36 ± 1 mm

H802AK

**WEIGHT**


150g

SIZE

1"x24T

DIMENSIONS

Ø21.1x32.5x27



堆積高度 (STACK HEIGHT) = 36 ± 1 mm

H806

**WEIGHT**


144.7g

SIZE

1"x24T

DIMENSIONS

Ø22.2x30x27(26.4)



堆積高度 (STACK HEIGHT) = 35 ± 1 mm

H807W

**WEIGHT**


115g

SIZE

1"x24T

DIMENSIONS

Ø22.2x30x27(26.4)



堆積高度 (STACK HEIGHT) = 39.5 ± 1 mm

H815W

**WEIGHT**


145g

SIZE

1-1/8"x26T

DIMENSIONS

Ø25.4x34x30



堆積高度 (STACK HEIGHT) = 43 ± 1 mm

外露式有牙車頭碗 EXTERNAL CUP THREADED HEADSETS

H831



WEIGHT


134g

SIZE

1"x24T

DIMENSIONS

Ø22.2x30x27(26.4)



堆積高度 (STACK HEIGHT) = 36.5 ± 1 mm

H831CW



WEIGHT


140.1g

SIZE

1"x24T

DIMENSIONS

Ø22.2x30x27(26.4)



堆積高度 (STACK HEIGHT) = 36.5 ± 1 mm

H831SW



WEIGHT


134g

SIZE

1"x24T

DIMENSIONS

Ø22.2x30x27(26.4)



堆積高度 (STACK HEIGHT) = 36.5 ± 1 mm

H833K



WEIGHT


127.8g

SIZE

1-1/8"Head Tube
Reduced to 1" Fork
Tube Threaded
Headset

DIMENSIONS

Ø22.2x34/27(26.4)



堆積高度 (STACK HEIGHT) = 33.5 ± 1 mm


H834SW

**WEIGHT**

139.4g

SIZE1-1/8"Head Tube
Reduced to
1" Fork Tube
Threaded Headset**DIMENSIONS**

Ø22.2x34x27(26.4)



堆積高度 (STACK HEIGHT) = 36 ± 1 mm

H841G

**WEIGHT**


160.2g

SIZE

1-1/8"x26T

DIMENSIONS

Ø28.6x34x30



堆積高度 (STACK HEIGHT) = 37.5 ± 1 mm

H841CW

**WEIGHT**


171.4g

SIZE

1-1/8"x26T

DIMENSIONS

Ø25.4x34x30



堆積高度 (STACK HEIGHT) = 38 ± 1 mm

H841SW

**WEIGHT**


161g

SIZE

1-1/8"x26T

DIMENSIONS

Ø25.4x34x30



堆積高度 (STACK HEIGHT) = 37.5 ± 1 mm

外露式有牙車頭碗 EXTERNAL CUP THREADED HEADSETS

H841SW-P



WEIGHT


174g

SIZE

1-1/8"x26T

DIMENSIONS

Ø25.4x34x30



堆積高度 (STACK HEIGHT) = 37.5 ± 1 mm

H842-2



WEIGHT


190g

SIZE

1-1/8"x26T

DIMENSIONS

Ø25.4x34x30



堆積高度 (STACK HEIGHT) = 30.5 ± 1 mm

H842SW



WEIGHT


149g

SIZE

1-1/8"x26T

DIMENSIONS

Ø25.4x34x30



堆積高度 (STACK HEIGHT) = 34 ± 1 mm

H843NW



WEIGHT


188g

SIZE

1-1/8"x26T



DIMENSIONS

Ø25.4x34x30





堆積高度 (STACK HEIGHT) = 39 ± 1 mm



HE8001



HE8002



HE8003



ACCESSORIES

配件



NECO



H361 ALLOY COVER

HEIGHT 高度	31mm
WEIGHT 重量	31g
FINISH 表面處理	Silver,BK
Aluminum Cover for 1-1/8"	
SIZE 尺寸	Threaded Headset
DIMENSIONS 孔徑	Φ 25.4



H361H ALLOY COVER

HEIGHT 高度	31mm
WEIGHT 重量	35.5g
FINISH 表面處理	Silver,BK
Aluminum Cover for 1-1/8"	
SIZE 尺寸	Threaded Headset
DIMENSIONS 孔徑	Φ25.4



H128 ALLOY COVER

HEIGHT 高度	27.4mm
WEIGHT 重量	19g
FINISH 表面處理	Silver,BK
Aluminum Cover for 1-1/8"	
SIZE 尺寸	Threaded Headset
DIMENSIONS 孔徑	Φ25.4
OPTIONAL 可選配:	Size:Aluminum Cover for 1"Threaded
H127(1") ALLOY COVER	Headset Dimensions:Φ22.2



H128H(1-1/8") ALLOY COVER

HEIGHT 高度	27.4mm
WEIGHT 重量	19g
FINISH 表面處理	Silver,BK
Aluminum Cover for 1-1/8"	
SIZE 尺寸	Threaded Headset
DIMENSIONS 孔徑	Φ25.4 Machined Window for Front Bracket
OPTIONAL 可選配:	Size:Aluminum Cover for 1"Threaded
H127H(1") ALLOY COVER	Headset Dimensions:Φ22.2



H128 PLASTIC COVER

HEIGHT 高度	26.4mm
WEIGHT 重量	11.2g
FINISH 表面處理	BK
SIZE 尺寸	Plastic Cover for 1-1/8"Threaded Headset
DIMENSIONS 孔徑	Φ25.4
OPTIONAL 可選配:	Size:Plastic Cover for 1"Threaded headset
H831(1") PLASTIC COVER	Dimensions:Φ22.2



H138P

HEIGHT 高度	27.4mm
WEIGHT 重量	15.8g
FINISH 表面處理	BK
SIZE 尺寸	Plastic Cover For 1.5"Threaded headset
DIMENSIONS 孔徑	Φ25.4



C286G/C254G

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
		Aluminum Top Cap 鋁頂蓋
COMPONENT	內容物	Aluminum Body 鋁本體
FORK TUBE ID	立管內徑	Ø22-Ø25.4
DEPTH OF BODY	本體長	18mm
		C254G Size: 1"
OPTIONAL	可選配	Fork Tube ID 頭管內徑:20-22.2mm
WEIGHT	重量	C286G:42g, C254G:39.4g



C286GC/C254GC

FINISH	表面處理	Carbon Fiber 碳纖維
SIZE	尺寸	1-1/8"
		Carbon Top Cap 碳纖維頂蓋
COMPONENT	內容物	Aluminum Body 鋁本體
FORK TUBE ID	立管內徑	Ø22-Ø25.4
DEPTH OF BODY	本體長	18mm
		C254GC Size: 1"
OPTIONAL	可選配	Fork Tube ID 立管內徑:20-22.2mm
WEIGHT	重量	C286GC:38.6g, C254GC:35g



C286GX/C254GX

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
		Aluminum Top Cap 鋁頂蓋
COMPONENT	內容物	Aluminum Body 鋁本體
FORK TUBE ID	立管內徑	Ø22-Ø25.4
DEPTH OF BODY	本體長	32mm
		C254GX Size: 1"
OPTIONAL	可選配	Fork Tube ID 立管內徑:20-22.2mm
WEIGHT	重量	C286GX:50.9g, C254GX:44.7g



C286GCX/C254GCX

FINISH	表面處理	Carbon Fiber 碳纖維
SIZE	尺寸	1-1/8"
		Carbon Top Cap 碳纖維頂蓋
COMPONENT	內容物	Aluminum Body 鋁本體
FORK TUBE ID	立管內徑	Ø22-Ø25.4
DEPTH OF BODY	本體長	32mm
		C254GCX Size: 1"
OPTIONAL	可選配	Fork Tube ID 立管內徑:20-22.2mm
WEIGHT	重量	C286GCX:47.5g, C254GCX:39.3g



C286GL

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
		Aluminum Top Cap 鋁頂蓋
COMPONENT	內容物	Aluminum Body 鋁本體
FORK TUBE ID	立管內徑	Ø22-Ø25.4
DEPTH OF BODY	本體長	52mm
WEIGHT	重量	64.3g



C286GCL

FINISH	表面處理	Carbon Fiber 碳纖維
SIZE	尺寸	1-1/8"
		Carbon Top Cap 碳纖維頂蓋
COMPONENT	內容物	Aluminum Body 鋁本體
FORK TUBE ID	立管內徑	Ø22-Ø25.4
DEPTH OF BODY	本體長	52mm
WEIGHT	重量	61.4g

**C2861/C2541**

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
Aluminum Top Cap 鋁頂蓋 Star Washer 碟片 Steel or Stainless Bolt 鐵或白鐵螺絲 M6xP1.0x30L		
COMPONENT	內容物	M6xP1.0x30L
OPTIONAL	可選配	C2541 Size: 1"
WEIGHT	重量	C2861:24.6g C2541:23.5g

**C2861DC**

FINISH	表面處理	Two Tone Color雙色
SIZE	尺寸	1-1/8"
Aluminum Top Cap 鋁頂蓋 Star Washer 碟片 Steel or Stainless Bolt 鐵或白鐵螺絲 M6xP1.0x30L		
COMPONENT	內容物	M6xP1.0x30L
WEIGHT	重量	23.7g

**C2861C/C2541C**

FINISH	表面處理	Carbon Fiber 碳纖維
SIZE	尺寸	1-1/8"
Carbon Top Cap 碳纖維頂蓋 Star Washer 碟片 Stainless Bolt 白鐵螺絲 M6xP1.0x30L		
COMPONENT	內容物	M6xP1.0x30L
OPTIONAL	可選配	C2541C Size: 1"
WEIGHT	重量	C2861C:21.5g C2541C:20.5g

**C2869/C2549**

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
Aluminum Top Cap 鋁頂蓋 Star Washer 碟片 Steel Hollow Bolt 鐵空心螺絲 M10xP1.25		
COMPONENT	內容物	M10xP1.25
FORK TUBE OD/ID	立管外徑內徑	Ø28.6/25.4
OPTIONAL	可選配	C2549 Size: 1"
WEIGHT	重量	C2869:37.9g ; C2549:36.3g

**C2861TT/C2861TS**

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
Aluminum Top Cap 鋁頂蓋 Star Washer 碟片 Stainless Bolt 白鐵螺絲 M6xP1.0x30L		
COMPONENT	內容物	M6xP1.0x30L
OPTIONAL	可選配	C2861TT:34mm C2861TS:32mm
WEIGHT	重量	C2861TT:29.4g C2861TS:28.9g

**C2862D/C2542D**

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
Aluminum Top Cap 鋁頂蓋 Star Washer 碟片 Steel or Stainless Bolt 鐵或白鐵螺絲 M6xP1.0x30L		
COMPONENT	內容物	M6xP1.0x30L
OPTIONAL	可選配	C2542D Size: 1"
WEIGHT	重量	C2862D 22.4g C2542D:21.4g

**C371**

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
Aluminum Top Cap 鋁頂蓋 Star Washer 碟片 Steel or Stainless Bolt 鐵或白鐵螺絲 M6xP1.0x30L		
COMPONENT	內容物	M6xP1.0x30L
FORK TUBE OD/ID	立管外徑內徑	Ø28.6/Ø25.4
WEIGHT	重量	24g

**C2870**

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
Aluminum Top Cap 鋁頂蓋 Star Washer 碟片 Stainless Bolt 白鐵螺絲 M6xP1.0x30L		
COMPONENT	內容物	M6xP1.0x30L
FORK TUBE OD/ID	立管外徑內徑	Ø28.6/Ø25.4
WEIGHT	重量	22.1g

**C371F**

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
Aluminum Top Cap 鋁頂蓋 Star Washer 碟片 Steel or Stainless Bolt 鐵或白鐵螺絲 M6xP1.0x30L		
COMPONENT	內容物	M6xP1.0x30L
FORK TUBE OD/ID	立管外徑內徑	Ø28.6/Ø25.4
WEIGHT	重量	27g



ALLOY SPACER-CC

MATERIAL	材質	Aluminum 鋁
FORK TUBE O.D.	立管外徑	1-1/8"(28.6mm)
SPACER O.D.	墊片外徑	34mm
DEPTH OF BODY	厚度	2.5/5/10/15/20mm



ALLOY SPACER

MATERIAL	材質	Aluminum 鋁
FORK TUBE O.D.	立管外徑	1-1/8"(28.6mm)/1"(25.4mm)
SPACER O.D.	墊片外徑	36mm(1-1/8")/32mm(1")
DEPTH OF BODY	厚度	2/5/8/10/15/20mm



C203

INNER & OUTER EXPANDER

FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
		Aluminum Top Cap 鋁頂蓋
		Expander Bolt 加長型螺絲
COMPONENT	內容物	M6xP1.0x200L



ALLOY SPACER-R

ALLOY SPACERS WITH RADIUS OUTER LOOK

MATERIAL	材質	Aluminum 鋁
FORK TUBE O.D.	立管外徑	1-1/8"(28.6mm)/1"(25.4mm)
SPACER O.D.	墊片外徑	36mm(1-1/8")/32mm(1")
DEPTH OF BODY	厚度	5/10/15/20mm



CARBON SPACER

MATERIAL	材質	Carbon Fiber 碳纖維
FORK TUBE O.D.	立管外徑	1-1/8"(28.6mm)/1"(25.4mm)
SPACER O.D.	墊片外徑	35mm(1-1/8")/31mm(1")
DEPTH OF BODY	厚度	3/5/8/10/15/20mm



C204

INNER & OUTER EXPANDER


FINISH	表面處理	Silver, Black 銀/黑
SIZE	尺寸	1-1/8"
		Aluminum Top Cap 鋁頂蓋
		Expander Bolt 加長型螺絲
COMPONENT	內容物	M6xP1.0x200L

286G 系列組拆裝說明

Assembly of Tension Adjust

Assembling description, please see the illustration as below:


1. Put the fixer of Tension Adjust (T.A.) on the steer. see fig. 1.
2. Use the allen key(6mm) to screw in allen bolt tight to be very firmly. (recommended torque about 7~10N.m; 72~102kgf-cm) see fig. 2.
3. Put the stem on the steer. see fig. 3.
4. Put the alloy cap of T.A. on the stem. see fig. 4.
5. Use the allen key to screw in the bolt of alloy cap tight. (recommended torque about 5~8N.m; 51~82kgf-cm) see fig. 5.
6. Use the allen key to screw in the bolts of stem tight to be very firmly, see fig. 6. (if enclosed with rubber cover, place the rubber cap in the allen bolt.)



Disassembly of Tension Adjust

Disassembling description, please see the illustration as below:

1. (If enclosed with rubber cover, remove the rubber cap from the allen bolt.) Use the allen key to unscrew the bolt of alloy cap. see fig. 1, and take it out. see fig. 2.
2. Use the allen key to unscrew the bolts of stem. see fig. 3, and take it out. see fig. 4.
3. Use the allen key(6mm) to unscrew the fixer of T.A. until it is about 3mm above the steer. see fig. 5. Then use your palm to hit lightly until it come off the steer, and take it out. see fig. 6.




Warning: Always ensure all bolts are secured tightly before riding. If you are unclear about the installation and adjustment of this product, your headset or stem, see your professional bicycle dealer for advice. If you have questions about threadless headset assembling instruction please contact your local dealers.

上迫緊器組裝方法

請見以下組裝說明:


1. 將下迫緊件放入前叉豎管內, 如fig. 1.
2. 使用內六角板手(6mm)將下迫緊件鎖緊至適當鬆緊度. (建議扭力約7~10N.m; 72~102kgf-cm) 如fig. 2.
3. 放入車手立管, 如fig. 3.
4. 放入上迫緊件(鋁蓋+螺絲), 如fig. 4.
5. 使用內六角板手將上迫緊件鎖緊至適當鬆緊度. (建議扭力約5~8N.m; 51~82kgf-cm) 如fig. 5.
6. 使用內六角板手將車手立管上螺絲 緊至適當鬆緊度, 如fig. 6. (若有附上橡膠上蓋, 則將橡膠上蓋壓入螺絲六角孔內.)



上迫緊器拆卸方法

請見以下拆卸說明:

1. (若有附上橡膠上蓋, 則將橡膠上蓋自螺絲六角孔內取出.) 使用內六角板手將上迫緊件上的螺絲放鬆, 如fig. 1, 然後將上迫緊件取出 如 fig. 2.
2. 使用內六角板手將車手立管上螺絲放鬆, 如fig. 3, 然後將手立管取出, 如fig. 4. (如果前叉不換時, 可不執行第三步驟)
3. 使用內六角板手(6mm)將下迫緊件放鬆, 直到下迫緊器上移為3mm (相對於前叉豎管的高度), 如fig. 5. 然後用手掌拍打下緊迫件, 直到整個下緊迫件不再緊貼前叉豎管, 然後取出, 如fig. 6.



注意事項: 騎行前請注意所有螺絲件是否有鎖緊. 若你不是很了解產品的組裝或調整方式 包括你的車頭碗組及車手立管, 請洽專業的自行車店給予協助. 對於組裝說明有任何疑問或問題, 請洽詢專業的自行車店提供協助.


BOTTOM BRACKET B.B.

五通碗組




NECO

外牙中軸

Nut Type Cotterless Axle

內牙中軸

Bolt Type Cotterless Axle

內外牙中軸尺寸圖

Bolt/Nut Type Axle Dimension Chart

AXLE MODEL	3H	3E	3M	3J	3L	3A	3P	3PL	3N	3NL	3SS	3S	3T	3U	3UM	3R	3RM	3RMC	3MC
BRACKET WIDTH	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68
A	28	28	29	30.5	32	32	32	35	32	35	32	35	35	35	37.5	35	37.5	40.5	32
B	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
C	28	30.5	29	30.5	32	33.5	35	35	36	36	37.5	37.5	39	40.5	40.5	42	42	42	43.5
L	108.0	110.5	110	113	116	117.5	119	122	120	123.0	121.5	124.5	126	127.5	130	129	131.5	134.5	127.5


AXLE MODEL	5A	5P	5SS	5S	5T	5U	5R	7J	7L	7A	7P	7PL	7N	7NN	7SS	7S	7T	7U	7R
BRACKET WIDTH	70	70	70	70	70	70	70	73	73	73	73	73	73	73	73	73	73	73	73
A	32	32	32	35	35	35	35	30.5	32	32	32	35	32	36	32	35	35	35	35
B	54	54	54	54	54	54	54	57	57	57	57	57	57	57	57	57	57	57	57
C	33.5	35	37.5	37.5	39	40.5	42	30.5	32	33.5	35	35	36	36	37.5	37.5	39	40.5	42
L	119.5	121.0	123.5	126.5	128	129.5	131	118	121	122.5	124	127	125	129	126.5	129.5	131	132.5	134

PS:橘字尺寸有最低訂購量限制。Orange Number Dimension, have MOQ limit.

B906 / (B906E) / (B906B)



12.65±0.05




COMPONENTS	內容物	
LOCKING RING COLOR	鎖環顏色	Black 黑
CUP COLOR	碗顏色	Black 黑
APPLICATIONS	適合車種	MTB 登山車, Road 公路車
WEIGHT(LENGTH122.5)	重量(長度122.5)	B906/315g

Threads	牙紋規格	
Steel cups	鐵左右碗	B906/B906B
E-type steel cup	鐵左右碗, 右碗為 E-type	E-type(B906E)

AXLE MODEL 中軸代號	AXLE LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm			
	L	A	B	C	D	A	B	C	D
2H	108.0(29.0/50/29.0)	20.5	68	19.5	53.5	18.5	70	19.5	54.5
2M	111.0(30.5/50/30.5)	22.0	68	21.0	55.0	20.0	70	21.0	56.0
2J	113.5(31.5/50/32.0)	23.0	68	22.5	56.5	21.0	70	22.5	57.5
2L	116.0(33.0/50/33.0)	24.5	68	23.5	57.5	22.5	70	23.5	58.5
2A	118.0(33.0/50/35.0)	24.5	68	25.5	59.5	22.5	70	25.5	60.5
2P	119.0(33.0/50/36.0)	24.5	68	26.5	60.5	22.5	70	26.5	61.5
2N	120.5(33.0/50/37.5)	24.5	68	28.0	62.0	22.5	70	28.0	63.0
2SS	122.0(33.0/50/39.0)	24.5	68	29.5	63.5	22.5	70	29.5	64.5
2NL	122.5(35.0/50/37.5)	26.5	68	28.0	62.0	24.5	70	28.0	63.0
2S	125.0(36.0/50/39.0)	27.5	68	29.5	63.5	25.5	70	29.5	64.5
2T	126.5(36.0/50/40.5)	27.5	68	31.0	65.0	25.5	70	31.0	66.0
2U	128.0(36.0/50/42.0)	27.5	68	32.5	66.5	25.5	70	32.5	67.5
2R	129.5(36.0/50/43.5)	27.5	68	34.0	68.0	25.5	70	34.0	69.0
2UM	131.0(39.0/50/42.0)	30.5	68	32.5	66.5	28.5	70	32.5	67.5
2RMC	135.5(42.0/50/43.5)	33.5	68	34.0	68.0	31.5	70	34.0	69.0

PS:橘字尺寸有最低訂購量限制。Orange Number Dimension, have MOQ limit.

B910/(B910E)/(B910P)/(B910B)/ (B910PP)/(B910T)/(B910TE)/(B910PPT)




COMPONENTS	內容物	
		10B21 Spindle & Steel cups, Steel Body, Sealed Bearing 2pcs 鐵軸心, 鐵牙碗, 鐵中管, 培林x2
CUP COLOR	碗顏色	Black 黑
APPLICATIONS	適合車種	MTB 登山車, Road 公路車
WEIGHT(LENGTH122.5)	重量(長度122.5)	B910/312.6g, B910P/292g, B910PP/266g
Threads	牙紋規格	
		BC 1.37"x24T R/L(B910/B910E/B910P/B910PP) BC 36mmx24T R/R(B910B)
Steel cups	鐵左右碗	B910/B910B
Steel right cup & nylon left cup	鐵右碗, 塑鋼左碗	B910P
Nylon cups	塑鋼左右碗	B910PP
E-type steel cup	鐵左右碗, 右碗為 E-type	B910E
Alloy tube	鋁檔管	B910T

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
103.0	(16.5)	68	18.5	52.5								
107.5	(19.0)	68	20.5	54.5								
110.5	(22.0)	68	20.5	54.5	(21.0)	70	19.5	54.5				
113.5	(22.5)	68	23.0	57.0	(21.5)	70	22.0	57.0	(20.0)	73	20.5	57.0
115.0	(23.0)	68	24.0	58.0	(22.0)	70	23.0	58.0	(20.5)	73	21.5	58.0
116.0	(23.0)	68	25.0	59.0	(22.0)	70	24.0	59.0	(20.5)	73	22.5	59.0
118.0	(25.0)	68	25.0	59.0	(24.0)	70	24.0	59.0	(22.5)	73	22.5	59.0
119.0	(24.0)	68	27.0	61.0	(23.0)	70	26.0	61.0	(21.5)	73	24.5	61.0
122.5	(26.0)	68	28.5	62.5	(25.0)	70	27.5	62.5	(23.5)	73	26.0	62.5
124.5	(27.0)	68	29.5	63.5	(26.0)	70	28.5	63.5	(24.5)	73	27.0	63.5
126.0	(27.0)	68	31.0	65.0	(26.0)	70	30.0	65.0	(24.5)	73	28.5	65.0
127.5	(28.5)	68	31.0	65.0	(27.5)	70	30.0	65.0	(26.0)	73	28.5	65.0
131.0	(29.0)	68	34.0	68.0	(28.0)	70	33.0	68.0	(26.5)	73	31.5	68.0
134.0	(30.0)	68	36.0	70.0	(29.0)	70	35.0	70.0	(27.5)	73	33.5	70.0
147.0	(36.0)	68	41.0	75.0								

PS:橘字尺寸有最低訂購量限制。Orange Number Dimension, have MOQ limit.

B910NT




COMPONENTS	內容物	10B21 Spindle & Nylon cups Sealed Bearing 2pcs 鐵軸心 塑鋼牙碗, 培林x2
CUP COLOR	碗顏色	Black 黑
APPLICATIONS	適合車種	MTB登山車,Road公路車
Threads	牙紋規格	BC 1.37"x24T R/L

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
107.5	(19.0)	68	20.5	54.5								
110.5	(22.0)	68	20.5	54.5	(21.0)	70	19.5	54.5				
113.5	(22.5)	68	23.0	57.0	(21.5)	70	22.0	57.0	(20.0)	73	20.5	57.0
115.0	(23.0)	68	24.0	58.0	(22.0)	70	23.0	58.0	(20.5)	73	21.5	58.0
116.0	(23.0)	68	25.0	59.0	(22.0)	70	24.0	59.0	(20.5)	73	22.5	59.0
118.0	(25.0)	68	25.0	59.0	(24.0)	70	24.0	59.0	(22.5)	73	22.5	59.0
119.0	(24.0)	68	27.0	61.0	(23.0)	70	26.0	61.0	(21.5)	73	24.5	61.0
122.5	(26.0)	68	28.5	62.5	(25.0)	70	27.5	62.5	(23.5)	73	26.0	62.5
124.5	(27.0)	68	29.5	63.5	(26.0)	70	28.5	63.5	(24.5)	73	27.0	63.5
126.0	(27.0)	68	31.0	65.0	(26.0)	70	30.0	65.0	(24.5)	73	28.5	65.0
127.5	(28.5)	68	31.0	65.0	(27.5)	70	30.0	65.0	(26.0)	73	28.5	65.0
131.0	(29.0)	68	34.0	68.0	(28.0)	70	33.0	68.0	(26.5)	73	31.5	68.0
134.0	(30.0)	68	36.0	70.0	(29.0)	70	35.0	70.0	(27.5)	73	33.5	70.0
147.0	(36.0)	68	41.0	75.0								

PS:橘字尺寸有最低訂購量限制。Orange Number Dimension,have MOQ limit.

B911 / (B911E)




COMPONENTS	內容物	
		10B21 Spindle & Steel cups, Steel Body, Sealed Bearing 2pcs 鐵軸心, 鐵牙碗, 鐵中管, 培林x2
CUP COLOR	碗顏色	Black 黑
APPLICATIONS	適合車種	Fat Bike 雪地車
WEIGHT(LENGTH179.5)	重量(長度179.5)	B911/458g

Threads	牙紋規格	
E-type steel cup	鐵左右碗, 右碗為 E-type	BC 1.37"x24T R/L B911E

LENGTH 中軸長度	B.B. SHELL WIDTH=100mm 五通管寬度 100mm				B.B. SHELL WIDTH=120mm 五通管寬度 120mm			
L	A	B	C	D	A	B	C	D
151.0	27.8	100	23.2	73.2				
159.5	30.8	100	28.7	78.7				
164.0	29.5	100	34.5	84.5				
177.0	38	100	39	89				
167.0					28.5	120	18.5	78.5
167.0					25.0	120	22.0	82.0
167.0					22.0	120	25.0	85.0
179.5					30.8	120	28.7	88.7


B920 / (B920E) / (B908) / (B920AAL) / (B920BAL)



COMPONENTS	內容物	10B21 Axle & Alloy cups, Steel Body, Sealed Bearing 2pcs 鐵軸心, 鋁牙碗, 鐵中管, 培林x2
APPLICATIONS	適合車種	MTB 登山車, Road 公路車
WEIGHT(LENGTH122.5)	重量(長度122.5)	B908/310.4g, B920AL/277g, B920AAL/250g
Threads	牙紋規格	BC 1.37"x24T R/L(B920/B920E/B908/B920AAL) BC 36mmx24T R/R(B920BAL)
Alloy cups, Steel Body	鋁碗,鐵中管	B920
Steel cups, Alloy Body	鐵碗,鋁中管	B908
Alloy cups, Alloy Body	鋁碗,鋁中管	B920AAL
E-type alloy cup	鋁碗,鐵中管,右碗為 E-type	B920E

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
103.0	(16.5)	68	18.5	52.5								
107.5	(19.0)	68	20.5	54.5								
110.5	(22.0)	68	20.5	54.5	(21.0)	70	19.5	54.5				
113.5	(22.5)	68	23.0	57.0	(21.5)	70	22.0	57.0	(20.0)	73	20.5	57.0
115.0	(23.0)	68	24.0	58.0	(22.0)	70	23.0	58.0	(20.5)	73	21.5	58.0
116.0	(23.0)	68	25.0	59.0	(22.0)	70	24.0	59.0	(20.5)	73	22.5	59.0
118.0	(25.0)	68	25.0	59.0	(24.0)	70	24.0	59.0	(22.5)	73	22.5	59.0
119.0	(24.0)	68	27.0	61.0	(23.0)	70	26.0	61.0	(21.5)	73	24.5	61.0
122.5	(26.0)	68	28.5	62.5	(25.0)	70	27.5	62.5	(23.5)	73	26.0	62.5
124.5	(27.0)	68	29.5	63.5	(26.0)	70	28.5	63.5	(24.5)	73	27.0	63.5
126.0	(27.0)	68	31.0	65.0	(26.0)	70	30.0	65.0	(24.5)	73	28.5	65.0
127.5	(28.5)	68	31.0	65.0	(27.5)	70	30.0	65.0	(26.0)	73	28.5	65.0
131.0	(29.0)	68	34.0	68.0	(28.0)	70	33.0	68.0	(26.5)	73	31.5	68.0


B920HAL / (B920HBAL)



COMPONENTS	內容物	Cr-mo Stain Hollow Spindle & Alloy cups, Steel Body, Sealed Bearing 2pcs 鉻鉬鋼中空軸心, 鋁牙碗, 鐵中管, 培林x2
APPLICATIONS	適合車種	Road Bike公路車, City Bike城市車
WEIGHT(LENGTH122.5)	重量(長度122.5)	B920HAL/255g
Threads	牙紋規格	BC 1.37"x24T R/L(B920HAL) BC 36mmx24T R/R(B920HBAL)

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
107.5	(19.0)	68	20.5	54.5								
110.5	(22.0)	68	20.5	54.5	(21.0)	70	19.5	54.5				
113.5	(22.5)	68	23.0	57.0	(21.5)	70	22.0	57.0	(20.0)	73	20.5	57.0
115.0	(23.0)	68	24.0	58.0	(22.0)	70	23.0	58.0	(20.5)	73	21.5	58.0
116.0	(23.0)	68	25.0	59.0	(22.0)	70	24.0	59.0	(20.5)	73	22.5	59.0
118.0	(25.0)	68	25.0	59.0	(24.0)	70	24.0	59.0	(22.5)	73	22.5	59.0
119.0	(24.0)	68	27.0	61.0	(23.0)	70	26.0	61.0	(21.5)	73	24.5	61.0
122.5	(26.0)	68	28.5	62.5	(25.0)	70	27.5	62.5	(23.5)	73	26.0	62.5
127.5	(28.5)	68	31.0	65.0	(27.5)	70	30.0	65.0	(26.0)	73	28.5	65.0
131.0	(29.0)	68	34.0	68.0	(28.0)	70	33.0	68.5	(26.5)	73	31.5	68.5


B940 / (B940E)



COMPONENTS	內容物	Cr-Mo Stain Hollow Spindle, Carbon Body & Alloy cups, Sealed Bearing 2pcs 鉻鉬鋼空心軸心, 碳纖維中管, 鋁碗, 培林x2
APPLICATIONS	適合車種	Road Bike公路車, City Bike城市車
WEIGHT(LENGTH122.5)	重量(長度122.5)	228g
Threads	牙紋規格	BC 1.37"x24T R/L
E-type alloy cup	右碗為 E-type	B940E

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
107.5	(19.0)	68	20.5	54.5								
110.5	(22.0)	68	20.5	54.5	(21.0)	70	19.5	54.5				
113.5	(22.5)	68	23.0	57.0	(21.5)	70	22.0	57.0	(20.0)	73	20.5	57.0
115.0	(23.0)	68	24.0	58.0	(22.0)	70	23.0	58.0	(20.5)	73	21.5	58.0
116.0	(23.0)	68	25.0	59.0	(22.0)	70	24.0	59.0	(20.5)	73	22.5	59.0
118.0	(25.0)	68	25.0	59.0	(24.0)	70	24.0	59.0	(22.5)	73	22.5	59.0
122.5	(26.0)	68	28.5	62.5	(25.0)	70	27.5	62.5	(23.5)	73	26.0	62.5
127.5	(28.5)	68	31.0	65.0	(27.5)	70	30.0	65.0	(26.0)	73	28.5	65.0


B940CT



COMPONENTS	內容物	Titanium Hollow Axle, Carbon Body & Alloy cups, Sealed Bearing 2pcs 鈦空心軸心, 碳纖維中管, 鋁碗, 培林x2
APPLICATIONS	適合車種	Road Bike公路車, City Bike城市車
WEIGHT(LENGTH122.5)	重量(長度122.5)	158g
Threads	牙紋規格	BC 1.37"x24T R/L

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=70mm 五通管寬度 70mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			
L	A	B	C	D	A	B	C	D	A	B	C	D
103.0	(16.5)	68	18.5	52.5								
107.5	(19.0)	68	20.5	54.5								
110.5	(22.0)	68	20.5	54.5	(21.0)	70	19.5	54.5				
113.5	(22.5)	68	23.0	57.0	(21.5)	70	22.0	57.0	(20.0)	73	20.5	57.0
115.0	(23.0)	68	24.0	58.0	(22.0)	70	23.0	58.0	(20.5)	73	21.5	58.0
116.0	(23.0)	68	25.0	59.0	(22.0)	70	24.0	59.0	(20.5)	73	22.5	59.0
118.0	(25.0)	68	25.0	59.0	(24.0)	70	24.0	59.0	(22.5)	73	22.5	59.0
122.5	(26.0)	68	28.5	62.5	(25.0)	70	27.5	62.5	(23.5)	73	26.0	62.5
127.5	(28.5)	68	31.0	65.0	(27.5)	70	30.0	65.0	(26.0)	73	28.5	65.0


B952



COMPONENTS	內容物	ISIS Spline Hollow Axle(SCM440), Cold Forged & CNC Machined Steel Cups, Steel Body, Sealed Bearing 2pcs 鉻鉬鋼中空軸心, 鐵碗, 鐵中管, 培林x2
WEIGHT(LENGTH118)	重量(長度118)	280g
Threads	牙紋規格	BC 1.37"x24T R/L
B.B Shell Width	五通管寬度	68mm,73mm

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm				B.B. SHELL WIDTH=73mm 五通管寬度 73mm			BOLT THREAD 螺絲尺寸
L	A	B	C	D	A	B	C (w/o spacer)	
108.0	20.0	68	20.0 (w/o SPACER)	0	Not Compatible (不相容)			M15xP1
113.0	22.5	68	22.5 (w/2.5mm spacer)	1.5	20.0	73	20.0	M15xP1
118.0	25.0	68	25.0(w/2.5mm spacer)	1.5	22.5	73	22.5	M15xP1
128.0	30.0	68	30.0(w/2.5mm spacer)	1.5	27.5	73	27.5	M12xP1
135.0	33.5	68	33.5(w/2.5mm spacer)	1.5	31.0	73	31.0	M12xP1


B953



COMPONENTS	內容物	ISIS Spline Hollow Axle(SCM440), Cold Forged & CNC Machined Alloy Cups , w/Dust Seal,Alloy Body , Sealed Bearing 3pcs 鉻鉬鋼中空軸心, 鉻碗防塵套, 鉻中管, 培林x3
WEIGHT(LENGTH118)	重量(長度118)	242g
Threads	牙紋規格	BC 1.37"x24T R/L
B.B Shell Width	五通管寬度	68mm,73mm

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm					B.B. SHELL WIDTH=73mm 五通管寬度 73mm			BOLT THREAD 螺絲尺寸
	L	A	B	C	D	A	B	C (w/o spacer)	
108.0		20.0	68	20.0 (w/o SPACER)	0	Not Compatible (不相容)			M15xP1
113.0		22.5	68	22.5 (w/2.5mm spacer)	1.5	20.0	73	20.0	M15xP1
118.0		25.0	68	25.0(w/2.5mm spacer)	1.5	22.5	73	22.5	M15xP1
128.0		30.0	68	30.0(w/2.5mm spacer)	1.5	27.5	73	27.5	M12xP1
135.0		33.5	68	33.5(w/2.5mm spacer)	1.5	31.0	73	31.0	M12xP1

B957




COMPONENTS	內容物	ISIS Spline Hollow Axle(SCM440) Cold Forged& CNC Machined with Alloy Cups w/Dust Seal Steel Body, Sealed Bearing 2pcs 鉻鉬鋼中空軸心,鋁碗防塵套,鐵中管,培林x2
WEIGHT	重量	557g
Threads	牙紋規格	M48xP1.5 R/L
B.B Shell Width	五通管寬度	68mm

LENGTH 中軸長度	B.B. SHELL WIDTH=68mm 五通管寬度 68mm			BOLT THREAD 螺絲尺寸
L	A	B	C	
113.0	22	68	23	M12xP1

BB401


MATERIAL	材質	Forged Alloy & CNC Machined External Cups 鋁碗 Plastic Center Sleeve 塑膠中管
SIZE	尺寸	English Threading 牙紋規格 (BC 1.37"x24T,R/L) for 68mm & 73mm Width 五通管寬度 (68mm&73mm) Oversized Sealed Bearing 密封式軸承 Ø24mm Spindle Ø24mm 軸心
FINISH	表面處理	Anodized Cups 陽極碗
WEIGHT	重量	106g
OPTIONAL	選配	Ceramic Bearing 陶瓷珠軸承
AVAILABLE SYSTEM	適用系統	SHIMANO



BB501




MATERIAL	材質	Forged Alloy & CNC Machined External Cups 鋁碗 Plastic Center Sleeve 塑膠中管
SIZE	尺寸	English Threading 牙紋規格(BC 1.37"x24T, R/L) for 68mm & 73mm Width 五通管寬度(68mm&73mm) Oversized Sealed Bearing 密封式軸承 Spindle OD Left 軸心左端外徑(Crank-Side曲柄側): Ø 22mm Spindle OD Right 軸心右端外徑(Crainwheel-Side曲柄側): Ø 24mm
FINISH	表面處理	Anodized Cups 陽極碗
WEIGHT	重量	116g
OPTIONAL	選配	Ceramic Bearing 陶瓷珠軸承
AVAILABLE SYSTEM	適用系統	SRAM



BB86 / BB90 / BB92**PRESS FIT TYPE 壓入式五通碗組**


MATERIAL	材質	Forged Alloy & CNC Machined External Cups 鋁碗 Plastic Center Sleeve 塑膠中管
SIZE	尺寸	Ø24mm Spindle OD Ø24mm 軸心外徑
Available For	可適用於	86.5mm Frame B.B Shell Width 86.5mm寬之車架五通管 90mm Frame B.B Shell Width 90mm寬之車架五通管 92mm Frame B.B Shell Width 92mm寬之車架五通管 Press Fit Cups (壓入式碗 Ø41mm)
FINISH	表面處理	Anodized Cups 陽極碗
WEIGHT	重量	95g
BB SHELL ID	五通管內徑	Ø41mm



BT4724 - 86 - 0S




MATERIAL	材質	Alloy Cups And Body
Threads	牙紋規格	M47xP1.0
B.B Shell	五通	w86/92mm
Crank Spec	牙盤規格	For SHIMANO Ø24mm Crankset
Bearing	培林	Sealed Bearing 密封式培林
OPTIONAL	選配	Ceramic Bearing 陶瓷珠軸承
Available For Tool Notch	可用工具	Notch 16T O.D. 44mm




BT4729 - 86 - OS

MATERIAL	材質	Alloy Cups And Body
Threads	牙紋規格	M47xP1.0
B.B Shell	五通	w86/92mm
Crank Spec	牙盤規格	For SRAM DUB Ø28.99mm Crankset
Bearing	培林	Sealed Bearing 密封式培林
OPTIONAL	選配	Ceramic Bearing 陶瓷珠軸承
Available For Tool Notch	可用工具	Notch 16T O.D. 48.5mm



BT4730 - 86 - 0S


MATERIAL	材質	Alloy Cups And Body
Threads	牙紋規格	M47xP1.0
B.B Shell	五通	w86/92mm
Crank Spec	牙盤規格	For Ø30mm Crankset
Bearing	培林	Sealed Bearing 密封式培林
OPTIONAL	選配	Ceramic Bearing 陶瓷珠軸承
Available For Tool Notch	可用工具	Notch 16T O.D. 48.5mm



BPF3024 - 68 - 0S




MATERIAL	材質	Alloy Cups And Body
Structure	結構	Center threaded locking on design 中心螺紋鎖固設計
B.B Shell	五通	w68/73mm x dia.46mm
Crank Spec	牙盤規格	For SHIMANO Ø24mm Crankset
Bearing	培林	Sealed Bearing 密封式培林
OPTIONAL	選配	Ceramic Bearing 陶瓷珠軸承
Available For Tool Notch	可用工具	Notch 16T O.D. 44mm



B38624 - 86 - 0S



MATERIAL	材質	Alloy Cups And Body
Structure	結構	Center threaded locking on design 中心螺紋鎖固設計
B.B Shell	五通	w86/92mm x dia.46mm
Crank Spec	牙盤規格	For SHIMANO Ø24mm Crankset
Bearing	培林	Sealed Bearing 密封式培林
OPTIONAL	選配	Ceramic Bearing 陶瓷珠軸承
Available For Tool Notch	可用工具	Notch 16T O.D. 48.5mm



B881



BSA 1.37"x 24T R/L

MATERIAL	材料	Steel, Set of 5pcs 鐵 x 5pcs
ROTATOR	轉動機構	Ball Retainers 珠巢 1/4"x9x2pcs
FINISH	表面處理	CP, UCP, ED, BK
APPLICATIONS	通用車種	Light Weight 輕便車, Mini Cycle 小車

B882



BSA 1.37"x 24T R/L

MATERIAL	材料	Steel, Set of 5pcs 鐵 x 5pcs
ROTATOR	轉動機構	Ball Retainers 珠巢 1/4"x9x2pcs
FINISH	表面處理	CP, UCP, ED, BK
APPLICATIONS	通用車種	Light Weight 輕便車, Mini Cycle 小車

B886



BSA 1.37"x 24T R/L

MATERIAL	材料	Steel, Set of 6pcs 鐵 x 6pcs
ROTATOR	轉動機構	Ball Retainers 珠巢 1/4"x9x2pcs
FINISH	表面處理	CP, UCP, ED, BK
		Comfort(w/Chain Guard)
APPLICATIONS	通用車種	城市車 (加鏈條保護蓋)

B887(B887B)



B887: BSA 1.37"x24T, R/L

B887B: Italian 36mmx24T, R/R

MATERIAL	材料	Steel, Set of 5pcs 鐵 x 5pcs
ROTATOR	轉動機構	Ball Retainers 珠巢 1/4"x9x2pcs
FINISH	表面處理	CP, UCP, ED, BK
APPLICATIONS	通用車種	Light Weight 輕便車, Mini Cycle 小車

B888



CUP SIZE	碗尺寸	Ø43mm
		Left Cone: 3/4"un24T-LH
THREAD TYPE	牙紋	Right Cone: 13/16"un24T
MATERIAL	材料	Steel, Set of 9pcs 鐵 x 9pcs
ROTATOR	轉動機構	Ball Retainers 珠巢 5/16"x7x2pcs
FINISH	表面處理	UCP, BK
APPLICATIONS	通用車種	Children Bike 童車

B889



CUP SIZE	碗尺寸	Ø51.5mm
THREAD TYPE	牙紋	Left Cone: 7/8"un24T-LH
		Right Cone: 15/16"un24T
MATERIAL	材料	Steel, Set of 9pcs 鐵 x 9pcs
ROTATOR	轉動機構	Ball Retainers 珠巢 5/16"x9x2pcs
FINISH	表面處理	UCP, BK
APPLICATIONS	通用車種	BMX & Freestyle 表演車

B890



CUP SIZE	碗尺寸	Ø45mm
		Left Cone: 22un 24T-LH
THREAD TYPE	牙紋	Right Cone: 23.2un 32T
MATERIAL	材料	Steel, Set of 10pcs 鐵 x 10pcs
ROTATOR	轉動機構	Ball Retainers 珠巢 1/4" x 11C x 2pcs
FINISH	表面處理	UCP, BK

B890B




CUP SIZE	碗尺寸	Ø45mm
		Left Cone: 22un 24T-LH
THREAD TYPE	牙紋	Right Cone: 23.2un 32T
MATERIAL	材料	Steel, Set of 6pcs 鐵 x 6pcs
ROTATOR	轉動機構	Sealed Bearing 培林
FINISH	表面處理	UCP

PEDALS

腳踏



NECO

**WP-MC118**

BODY	本體材質	Aluminum, CNC-machined body CNC精密加工鋁合金本體
AXLE	軸心材質	CNC-machined Cr-Mo CNC 精密加工鉻鉬鋼軸心
BEARING	轉動結構	LSL bushing & sealed 自潤軸承，密封式培林
BINDING	後蓋	Dual-sided Cr-Mo, tension adjustable 雙面鉻鉬鋼，可依騎乘者喜好及使用習慣調整
CLEAT	扣片	WP-S01
SIZE	本體尺寸	103x96mm
WEIGHT	重量	204g/pair

**WP-MC120**

BODY	本體材質	Aluminum, CNC-machined body CNC精密加工鋁合金本體
AXLE	軸心材質	CNC-machined Cr-Mo CNC 精密加工鉻鉬鋼軸心
BEARING	轉動結構	LSL bushing & sealed 自潤軸承，密封式培林
BINDING	後蓋	Dual-sided Cr-Mo, tension adjustable 雙面鉻鉬鋼，可依騎乘者喜好及使用習慣調整
CLEAT	扣片	WP-S01
SIZE	本體尺寸	82x55mm
WEIGHT	重量	142g/pair

**WP321-N**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林，自潤軸承
SIZE	本體尺寸	87x53mm
WEIGHT	重量	184g/pair

**WP608S**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林，自潤軸承
SIZE	本體尺寸	82x105mm
WEIGHT	重量	271g/pair

**WP701D**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林，自潤軸承
SIZE	本體尺寸	93x98mm
WEIGHT	重量	340g/pair

**WP702D**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林，自潤軸承
SIZE	本體尺寸	109x121mm
WEIGHT	重量	349g/pair

**WP703S**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing 密封式培林
SIZE	本體尺寸	110x105mm
WEIGHT	重量	327g/pair

**WP704D**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林，自潤軸承
SIZE	本體尺寸	88x99mm
WEIGHT	重量	219g/pair



WP706D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	101x119mm
WEIGHT	重量	342g/pair



WP720D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	100x105mm
WEIGHT	重量	303g/pair



WP721S

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	100x116mm
WEIGHT	重量	298g/pair



WP722

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing*3 密封式培林3PCS
SIZE	本體尺寸	99x118mm
WEIGHT	重量	360g/pair



WP725D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	90x102mm
WEIGHT	重量	213g/pair



WP728D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	90x106mm
WEIGHT	重量	209g/pair



WP729D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	85x100mm
WEIGHT	重量	255g/pair



WP769S

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	97x118mm
WEIGHT	重量	343g/pair



WP902

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	108x105mm
WEIGHT	重量	384g/pair

**WP903**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	108x100mm
WEIGHT	重量	372g/pair

**WP904**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	108x105mm
WEIGHT	重量	382g/pair

**WP580**

BODY	本體材質	Aluminum+PP Body With Inlaid Anti-Slip Rubber 鋁+防滑橡膠
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sleeve Bearing 自潤軸承
SIZE	本體尺寸	98x79mm
WEIGHT	重量	365/pair

**WP908A**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	108x108mm
WEIGHT	重量	522g/pair

**WP101**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Cr-Mo 鉻鉬鋼
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	103x63mm
WEIGHT	重量	273g/pair

**WP97D**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	103x63mm
WEIGHT	重量	397g/pair

**WP625**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x96mm
WEIGHT	重量	435g/pair

**WP97**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	120x85mm
WEIGHT	重量	390g/pair

**WP908-2**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x105mm
WEIGHT	重量	460g/pair



WP303

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	110x104mm
WEIGHT	重量	440g/pair



WP313

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x100mm
WEIGHT	重量	449g/pair



WP893

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	103x62mm
WEIGHT	重量	402g/pair



WP895

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	104x77mm
WEIGHT	重量	459g/pair



WP897

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	105x76mm
WEIGHT	重量	399g/pair



WP916

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	113x108mm
WEIGHT	重量	510g/pair



WP931A/S

BODY	本體材質	PP 塑料聚丙烯
CAGE	外框	WP931A:Aluminum鋁 WP931S:Steel鐵
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	103x79mm
WEIGHT	重量	Aluminum鋁:342.5g/pair Steel鐵:405.5g/pair



WP932

BODY	本體材質	Aluminum 鋁
CAGE	外框	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	102x81mm
WEIGHT	重量	336g/pair



WP940

BODY	本體材質	PP+Aluminum 塑料聚丙烯+鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x68mm
WEIGHT	重量	425g/pair

**WP940-1**

BODY	本體材質	PP 塑料聚丙烯+Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	101x76mm
WEIGHT	重量	401.5g/pair

**WP201A/S**

BODY	本體材質	Plastic 塑膠
CAGE	外框	WP201A:Aluminum鋁 WP201S:Steel鐵
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	102x63mm
WEIGHT	重量	Aluminum鋁:332g/pair Steel鐵:425g/pair

**WP502**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sleeve Bearing 自潤軸承
SIZE	本體尺寸	105x97mm
WEIGHT	重量	273g/pair
OPTIONAL	備註	WP520-1 Ball Bearing 珠巢:320g/pair

**WP601**

BODY	本體材質	PC Body 聚碳酸酯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	110x100mm
WEIGHT	重量	415g/pair
可選顏色 AVAILABLE FINISH		Transparent Clear透明 / Red紅 / Blue藍 / Purple紫 / Green綠 / Yellow黃

**WP208**

BODY	本體材質	One-Piece Black PP+ Grey Rubber 一體成型塑膠+灰橡膠
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	114x85mm
WEIGHT	重量	404.5g/pair

**WP108**

BODY	本體材質	One-Piece Black PP+ Grey Rubber 一體成型塑膠+灰橡膠
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	111x85mm
WEIGHT	重量	380g/pair

**WP940-2**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	100x86mm
WEIGHT	重量	326g/pair

**WP302**

BODY	本體材質	One-Piece Black PP+ Grey Rubber 一體成型塑膠+灰橡膠
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x73mm
WEIGHT	重量	375.5g/pair

**WP301**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	108x74mm
WEIGHT	重量	336.5g/pair



WP402

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	62x87mm
WEIGHT	重量	245g/pair



WP195

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x87mm
WEIGHT	重量	314g/pair



WP188

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	110x73mm
WEIGHT	重量	320g/pair



WP178

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x78mm
WEIGHT	重量	333.5g/pair



WP403

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	108x95mm
WEIGHT	重量	345g/pair



WP128

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball-less 無珠
SIZE	本體尺寸	96x59mm
WEIGHT	重量	222g/pair



WP941-1

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	114x70mm
WEIGHT	重量	400g/pair



WP303-1

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x69mm
WEIGHT	重量	323g/pair



WP501

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Self Moistening 自潤軸套
SIZE	本體尺寸	102x90mm
WEIGHT	重量	253g/pair

**WP138**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	91x63mm
WEIGHT	重量	295g/pair

**WP406**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x115mm
WEIGHT	重量	411g/pair

**WP408**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	110x96mm
WEIGHT	重量	360g/pair

**WP401**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	111x100mm
WEIGHT	重量	343.5g/pair

**WP168**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	110x84mm
WEIGHT	重量	296.5g/pair
OPTIONAL	備註	WP168B(Ball-less無珠) Steel Axle 鐵軸心 272g/pair

**WP163**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	114x85mm
WEIGHT	重量	310g/pair

**WP251**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	99x76mm
WEIGHT	重量	287g/pair

**WP190**

BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	109x72mm
WEIGHT	重量	337.5g/pair

**WP148**


BODY	本體材質	PP 塑料聚丙烯
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	92x62mm
WEIGHT	重量	281g/pair
OPTIONAL	備註	WP148B(Ball-less無珠) Steel Axle 鐵軸心 248g/pair

**WP206**

BODY	本體材質	Nylon 尼龍
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	68x105mm
WEIGHT	重量	372g/pair

**WP209A**

BODY	本體材質	Aluminum+PP 鋁+塑料聚丙稀
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	68x110mm
WEIGHT	重量	376g/pair

**WP210**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sleeve Bearing 自潤軸承
SIZE	本體尺寸	80x105mm
WEIGHT	重量	466g/pair

**WP239**

BODY	本體材質	PP 塑料聚丙稀
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	101x112mm
WEIGHT	重量	312g/pair

**WP308**

BODY	本體材質	Aluminum Die Cast Body 鋁壓鑄
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	91x105mm
WEIGHT	重量	386g/pair

**WP309**

BODY	本體材質	Aluminum Die Cast Body 鋁壓鑄
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	98x106mm
WEIGHT	重量	352g/pair

**WP337B**

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing*3 密封式培林3PCS
SIZE	本體尺寸	99x108mm
WEIGHT	重量	420g/pair



WP405

BODY	本體材質	PP 塑料聚丙稀
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	83x98 mm
WEIGHT	重量	268g/pair



WP405D

BODY	本體材質	PP 塑料聚丙稀
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	92x107mm
WEIGHT	重量	284g/pair



WP407

BODY	本體材質	PP 塑料聚丙稀
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sleeve Bearing 自潤軸承
SIZE	本體尺寸	98x105mm
WEIGHT	重量	268.8g/pair



WP409

BODY	本體材質	PP 塑料聚丙稀
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sleeve Bearing 自潤軸承
SIZE	本體尺寸	106x111mm
WEIGHT	重量	276g/pair



WP606

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sleeve Bearing 自潤軸承
SIZE	本體尺寸	99x105mm
WEIGHT	重量	316g/pair



WP705D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	105x110mm
WEIGHT	重量	390g/pair
OPTIONAL	備註	WP705:3Sealed Bearing3培林



WP711D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林, 自潤軸承
SIZE	本體尺寸	98x115mm
WEIGHT	重量	340g/pair
OPTIONAL	備註	WP711:3Sealed Bearing3培林



WP713

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sleeve Bearing 自潤軸承
SIZE	本體尺寸	84x99mm
WEIGHT	重量	228g/pair



WP719D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林,自潤軸承
SIZE	本體尺寸	102x110mm
WEIGHT	重量	321g/pair
OPTIONAL	備註	WP719:3Sealed Bearing3培林



WP727D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林,自潤軸承
SIZE	本體尺寸	85x95mm
WEIGHT	重量	240g/pair
OPTIONAL	備註	WP727:3Sealed Bearing3培林



WP733D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林,自潤軸承
SIZE	本體尺寸	110x110mm
WEIGHT	重量	348g/pair
OPTIONAL	備註	WP733:3Sealed Bearing3培林



WP735D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林,自潤軸承
SIZE	本體尺寸	98x115mm
WEIGHT	重量	330g/pair
OPTIONAL	備註	WP735:3Sealed Bearing3培林



WP736D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林,自潤軸承
SIZE	本體尺寸	99x106mm
WEIGHT	重量	366g/pair
OPTIONAL	備註	WP736:3Sealed Bearing3培林



WP761D

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林,自潤軸承
SIZE	本體尺寸	98x114mm
WEIGHT	重量	366g/pair
OPTIONAL	備註	WP761:3Sealed Bearing3培林



WP768-Y

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Sealed Bearing & Sleeve Bearing 密封式培林,自潤軸承
SIZE	本體尺寸	102x110mm
WEIGHT	重量	360g/pair



WP891

BODY	本體材質	Aluminum 鋁
AXLE	軸心材質	Steel 鐵
BEARING	轉動結構	Ball Bearing 珠巢
SIZE	本體尺寸	95x112mm
WEIGHT	重量	268g/pair

HUBS

花鼓



NECO



RA01FDQ2

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁 STD length 軸心長:108mm
SEALED BEARING Q'TY	培林數	2
OLD	叉寬	100mm
PCD	孔距	38mm
SPOKE HOLES	孔數	13G/14Gx16H/20H/24H/28H/32H/36H
WEIGHT	重量	139g
REMARKS	備註	Available hole style: Key shape hole or oval shape hole; hole to hole or hole against hole. 可選鑰匙孔或圓孔, 錯孔或對孔



RA01RDQ4

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁 STD length 軸心長:145mm
SEALED BEARING Q'TY	培林數	4
OLD	叉寬	130mm
PCD	孔距	53mm
SPOKE HOLES	孔數	13G/14Gx16H/20H/24H/28H/32H/36H
WEIGHT	重量	320.2g
REMARKS	備註	Available speed: 7/8/9-speed, 10-speed will include washer (1.85mm thick), 11 speed will include longer cassette (1.85mm) 適用 7/8/9 速, 10 速多華司, 11 速用長棘輪



RA02FDQ2

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁 STD length 軸心長:108mm
SEALED BEARING Q'TY	培林數	2
OLD	叉寬	100mm
PCD	孔距	38mm
SPOKE HOLES	孔數	13G/14Gx16H/20H/24H/28H/32H/36H
WEIGHT	重量	137.8g
REMARKS	備註	Available hole style: Key shape hole or oval shape hole; hole to hole or hole against hole. 可選鑰匙孔或圓孔, 錯孔或對孔



RA02RDQ4

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁 STD length 軸心長:145mm
SEALED BEARING Q'TY	培林數	4
OLD	叉寬	130mm
PCD	孔距	53mm
SPOKE HOLES	孔數	13G/14Gx16H/20H/24H/28H/32H/36H
WEIGHT	重量	317.8g
REMARKS	備註	Available speed: 7/8/9-speed, 10-speed will include washer (1.85mm thick), 11 speed will include longer cassette (1.85mm) 適用 7/8/9 速, 10 速多華司, 11 速用長棘輪



RA03FDQ2

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁 STD length 軸心長:108mm
SEALED BEARING Q'TY	培林數	2
OLD	叉寬	100mm
PCD	孔距	38mm
SPOKE HOLES	孔數	13G/14Gx16H/20H/24H/28H/32H/36H
WEIGHT	重量	139.9g
REMARKS	備註	Available hole style: Key shape hole or oval shape hole; hole to hole or hole against hole. 可選鑰匙孔或圓孔, 錯孔或對孔



RA03RDQ4

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁 STD length 軸心長:145mm
SEALED BEARING Q'TY	培林數	4
OLD	叉寬	130mm
PCD	孔距	53mm
SPOKE HOLES	孔數	13G/14Gx16H/20H/24H/28H/32H/36H
WEIGHT	重量	327.4g
REMARKS	備註	Available speed: 7/8/9-speed, 10-speed will include washer (1.85mm thick), 11 speed will include longer cassette (1.85mm) 適用7/8/9速, 10速多華司, 11速用長棘輪



MS03FDQ2

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁
SEALED BEARING Q'TY	培林數	2
OLD	叉寬	100mm
PCD	孔距	58mm
SPOKE HOLES	孔數	13G/14Gx20H/24H/28H/32H/36H
UPGRADE	可選配項目	MA03FDQ2:W/Aluminum Axle & Cover 鋁軸心&側蓋
WEIGHT	重量	274g
FINISH	表面處理	Silver & Black, 銀&黑



MS03RDQ4

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁
SEALED BEARING Q'TY	培林數	4
OLD	叉寬	135mm
PCD	孔距	58mm
SPOKE HOLES	孔數	13G/14Gx20H/24H/28H/32H/36H
UPGRADE	可選配項目	MA03RDQ2:W/Aluminum Axle & Cover 鋁軸心&側蓋
WEIGHT	重量	353g
FINISH	表面處理	Silver & Black, 銀&黑




MS07FDQ2

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁
SEALED BEARING Q'TY	培林數	2
OLD	叉寬	100mm
PCD	孔距	58mm
SPOKE HOLES	孔數	13G/14Gx20H/24H/28H/32H/36H
MA07FDQ2:W/Aluminum Axle & Cover		
UPGRADE	可選配項目	鋁軸心&側蓋
WEIGHT	重量	263g
FINISH	表面處理	Silver & Black, 銀&黑




MS07RDQ4

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁
SEALED BEARING Q'TY	培林數	4
OLD	叉寬	135mm
PCD	孔距	58mm
SPOKE HOLES	孔數	13G/14Gx20H/24H/28H/32H/36H
MA07RDQ2:W/Aluminum Axle & Cover		
UPGRADE	可選配項目	鋁軸心&側蓋
WEIGHT	重量	340g
FINISH	表面處理	Silver & Black, 銀&黑



MS08RDQ4

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁
SEALED BEARING Q'TY	培林數	4
OLD	叉寬	135mm
PCD	孔距	58mm
SPOKE HOLES	孔數	13G/14Gx20H/24H/28H/32H/36H
MA08RDQ2:W/Aluminum Axle & Cover		
UPGRADE	可選配項目	鋁軸心&側蓋
WEIGHT	重量	341g
FINISH	表面處理	Silver & Black, 銀&黑



MS08FDQ2

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁
SEALED BEARING Q'TY	培林數	2
OLD	叉寬	100mm
PCD	孔距	58mm
SPOKE HOLES	孔數	13G/14Gx20H/24H/28H/32H/36H
MA08FDQ2:W/Aluminum Axle & Cover		
UPGRADE	可選配項目	鋁軸心&側蓋
WEIGHT	重量	210g
FINISH	表面處理	Silver & Black, 銀&黑




MS09FDQ2

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁
SEALED BEARING Q'TY	培林數	2
OLD	叉寬	100mm
PCD	孔距	58mm
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
MA09FDQ2:W/Aluminum Axle & Cover		
UPGRADE	可選配項目	鋁軸心&側蓋
WEIGHT	重量	197g
FINISH	表面處理	Silver & Black, 銀&黑



MS09RDQ4

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	Aluminum 鋁
SEALED BEARING Q'TY	培林數	4
OLD	叉寬	135mm
PCD	孔距	58mm
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
MA09RDQ2:W/Aluminum Axle & Cover		
UPGRADE	可選配項目	鋁軸心&側蓋
WEIGHT	重量	418g
FINISH	表面處理	Silver & Black, 銀&黑



MS641F

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	100mm
PCD	孔距	38mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
WEIGHT	重量	155g
REMARKS	備註	black/sliver/blue/golden 黑/銀/藍/金



MS641R

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	135mm
PCD	孔距	45mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
WEIGHT	重量	245g
REMARKS	備註	black/sliver/blue/golden 黑/銀/藍/金

**MS3951F**

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	100mm
PCD	孔距	58mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠螺紋式
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
WEIGHT	重量	270g
REMARKS	備註	black/sliver/blue/golden 黑/銀/藍/金

**MS3951R**

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	135mm
PCD	孔距	58mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠螺紋式
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
WEIGHT	重量	475g
REMARKS	備註	black/sliver/blue/golden 黑/銀/藍/金

**MS37F**

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	100mm
PCD	孔距	58mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠
SPOKE HOLES	孔數	13G/14G*x24H/28H/32H/36H
WEIGHT	重量	276g
REMARKS	備註	black/sliver/blue/golden 黑/銀/藍/金

**MS37R**

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	135mm
PCD	孔距	58mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
WEIGHT	重量	332g
REMARKS	備註	black/sliver/blue/golden 黑/銀/藍/金



MS373F

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	100mm
PCD	孔距	58mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
WEIGHT	重量	279g



MS373R

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	135mm
PCD	孔距	58mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
WEIGHT	重量	459g



MS38F

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	100mm
PCD	孔距	58mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
WEIGHT	重量	287g
REMARKS	備註	black/sliver/blue/golden 黑/銀/藍/金



MS38R

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	135mm
PCD	孔距	58mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠
SPOKE HOLES	孔數	13G/14Gx24H/28H/32H/36H
WEIGHT	重量	465g
REMARKS	備註	black/sliver/blue/golden 黑/銀/藍/金



HA102F

HUB SHELL	外殼材質	Aluminum 鋁
AXLE MATERIAL	軸心材質	SC45
OLD	叉寬	135mm
PCD	孔距	58mm
ROLLING SYSTEM	轉動機構	Loose Ball 散珠
SPOKE HOLES	孔數	12G/13Gx32Hx36H
WEIGHT	重量	316g



HA450F-100

HUB SHELL	外殼材質	Aluminum 鋁
OLD	叉寬	100mm/110mm
PCD	孔距	58mm
SEALED BEARING Q'TY	培林數	2
SPOKE HOLES	孔數	13Gx32H/36H
WEIGHT	重量	218g



HA450F-150

HUB SHELL	外殼材質	Aluminum 鋁
OLD	叉寬	150mm
PCD	孔距	58mm
SEALED BEARING Q'TY	培林數	2
SPOKE HOLES	孔數	12G/13Gx32Hx36H
WEIGHT	重量	280g



HA450R

HUB SHELL	外殼材質	Aluminum 鋁
OLD	叉寬	142mm/148mm
PCD	孔距	58mm
SEALED BEARING Q'TY	培林數	4
SPOKE HOLES	孔數	13Gx32H/36H
WEIGHT	重量	358g



KTG12

MATERIAL	材質	Aluminum 鋁
LENGTH	長度	120mm/121mm/123mm/125mm 142mm/162mm/164mm/165mm 168mm/171mm/173mm/175mm
THREAD	牙紋	M12,M15



Q01

MATERIAL	材質	Aluminum 鋁
AXLE	軸心	Steel 鐵
WEIGHT	重量	FRONT 前: 51.5g REAR 後: 57.5g



Q07

MATERIAL	材質	Aluminum 鋁
AXLE	軸心	Steel 鐵
WEIGHT	重量	FRONT 前: 56g REAR 後: 62g




Q17

MATERIAL	材質	Aluminum 鋁
AXLE	軸心	Steel 鐵
WEIGHT	重量	FRONT 前: 50.5g REAR 後: 56.5g



Q27

MATERIAL	材質	Aluminum 鋁
AXLE	軸心	Steel 鐵
WEIGHT	重量	FRONT 前: 56.4g REAR 後: 61.8g

HEADSET PACKING**MFH - 21 (1")****MFH-2 (1-1/8")****MFH-11(1-1/8")****MFH-12
(1-1/2")****MFH-1
(1" & 1-1/8")****MFH-3****MFH-4****MFC-1****MFC-2**

BOTTOM BRACKET PACKING



MFB-5



MFB-6



MFB-3



MFB-21



MFB-2



MFB-1



**HUBS
PACKAGING**



**PEDAL
PACKAGING**



**PEDAL
PACKAGING**



CATALOGUE&TECHNICAL MANUAL

2025
2026

誌慶工業股份有限公司(台灣總部) Neco Technology Industry Co, Ltd (Headquarters)

ADD : No.190, Zhongzheng Rd., Wufeng Dist., Taichung City 41362, Taiwan

TEL : +886-4-2332 3966 FAX:+886-4-2332-2866 EMAIL: neco@necoparts.com

廣東志慶精密五金有限公司Guangdong Zhiqing Precision Hardware Parts Co. Ltd

ADD : Unit101,Buliding 9rd,Jilong Zhizao Park,No.52 Xilian Road,Longyan Village,Leliu,Shunde,Foshan,Guangdong,528300,China

TEL : +86-757-22626559

FAX : +86-757-22626459

EMAIL : sdneco@vip.126.com

江蘇誌慶精密五金零件有限公司Jiangsu Zhiqing Precision Hardware Parts Co. Ltd

ADD : Industrial Concentration Zone,Tianwang Town,Jurong City,Jiangsu Province,China

TEL : +86-511-80275988

EMAIL : neco-zj@vip.163.com,necoparts@163.com

志慶科技(天津)有限公司Neco Technology(TIANJIN)Co.,LTD

ADD : No.17, 24th Road Jinghai Economic Development Zone, Jinghai Town Tianjin China

TEL : +86-22-59591630

EMAIL : tianjinneco@163.com

零貝電機科技 (上海) 有限公司 Lingbei Motor Technology (SHANGHAI) CO.,Ltd

OFFICE ADD : No.5158 Dongchuan Road,Pudong New Area Shanghai,China

PRODUCTION ADD : Industrial Concentration Zone,Tianwang Town,Jurong City,Jiangsu Province,China

TEL : +86-21-68412951

FAX : +86-21-20428126

EMAIL : necomotorrexchen@lingbeimotor.cn

