

Test Report

號碼(No.): CC/2014/10202

日期(Date): 2014/01/23

頁數(Page): 1 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廢商(Sample Submitted By)

: 祐鋒實業股份有限公司 (YO FONG ENT CO., LTD)

樣品名稱(Sample Description) 收件日期(Sample Receiving Date) : 鋁合金: 2014/01/16

測試期間(Testing Period)

: 2014/01/16 TO 2014/01/23

測試需求(Test Requested)

: 151項高關注物質篩檢. 高關注物質候選清單是根據歐洲化學總署(ECHA)於2013年12月16日,就關於REACH之Regulation (EC) No 1907/2006的公告。/ 151 Substances of Very High Concern (SVHC) screening. SVHC candidate list based on the publication by European Chemicals Agency (ECHA) on 2013 December 16, regarding Regulation (EC) No 1907/2006 concerning the REACH.

測試方法(Test Method)

: 請見下一頁 (Please refer to next pages).

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

總結(Summary)

: 根據歐洲化學總署及絕大部分歐盟會員國對於成品定義詮釋以及依據指定範圍和分析技術, 送測樣品的高關注物質(SVHC)濃度均小於0.1% (According to the interpretation of ECHA and the majority of EU member states on the definition of an article as well as the specified scope and analytical technique, concentrations of all SVHC are <0.1% in the submitted sample(s))。

Edison Chang/Sr. Supervisor Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory – Taipei From NECO-Surface Finishing Supplier 股股慶高份工厂源工

NECO TECHNOLOGY INDUSTRY CO.,LTD.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at the flowing ground of the company subject to Terms and Conditions for Electronic Documents at http://www.ground.com/artifleronia.de/flowing.co



Test Report

號碼(No.): CC/2014/10202 日期(Date): 2014/01/23 頁數(Pag

頁數(Page): 2 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD

彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

測試樣品(Test Sample): 黑色金屬 (BLACK METAL)

測試方法(Test Method):

參照SGS内部方法RSTS-EE-SVHC-007. 由感應耦合電漿原子發射光譜儀、紫外光可見光譜儀、氣相層析/質譜儀、液相層析質 譜儀、氣相層析儀/火焰光度偵測器、液相層析/質譜儀/二極體陣列偵測器進行分析。(SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES, UV-VIS, GC/MS, LC/MS, GC/FPD, LC/MS/DAD.)

備註(Remark):

1. 151項SVHC化學分析,依歐洲化學總署(ECHA)於2013年12月16日所公佈的清單,藉由現有的分析技術進行篩檢。(The chemical analysis of 151 SVHC is performed by means of currently available analytical techniques against the list published by ECHA on 2013 December 16.)

請参照(refer to) http://echa.europa.eu/web/guest/candidate-list-table

- 2. 根據Regulation (EC) No 1907/2006 中第7條款第2項之規定,如果物質合乎第57條款之標準以及可依據第59(1)條之規定鑑別,且同時符合下列兩項狀況,任何成品之製造人和進口人應向歐洲化學總署(ECHA)通報:
 - (a) 成品中所含物質每年超過1公頓。
 - (b) 依重量百分比計算,物質濃度超過0.1%。

In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 2 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation,

- if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w).
- 3. Regulation (EC) No 1907/2006中第 33 條要求成品供應商,其成品所含物質符合第57條款的標準並依照第59(1)條款確定其濃度大於 0.1wt%,應提供成品接受者充份可取得資訊,以確保成品的安全使用(至少包括物質的名稱)。
 - Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.
- 4. 倘若SVHC超過限值,建議客户確認含有該SVHC的零件,並要求實驗室進一步的定量分析而取得SVHC的確切濃度。
 If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sps.com/len/inservices/conditions-on-services/con-services/conditions-on-services/condition



號碼(No.): CC/2014/10202

日期(Date): 2014/01/23

頁數(Page): 3 of 15

Test Report

祐鋒實業股份有限公司 YO FONG ENT CO., LTD

彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

測試結果 (Test Results)

<u>)則試結果 (Test Results)</u>	1		I
物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
蒽 / Anthracene (CAS No.: 120-12-7)	n.d.	0.05	PBT
4,4' - 二氨基二苯甲烷 / 4,4' - Diaminodiphenylmethane (CAS No.: 101-77-9)	n.d.	0.05	CC 1B
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	n.d.	0.05	TRC 1B
鄭苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	n.d.	0.05	TRC 1B
鄭苯二甲酸二 (2-乙基己基)酯 / Bis (2-ethy!(hexyl) phthalate) (DEHP) (CAS No.: 117-81-7)	n.d.	0.05	TRC 1B
二甲苯麝香 / 5-tert-butyl-2,4,6-trinitro- m-xylene (Musk Xylene) (CAS No.: 81-15-2)	n.d.	0.05	vPvB
六溴環十二烷及所有主要被掉别出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	n.d.	0.05	PBT
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	n.d.	0.05	PBT
三丁基錫氧化物 / Bis(tributyltin)oxide (TBTO)*** (CAS No.: 56-35-9)	n.d.	-	PBT
二氯化鈷 / Cobalt dichloride (CAS No.: 7646-79-9)	n.d.	0.005	CC 1B; TRC 1B
五氧化二砷 / Diarsenic pentaoxide*** (CAS No.: 1303-28-2)	n.d.	-	CC 1A
三氧化二砷 / Diarsenic trioxide*** (CAS No.: 1327-53-3)	n.d.	-	CC 1A
三乙基砷酸酯 / Triethyl arsenate*** (CAS No.: 15606-95-8)	n.d.	-	CC 1A
砷酸氫鉛 / Lead hydrogen arsenate*** (CAS No.: 7784-40-9) (※1)	n.d.	_	CC 1A; TRC 1A
鉻酸鈉 / Sodium chromate*** (CAS No.: 7775-11-3)	n.d.	-	CC 1B; MC 1B; TRC 1B
重鉻酸銨 / Ammonium dichromate*** (CAS No.: 7789-09-5)	n.d.	_	CC 1B; MC 1B; TRC 1B
重鉻酸鉀 / Potassium dichromate*** (CAS No.: 7778-50-9)	n.d.	-	CC 1B; MC 1B; TRC 1B
鉻酸鉀 / Potassium chromate*** (CAS No.: 7789-00-6)	n.d.	-	CC 1B; MC 1B
重鉻酸鈉 / Sodium dichromate*** (CAS No.: 10588-01-9, 7789- 12-0(*))	n.d.		CC 1B; MC 1B; TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.org.com/programs/Conditions/Service printed overleaf, available on request or accessible at http://www.org.com/programs/Conditions/Service printed for a feed to the format documents, subject to Terms and Conditions for Electronic Documents at http://www.org.com/programs/Conditions/Conditi



Test Report

號碼(No.): CC/2014/10202

日期(Date): 2014/01/23

頁數(Page): 4 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
三氧化鉻 / Chromium trioxide ***(CAS No.: 1333-82-0)	n.d.	-	CC 1B; MC 1B
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 / Acids generated	n.d.	-	CC 1B
from chromium trioxide and their oligomers: Chromic acid***			
(CAS No.: 7738-94-5)			
從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 / Acids generated	n.d.	-	CC 1B
from chromium trioxide and their oligomers: Dichromic			
acid*** (CAS No.: 13530-68-2)	ļ		
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 /	n.d.	_	CC 1B
Acids generated from chromium trioxide and their oligomers:			
Oligomers of chromic acid and dichromic acid (*1)			
络酸鳃 / Strontium chromate*** (CAS No.: 7789-06-2)	n.d.	-	CC 1B
蔥油 / Anthracene oil (CAS No.: 90640-80-5) (**)	n.d.	0.05	PBT; vPvB; CC 1B
蔥油、蔥糊、輕油 / Anthracene oil, anthracene paste, distn. Lights (CAS No.: 91995-17-4) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
蔥油,蔥糊,蔥餾分 / Anthracene oil, anthracene paste, anthracene fraction (CAS No.: 91995-15-2) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
蔥油,含蔥量少 / Anthracene oil, anthracene-low (CAS No.: 90640-82-7) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
蔥油,蔥糊 / Anthracene oil, anthracene paste (CAS No.: 90640-81-6) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
媒瀝青,高溫 / Pitch, coal tar, high-temp. (CAS No.: 65996-93-2) (**)	n.d.	0.05	PBT; vPvB; CC 1B
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	n.d.	0.05	TRC 1B
2,4-二硝基甲苯 / 2,4-Dinitrotoluene (CAS No.: 121-14-2)	n.d.	0.05	CC 1B
磷酸三 (2-氯乙基)酯 / Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	n.d.	0.05	TRC 1B
络酸鉛 / Lead chromate (CAS No.: 7758-97-6)	n.d.	0.01	CC 1B; TRC 1A
鉬络紅;顏色索引: 顏料紅104 / Lead chromate molybdate	n.d.	0.01	CC 1B; TRC 1A
sulphate red (C.I. Pigment Red 104) (CAS No.: 12656-85-8)			
絡酸鉛;顏色索引:顏料黄34 / Lead sulfochromate yellow (C.I. Pigment Yellow 34) (CAS No.: 1344-37-2)	n.d.	0.01	CC 1B; TRC 1A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at into the owners control of the company subject to Terms and Conditions for Electronic Documents at http://www.spis.com/spifesservicesservi



Test Report

號碼(No.): CC/2014/10202 日期(Date): 2014/01/23

頁數(Page): 5 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
丙烯醯胺 / Acrylamide (CAS No.: 79-06-1)	n.d.	0.05	CC 1B; MC 1B
硼酸 / Boric acid*** (CAS No.: 10043-35-3; 11113-50-1)	n.d.	*	TRC 1B
無水四硼酸二鈉 / Disodium tetraborate, anhydrous*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)	n.d.	-	TRC 1B
水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate (CAS No.: 12267-73-1) (*2)	n.d.	-	TRC 1B
三氯乙烯 / Trichloroethylene (CAS No.: 79-01-6)	n.d.	0.05	CC 1B
硫酸鈷(二價) / Cobalt(II) sulphate*** (CAS No.: 10124-43-3)	n.d.	-	CC 1B; TRC 1B
硝酸鈷(二價) / Cobalt(II) dinitrate*** (CAS No.: 10141-05-6)	n.d.	-	CC 1B; TRC 1B
碳酸鈷(二價) / Cobalt(II) carbonate*** (CAS No.: 513-79-1)	n.d.	-	CC 1B; TRC 1B
醋酸鈷(二價) / Cobalt(II) diacetate*** (CAS No.: 71-48-7)	n.d.	_	CC 1B; TRC 1B
乙二醇甲醚 / 2-Methoxyethanol (CAS No.: 109-86-4)	n.d.	0.05	TRC 1B
乙二醇乙醚 / 2-Ethoxyethanol (CAS No.: 110-80-5)	n.d.	0.05	TRC 1B
乙二醇乙醚乙酸酯 / 2-ethoxyethyl acetate (CAS No.: 111-15-9)	n.d.	0.05	TRC 1B
鄰苯二甲酸二 (C7-11支鏈與直鏈)烷基酯 / 1,2-	n.d.	0.05	TRC 1B
Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) (CAS No.: 68515-42-4)			
聯氨 / Hydrazine (CAS No.: 7803-57-8; 302-01-2)	n.d.	0.05	CC 1B
N-甲基吡咯烷酮 / 1-methyl-2-pyrrolidone (CAS No.: 872-50-4)	n.d.	0.05	TRC 1B
1,2,3-三氯丙烷 / 1,2,3-trichloropropane (CAS No.: 96-18-4)	n.d.	0.05	CC 1B; TRC 1B
鄰苯二甲酸二 (C6-8支鏈與直鏈)烷基酯,富C7 / 1,2- Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)	n.d.	0.05	TRC 1B
砷酸 / Arsenic acid*** (CAS No.: 7778-39-4)	n.d.	-	CC 1A
砷酸鈣 / Calcium arsenate*** (CAS No.: 7778-44-1)	n.d.	-	CC 1A
砷酸鉛 / Trilead diarsenate*** (CAS No.: 3687-31-8) (※1)	n.d.	-	CC 1A; TRC 1A
叠氮化铅 / Lead diazide, Lead azide*** (CAS No.: 13424-46-9)	n.d.	-	TRC 1A
中性斯蒂酚酸鉛 / Lead styphnate*** (CAS No.: 15245-44-0)	n.d.	-	TRC 1A
苦味酸鉛 / Lead dipicrate*** (CAS No.: 6477-64-1)	n.d.	-	TRC 1A
鎔酸鉻 / Dichromium tris (chromate)*** (CAS No.: 24613-89- 6)	n.d.		CC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleat, available on request or accessible at into flatting and conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ess.com/documents.assections/company-15-company-16-compan



Test Report

號碼(No.): CC/2014/10202 日期(Date): 2014/01/23

頁數(Page): 6 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
氫氧化铬酸鋅鉀 / Potassium hydroxyoctaoxodizincatedi- chromate*** (CAS No.: 11103-86-9)	n.d.	-	CC 1A
八氫氧化五络酸鋅 / Pentazinc chromate octahydroxide*** (CAS No.: 49663-84-5)	n.d.	-	CC 1A
甲醛與苯胺的寡聚體 / Formaldehyde, oligomeric reaction products with aniline (technical MDA) (CAS No.: 25214-70-4)	n.d.	0.05	CC 1B
鄰苯二甲酸二甲氧基乙酯 / Bis(2-methoxyethyl) phthalate (CAS No.: 117-82-8)	n.d.	0.05	TRC 1B
鄰甲氧基苯胺 / 2-Methoxyaniline; o-Anisidine (CAS No.: 90-04-0)	n.d.	0.05	CC 1B
對特辛基苯酚 / 辛基酚 / 4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol) (CAS No.: 140-66-9)	n.d.	0.05	EQC
1,2-二氟乙烷 / 1,2-Dichloroethane (CAS No.: 107-06-2)	n.d.	0.05	CC 1B
双(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether (CAS No.: 111-96-6)	n.d.	0.05	TRC 1B
N.N-二甲基乙醯胺 / N.N-dimethylacetamide (DMAC) (CAS No.: 127-19-5)	n.d.	0.05	TRC 1B
4,4'-亞甲雙(2-氟苯胺)/ 2,2'-dichloro- 4,4'- methylenedianiline (MOCA) (CAS No.: 101-14-4)	n.d.	0.05	CC 1B
酚酞 / Phenolphthalein (CAS No.: 77-09-8)	n.d.	0.05	CC 1B
矽酸鋁,耐火陶瓷纖維(主要成分濃度於可變範圍內) / Aluminosilicate, Refractory Ceramic Fibres (oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges)	n.d.	0.05	CC 1B
结矽酸鋁,耐火陶瓷纖維(主要成分濃度於可變範圍内)/ Zirconia Aluminosilicate, Refractory Ceramic Fibres (oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges]	n.d.	0.05	CC 1B
三廿醇二甲醚 / 1,2-bis (2-methoxyethoxy) ethane (TEGDME; triglyme) (CAS No.: 112-49-2)	n.d.	0.05	TRC 1B
乙二醇二甲醚 / 1.2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) (CAS No.: 110-71-4)	n.d.	0.05	TRC 1B
甲醯胺 / Formamide (CAS No.: 75-12-7)	n.d.	0.05	TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.aga.com/bet/Service-al-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.aga.com/bet/Service-al-Conditions-



Test Report

號碼(No.): CC/2014/10202

日期(Date): 2014/01/23

頁數(Page): 7 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
甲基磺酸鉛 / Lead(II) bis(methanesulfonate)*** (CAS No.: 17570-76-2)	n.d.	-	TRC 1B
異氣尿酸三縮水甘油酯 / TGIC (1,3,5-tris(oxiranylmethyl)- 1,3,5- triazine-2,4,6 (1H,3H,5H)-trione) (CAS No.: 2451-62-9)	n.d.	0.05	MC 1B
異乳尿酸B-三缩水甘油酯 / B-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]- 1,3,5-triazine-2,4,6- (1H,3H,5H)-trione) (CAS No.: 59653-74-6) (※3)	n.d.	0.05	MC 1B
4,4'-二(N,N-二甲氨基)二苯甲酮(米氏酮)/ 4,4'-bis (dimethylamino) benzophenone (Michler's ketone) (CAS No.: 90-94-8)	n.d.	0.05	CC 1B
4.4'-(对二甲氨基)二苯基甲烷(米氏鹼)/ N,N,N',N'- tetramethyl- 4,4'-methylenedianiline (Michler's base) (CAS No.: 101-61-1)	n.d.	0.05	CC 1B
鹼性紫 3 {内含≥ 0.1% 的米氏酮或米氏鹼) / [4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) (CAS No.: 548-62- 9) {with ≥ 0.1% of Michler's ketone or Michler's base)	n.d.	0.05	CC 1B
鹼性藍 26 [内含≥ 0.1% 的米氏酮或米氏鹼] / [4-{[4-anilino-1-naphthyl] {4-(dimethylamino) phenyl] methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) (CAS No.: 2580-56-5) [with ≥ 0.1% of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
溶劑藍 4 [内含≥ 0.1% 的米氏酮或米氏鹼] / α,α-Bis[4- (dimethylamino) phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4) (CAS No.: 6786-83-0) [with ≥ 0.1% of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
三氧化二硼 / Diboron trioxide*** (CAS No.: 1303-86-2)	n.d.	-	TRC 1B
α,α-二((二甲氨基)苯基}-4-甲氨基苯甲醇 (内含≥ 0.1% 的米氏酮或米氏鹼) / 4,4'-bis (dimethylamino)-4''-(methylamino) trityl alcohol (CAS No.: 561-41-1) [with ≥ 0.1% of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
十溴聯苯醚 / Bis(pentabromophenyl) ether (DecaBDE) (CAS No.: 1163- 19-5)	n.d.	0.05	PBT

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sc.sconder/ficessingles/mont/fic



Test Report

號碼(No.): CC/2014/10202

日期(Date): 2014/01/23

頁數(Page): 8 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)
全氣十三酸 / Pentacosafluorotridecanoic acid (CAS No.: 72629-94-8)	n.d.	0.05	PBT
全氣十二酸 / Tricosafluorododecanoic acid (CAS No.: 307-55-1)	n.d.	0.05	PBT
全氣十一酸 / Henicosafluoroundecanoic acid (CAS No.: 2058-94-8)	n.d.	0.05	PBT
全氟十四酸 / Heptacosafluorotetradecanoic acid (CAS No.: 376-06-7)	n.d.	0.05	PBT
4-(1,1,3,3-四甲基丁基)苯酚,乙氧基一 以及所有的被定義的物質,未知成分或可變成分的物質,聚合物和同系物 / 4-(1,1,3,3-tetramethylbutyl) phenol, ethoxylated-covering well-defined substances and UVCB substances, polymers and homologues	n.d.	0.05	EQC
分支或線性的壬基酚,包括含有9個碳烷基键的所有獨立的同分異構體和所有含有線性或分支9個碳烷基键的UVCB物質 / 4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	n.d.	0.05	EQC
偶氮{二}甲醯胺 / Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (CAS No.: 123-77-3)	n.d.	0.05	EQC
六氢苯二甲酸酐 / Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane- 1,2- dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA) (CAS No.: 85-42-7, 13149-00-3, 14166-21-3)	n.d.	0.05	EQC
甲基六氢苯酐 / Hexahydromethylphathalic anhydride (CAS No.: 25550-51-0) 4-甲基六氢苯酐 / Hexahydro-4-methylphathalic anhydride (CAS No.: 19438-60-9) 1-甲基六氢苯酐 / Hexahydro-1-methylphathalic anhydride (CAS No.: 48122-14-1) 3-甲基六氢苯酐 / Hexahydro-3-methylphathalic anhydride (CAS No.: 57110-29-9)	n.d.	0.05	EQC
甲氧基乙酸 / Methoxy acetic acid (CAS No.: 625-45-6)	n.d.	0.05	TRC 1B
支鏈和直鏈1.2-苯二羧二戊酯 / 1.2-Benzenedicarboxylic acid, dipentylester, branched and linear (CAS No.: 84777-06-0)	n.d.	0.05	TRC 1B
鄰苯二甲酸二異戊酯 / Diisopentylphthalate (CAS No.: 605-50-5)	n.d.	0.05	TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/services.org/accessible.com/services/company/servic



Test Report

號碼(No.): CC/2014/10202 日

日期(Date): 2014/01/23

頁數(Page): 9 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)	
鄰苯二甲酸正戊基異戊基酯 / N-pentyl-isopentylphtalate (CAS No.: 776297-69-9)	n.d.	0.05	TRC 1B	
乙二醇二乙醚 / 1.2-Diethoxyethane (CAS No.: 629-14-1)	n.d.	0.05	TRC 1B	
N.N-二甲基甲醯胺 / N.N-dimethylformamide; dimethyl formamide (CAS No.: 68-12-2)	n.d.	0.05	TRC 1B	
二氣二丁基錫 / Dibutyltin dichloride (DBTC) (CAS No.: 683-18-1)	n.d.	0.05	TRC 1B	
城式醋酸铅 / Acetic acid, lead salt, basic*** (CAS No.: 51404-69-4)	n.d.	-	TRC 1A	
域式碳酸铅 / Trilead bis(carbonate) dihydroxide (basic lead carbonate)*** (CAS No.: 1319-46-6)	n.d.	-	TRC 1A	
域式硫酸鉛 / Lead oxide sulfate*** (CAS No.: 12036-76-9)	n.d.	-	TRC 1A	
[1,2-苯二羧酸根合]二氧化三鉛 / [Phthalato(2-)] dioxotrilead*** (CAS No.: 69011-06-9)	n.d.	_	TRC 1A	
雙(十八酸基)二氧代三鉛 / Dioxobis(stearato) trilead*** (CAS No.: 12578-12-0)	n.d.	-	TRC 1A	
C16-18-脂肪酸鉛鹽 / Fatty acids, C16-18, lead salts*** (CAS No.: 91031-62-8)	n.d.	_	TRC 1A	
氨基氰鉛鹽 / Lead cyanamidate*** (CAS No.: 20837-86-9)	n.d.		TRC 1A	
硝酸鉛 / Lead dinitrate*** (CAS No.: 10099-74-8)	n.d.	-	TRC 1A	
氧化鉛 / Lead oxide (lead monoxide)*** (CAS No.: 1317-36-8)	n.d.		TRC 1A	
四氧化铝 / Lead tetroxide (orange lead)*** (CAS No.: 1314-41-6)	n.d.	-	TRC 1A	
氧化鉛與硫酸鉛的複合物 / Pentalead tetraoxide sulphate*** (CAS No.: 12065-90-6)	n.d.	-	TRC 1A	
矽酸鉛 / Silicic acid, lead salt*** (CAS No.: 11120-22-2)	n.d.	-	TRC 1A	
亞硫酸鉛(II) / Sulfurous acid, lead salt, dibasic*** (CAS No.: 62229-08-7)	n.d.	-	TRC 1A	
四乙基鉛 / Tetraethyllead*** (CAS No.: 78-00-2)	n.d.	-	TRC 1A	
三鹼式硫酸鉛/ C.I. 顏料白 / Tetralead trioxide sulphate*** (CAS No.: 12202-17-4)	n.d.	-	TRC 1A	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ops.com/prijour.son.if Conditions of Service printed overleaf, available on request or accessible at http://www.ops.com/prijour.son.if Conditions operand, or electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ops.com/prijour.son.if Conditions of Conditions of Electronic Document is advised that information contained bereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company, Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.): CC/2014/10202

日期(Date): 2014/01/23

頁數(Page): 10 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification)	
四氯硼酸鉛 (II) / Lead bis(tetrafluoroborate)*** (CAS No.: 13814-96-5)	n.d.		TRC 1A	
鈦酸铅 / Lead titanium trioxide*** (CAS No.: 12060-00-3)	n.d.	-	TRC 1A	
鈇酸鉛结 / Lead Titanium Zirconium Oxide*** (CAS No.: 12626-81-2)	n.d.	-	TRC 1A	
C.I.顏料黃41 / Pyrochlore, antimony lead yellow*** (CAS No.: 8012- 00-8)	n.d.	-	TRC 1A	
磷酸氧化鉛 / Trilead dioxide phosphonate*** (CAS No.: 12141-20-7)	n.d.	-	TRC 1A	
含鉛的矽酸鋇 / Silicic acid, barium salt, lead-doped (※4) (CAS No.: 68784-75-8)	n.d.	0.05	TRC 1A	
呋喃 / Furan (CAS No.: 110-00-9)	n.d.	0.05	CC 1B	
環氧丙烷 / Propylene oxide; 1,2-epoxypropane; methyloxirane (CAS No.: 75-56-9)	n.d.	0.05	CC 1B; MC 1B	
硫酸二乙酯 / Diethyl sulphate (CAS No.: 64-67-5)	n.d.	0.05	CC 1B; MC 1B	
硫酸二甲酯 / Dimethyl sulphate (CAS No.: 77-78-1)	n.d.	0.05	CC 1B	
3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 / 3-ethyl-2-methyl-2-(3- methylbutyl)-1,3-oxazolidine (CAS No.: 143860-04-2)	n.d.	0.05	TRC 1B	
2-(1-甲基丙基)-4,6-二硝基苯酚 / Dinoseb (CAS No.: 88-85-7)	n.d.	0.05	TRC 1B	
4.4'-二氨基-3.3'-二甲基聯苯基甲烷 / 4.4'-methylenedi-o-toluidine (CAS No.: 838-88-0)	n.d.	0.05	CC 1B	
4,4'-二氢基二苯醚 / 4,4'-oxydianiline and its salts (CAS No.: 101- 80-4)	n.d.	0.05	CC 1B; MC 1B	
4-苯基偶氮基苯胺 / 4-Aminoazobenzene; 4-Phenylazoaniline (CAS No.: 60-09-3)	n.d.	0.05	CC 1B	
2,4-二氨基甲苯 / 4-methyl-m-phenylenediamine (2,4-toluenediamine) (CAS No.: 95-80-7)	n.d.	0.05	CC 1B	
3-甲基-6-甲氧基苯胺 / 6-methoxy-m-toluidine (p-cresidine) (CAS No.: 120-71-8)	n.d.	0.05	CC 1B	
4-胺基聯苯 / Biphenyl-4-ylamine (CAS No.: 92-67-1)	n.d.	0.05	CC 1A	
鄰氨基偶氮甲苯 / o-aminoazotoluene (CAS No.: 97-56-3)	n.d.	0.05	CC 1B	
鄰甲苯胺 / o-Toluidine; 2-Aminotoluene (CAS No.: 95-53-4)	n.d.	0.05	CC 1B	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ors.um.de/ficers.pdf.coad.coa.pdf.coa.p



Test Report

號碼(No.): CC/2014/10202

日期(Date): 2014/01/23

頁數(Page): 11 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
N-甲基乙醯胺 / N-methylacetamide (CAS No.: 79-16-3)	n.d.	0.05	TRC 1B
正丙基溴 / 1-bromopropane (CAS No.: 106-94-5)	n.d.	0.05	TRC 1B
全氣辛酸 / Pentadecafluorooctanoic acid (PFOA) (CAS No.: 335-67-1)	n.d.	0.05	TRC 1B & PBT
全氣辛酸銨 / Ammoniumpentadecafluorooctanoate (APFO)*** (CAS No.: 3825-26-1)	n.d.	-	TRC 1B & PBT
鎬 / Cadmium (Cd) (CAS No.: 7440-43-9)	n.d.	0.005	CC 1B & EQC
氧化锔 / Cadmium oxide*** (CAS No.: 1306-19-0)	n.d.	-	CC 1B & EQC
鄰苯二甲酸二戊酯 / DPP (Di-pentyl phthalate) (CAS No.: 131-18-0)	n.d.	0.05	TRC 1B
分支或線性的乙氧化壬基酚,包括含有9個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支9個碳烷基鏈的UVCB物質 / 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	n.d.	0.05	EQC
鄰苯二甲酸二己酯 / Dihexyl phthalate (CAS No.: 84-75-3)	n.d.	0.05	TRC 1B
直接紅28 / Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4- aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) (CAS No.: 573- 58-0)	n.đ.	0.05	CC 1B
接黑38 / Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-phenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7-sulphonate (C.I. Direct Black 38) (CAS No.: 1937-37-7)		0.05	CC 1B
亞乙基硫脲 / Imidazolidine-2-thione; 2-imidazoline-2-thiol (CAS No.: 96-45-7)	n.d.	0.05	TRC 1B
磷酸三(二甲苯)酯 / Trixylyl phosphate (CAS No.: 25155-23-1)	n.d.	0.05	TRC 1B
硫化鎬 / Cadmium sulphide*** (CAS No.: 1306-23-6)	n.d.	-	CC 1B & EQC
醋酸鉛 / Lead di(acetate)*** (CAS No.: 301-04-2)	n.d.	-	TRC 1A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at ante financing south of few sond Conditions for Electronic Documents at http://www.sps.com/arth.com/saucht.com/sa



Test Report

號碼(No.): CC/2014/10202 日期(Date): 2014/01/23 頁數(Page): 12 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD

彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d.= not detected = below Reporting Limit / 未檢出
- 3. RL = Reporting Limit / 報告極限值
- 4. (*): 重鉻酸鈉二水合物(CAS No.: 7789-12-0)含量 = 重鉻酸鈉含量 × 1.1374 (conc. of Sodium dichromate dihydrate = conc. of sodium dichromate × 1.1374)
- 5. (*1): 絡酸與重絡酸的寡聚體: 因為其寡聚體是由未知數的絡酸或與重絡酸所組成,而導致沒有固定分子量,因此以單體絡酸或重絡酸較為重要並應被考慮。/ Oligomers of chromic acid and dichromic acid: since the oligomers are made of the unknown amount of chromic acid or dichromic acid that results in no fixed molecular weight, therefore the monomer of chromic acid or dichromic acid is relevant and considered.
- 6. (*2): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作爲代表(歐洲化學總署回信編號 Ref no.: INC 000000032519) / Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 000000032519).
- 7. (**): 上述混合物的濃度是經由所獲得的成分比例介於被選擇標靶物及混合物所推估出來. / The concentrations of above-mentioned mixtures are evaluated per the gained composition rate between the selected marks and the mixtures.
- 8. ***: 該物質是由三丁基錫、全氟辛酸或各别元素 (例如: 砷、鉛、六價鉻、硼、鈷、鋇、鎘)之測試結果計算得知. /
 The substance was calculated by the test results of Tributyl Tin, PFOA or element (Ex. Arsenic, Lead,
 Cr(VI), Boron, Cobalt, Barium, Cadmium respectively).

測試結果如下(The test result is given as):

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)
三丁基錫 / Tributyl Tin (TBT)	n.d.	0.05
砷 / Arsenic (As) (※2)	n.d.	0.005
鉛 / Lead (Pb)	n.d.	0.005
六價絡 / Hexavalent Chromium Cr(VI)	n.d.	0.005
硼 / Boron (B) (※2)	n.d.	0.005
銛 / Cobalt (Co)	n.d.	0.005

9. (※1):此砷鉛化合物之濃度是取砷及鉛雨者各别换算出砷鉛化合物濃度,並取其最小值做為最後出報告之依據.

(Regarding the compound containing arsenic and lead, lead and arsenic are tested and respectively used for the calculation of the independent concentration of the compound containing arsenic and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.gas.con/gen/lems-acd-occoping-at-age-occoping-ad-age-occoping



號碼(No.): CC/2014/10202

日期(Date): 2014/01/23

頁數(Page): 13 of 15

Test Report

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

- 10. "-" = Not Regulated (無規格值)
- 11. F 參數換算表/F Parameter Conversion Table: Please refer to http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp
- 12. 分類/Classification: Please refer to http://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp
- 13. (※2): 被萃取出的溶出硼/砷是以感應耦合電漿原子發射光譜儀檢測得之. / The extracted soluble Boron / Arsenic are detected by ICP-AES.
- 14. (※3): 由於TGIC本身含有B-TGIC,依照ECHA 技術文件 B-TGIC與 TGIC 約為 1:10 比例,因此B-TGIC將以1/10 的 TGIC計算濃度。/ TGIC is a mixture and also contains B-TGIC. According to the ECHA's technical dossier the ratio of B-TGIC to TGIC is around 1 to 10. Therefore B-TGIC is issued based on the above-mentioned ratio
- 15. (※4): 只有在矽與鉛定性結果爲陽性時,再以鋇之濃度換算之。/ Only if both qualitative results of lead and silicon are positive, the test result of the compound will be calculated based on the concentration of barium.



Test Report

號碼(No.): CC/2014/10202

日期(Date): 2014/01/23


頁數(Page): 14 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

SVHC 分析流程圖 / Analytical flow chart of SVHC

- 測試人員:翁賜彬/周穗華/楊登偉 / Name of the person who made measurement: Roman Wong / Stacy Chou / Climbgreat Yang
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sus.com/de/conservices-services



Test Report


號碼(No.): CC/2014/10202 日期(Date): 2014/01/23 頁數(Page): 15 of 15

祐鋒實業股份有限公司 YO FONG ENT CO., LTD 彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. *
(The tested sample / part is marked by an arrow if it's shown on the photo.)

CC/2014/10202



** 報告結尾(End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at note flow ways as a condition of the flow ways as a condition of the flow ways as a condition of the flow ways as a condition way ways as a condition way was accessed to the flow ways as a condition way was accessed when the flow ways as a condition was a condition way was a condition way was accessed when the flow was a condition was a condition was a condition only and within the finits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not excended a condition of the condition was accessed when the condition was accessed was accompany. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): CE/2014/13821 日期(Date): 2014/01/23

頁數(Page): 1 of 5

祐鋒實業股份有限公司

YO FONG ENT CO., LTD

彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廢商(Sample Submitted By) ; 祐鋒實業股份有限公司 (YO FONG ENT CO., LTD)

樣品名稱(Sample Description)

: 鋁合金

收件日期(Sample Receiving Date)

: 2014/01/16

測試期間(Testing Period)

: 2014/01/16 TO 2014/01/23

依據客户要求,參考RoHS 2011/65/EU Annex II 指令進行鎬, 鉛, 汞, 六價絡測試. 測試需求(Test Requested):

(As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI) contents in the submitted

sample.)

測試方法(Test Method)

請見下一頁 (Please refer to next pages).

測試結果(Test Results) :

請見下一頁 (Please refer to next pages).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sci.org/lines/sci.org/l



Test Report

號碼(No.): CE/2014/13821 日期(Date): 2014/01/23

頁数(Page): 2 of 5

祐鋒實業股份有限公司

YO FONG ENT CO., LTD

彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

測試結果(Test Results)

測試部位(PART NAME)No.1

: 黑色金屬 (BLACK METAL)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
錆 / Cadmium (Cd)	mg/kg	冬考IEC 62321-5; 2013方法,以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5; 2013 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5; 2013 and performed by ICP-AES.	2	12
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法,以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.
六價鉻 / Hexavalent Chromium Cr(VI)	**	參考IEC 62321: 2008方法,以沸水萃取 法檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ngs.com/for/licroscom/fo



Test Report

號碼(No.): CE/2014/13821 日期(Date): 2014/01/23

頁數(Page): 3 of 5

祐鋒實業股份有限公司

YO FONG ENT CO., LTD

彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

備註(Note):

- 1. mg/kg = ppm : 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未检出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 5. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
 - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at into the company subject to its General Conditions for Electronic Documents at http://www.sp.conderform.wide.company.com/printed-company.com/print



Test Report

號碼(No.): CE/2014/13821

日期(Date): 2014/01/23

頁數(Page): 4 of 5


祐鋒實業股份有限公司

YO FONG ENT CO., LTD

彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

- 根據以下的流程圖之條件, 樣品已完全溶解。(六價絡測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁵⁺ test method excluded)
- 2) / 討試人員:楊登律 / Name of the person who made measurement: Climbgreat Yang
- 3) 灣試負責人: 張啓典 / Name of the person in charge of measurement: Troy Chang



Note**:(1) 針對非金屬材料加入驗性消化液+加熱至 90~95℃草原. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.

(2) 針對全屬材料加入純水,加熱至沸腾萃取. / For metallic material, add pure water and heat to boiling.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.ucm/en/forms.org/company/sand, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.ucm/en/forms.org/company/sand.org/c



Test Report

號碼(No.): CE/2014/13821 日期(Date): 2014/01/23

頁數(Page): 5 of 5

祐鋒實業股份有限公司


YO FONG ENT CO., LTD

彰化縣芳苑工業區工區四路9號

NO. 9, INDUSTRIAL 4TH RD., FANGUAN INDUSTRIAL ZONE, CHANGHUA COUNTY 528, TAIWAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2014/13821



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at interface was assumed as Conditions for Electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.conden/Terms.org/lengths-10-mont