

測試報告(SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 1 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as) :

送樣廠商(Sample Submitted By) : 永興軸承有限公司(YOUNGSINGBALLBEARINGCO.,LTD.)
樣品名稱(Sample Description) 收 : BEARING軸承
件日期(Sample Receiving Date) 測試 : 2014/02/13
期間(Testing Period) : 2014/02/13TO2014/02/26AND2014/06/17TO2014/07/08

測試需求(Test Requested) : 155 項高關注物質篩檢. 高關注物質候選清單是根據歐洲化學總署(ECHA)於 2014 年 06 月 16 日, 就關於 REACH 之 Regulation (EC) No 1907/2006 的公告。/155 Substances of Very High Concern (SVHC) screening. SVHC candidate list based on the publication by European Chemicals Agency (ECHA) on 2014 June 16, regarding Regulation (EC) No 1907/2006 concerning the REACH.

測試方法(Test Method) : 請見下一頁(Pleaserefertonextpages).

測試結果(Test Results) : 請見下一頁(Pleaserefertonextpages).

總結(Summary) : 根據歐洲化學總署及絕大部分歐盟會員國對於成品定義詮釋以及依據指定範圍和分析技術, 送測樣品的高關注物質(SVHC)濃度均小於 0.1% (According to the interpretation of ECHA and the majority of EU member states on the definition of an article as well as the specified scope and analytical technique, concentrations of all SVHC are <0.1 % in the submitted sample(s)).

* 此份報告為加測及合併 CC/2014/20043 之報告 *
(This report is added testing and combined with CC/2014/20043)



Edison Chang / Sr. Supervisor
Signed for and on behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei

From NECO - Bearing Supplier



NECO TECHNOLOGY INDUSTRY CO., LTD.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 2 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

測試樣品 (Test Sample): BEARING 軸承

測試方法 (Test Method):

參照 SGS 內部方法 RSTS-EE-SVHC-007. 由感應耦合電漿原子發射光譜儀、紫外光可見光譜儀、氣相層析/質譜儀、液相層析質譜儀、氣相層析儀/火焰光度偵測器、液相層析/質譜儀/二極體陣列偵測器進行分析。(SGS In-House method-RSTS-EE-SVHC-

007. Analyzed by ICP-AES, UV-VIS, GC/MS, LC/MS, GC/FPD, LC/MS/DAD.)

備註 (Remark):

- 155 項 SVHC 化學分析，依歐洲化學總署(ECHA)於 2014 年 06 月 16 日所公佈的清單，藉由現有的分析技術進行篩檢。(The chemical analysis of 155 SVHC is performed by means of currently available analytical techniques against the list published by ECHA on 2014 June 16.) 請參照(refer to) <http://echa.europa.eu/web/guest/candidate-list-table>
- 根據 Regulation (EC) No 1907/2006 中第 7 條款第 2 項之規定，如果物質合乎第 57 條款之標準以及可依據第 59(1)條之規定鑑別，且同時符合下列兩項狀況，任何成品之製造人和進口人應向歐洲化學總署(ECHA)通報：
 - 成品中所含物質每年超過 1 公噸。
 - 依重量百分比計算，物質濃度超過 0.1%。

In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 2 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1 weight by weight (w/w). %
- Regulation (EC) No 1907/2006 中第 33 條要求成品供應商，其成品所含物質符合第 57 條款的標準並依照第 59(1)條款確定其濃度大於 0.1wt%，應提供成品接受者充份可取得資訊，以確保成品的安全使用(至少包括物質的名稱)。

Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1 weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.
- 倘若 SVHC 超過限值，建議客戶確認含有該 SVHC 的零件，並要求實驗室進一步的定量分析而取得 SVHC 的確切濃度。

If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 3 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

測試結果 (Test Results)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
蒽 / Anthracene (CAS No.: 120-12-7)	n.d.	0.05	PBT
4,4' - 二氨基二苯甲烷 / 4,4' - Diaminodiphenylmethane (CAS No.: 101-77-9)	n.d.	0.05	CC 1B
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	n.d.	0.05	TRC 1B
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	n.d.	0.05	TRC 1B
鄰苯二甲酸二(2-乙基己基)酯 / Bis (2-ethyl(hexyl) phthalate) (DEHP) (CAS No.: 117-81-7)	n.d.	0.05	TRC 1B
二甲苯麝香 / 5-tert-butyl-2,4,6-trinitro- m-xylene (Musk Xylene) (CAS No.: 81-15-2)	n.d.	0.05	vPvB
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	n.d.	0.05	PBT
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	n.d.	0.05	PBT
三丁基錫氧化物 / Bis(tributyltin)oxide (TBTO)*** (CAS No.: 56-35-9)	n.d.	-	PBT
二氯化鈷 / Cobalt dichloride (CAS No.: 7646-79-9)	n.d.	0.005	CC 1B; TRC 1B
五氧化二砷 / Diarsenic pentaoxide*** (CAS No.: 1303-28-2)	n.d.	-	CC 1A
三氧化二砷 / Diarsenic trioxide*** (CAS No.: 1327-53-3)	n.d.	-	CC 1A
三乙基砷酸酯 / Triethyl arsenate*** (CAS No.: 15606-95-8)	n.d.	-	CC 1A
砷酸氫鉛 / Lead hydrogen arsenate*** (CAS No.: 7784-40-9) (※1)	n.d.	-	CC 1A; TRC 1A
鉻酸鈉 / Sodium chromate*** (CAS No.: 7775-11-3)	n.d.	-	CC 1B; MC 1B; TRC 1B
重鉻酸銨 / Ammonium dichromate*** (CAS No.: 7789-09-5)	n.d.	-	CC 1B; MC 1B; TRC 1B
重鉻酸鉀 / Potassium dichromate*** (CAS No.: 7778-50-9)	n.d.	-	CC 1B; MC 1B; TRC 1B
鉻酸鉀 / Potassium chromate*** (CAS No.: 7789-00-6)	n.d.	-	CC 1B; MC 1B
重鉻酸鈉 / Sodium dichromate*** (CAS No.: 10588-01-9, 7789-12-0(*))	n.d.	-	CC 1B; MC 1B; TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 4 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
三氧化鉻 / Chromium trioxide *** (CAS No.: 1333-82-0)	n.d.	-	CC 1B; MC 1B
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 / Acids generated from chromium trioxide and their oligomers: Chromic acid*** (CAS No.: 7738-94-5)	n.d.	-	CC 1B
從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 / Acids generated from chromium trioxide and their oligomers: Dichromic acid*** (CAS No.: 13530-68-2)	n.d.	-	CC 1B
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 / Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid (* 1)	n.d.	-	CC 1B
鉻酸鋇 / Strontium chromate*** (CAS No.: 7789-06-2)	n.d.	-	CC 1B
蒽油 / Anthracene oil (CAS No.: 90640-80-5) (**)	n.d.	0.05	PBT; vPvB; CC 1B
蒽油, 蒽糊, 輕油 / Anthracene oil, anthracene paste, distn. Lights (CAS No.: 91995-17-4) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
蒽油, 蒽糊, 蒽餾分 / Anthracene oil, anthracene paste, anthracene fraction (CAS No.: 91995-15-2) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
蒽油, 含蒽量少 / Anthracene oil, anthracene-low (CAS No.: 90640-82-7) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
蒽油, 蒽糊 / Anthracene oil, anthracene paste (CAS No.: 90640-81-6) (**)	n.d.	0.05	PBT; vPvB; CC 1B; MC 1B
煤瀝青, 高溫 / Pitch, coal tar, high-temp. (CAS No.: 65996-93-2) (**)	n.d.	0.05	PBT; vPvB; CC 1B
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	n.d.	0.05	TRC 1B
2,4-二硝基甲苯 / 2,4-Dinitrotoluene (CAS No.: 121-14-2)	n.d.	0.05	CC 1B
磷酸三(2-氯乙基)酯 / Tris(2-chloroethyl) phosphate (TCEP) (CAS No.: 115-96-8)	n.d.	0.05	TRC 1B
鉻酸鉛 / Lead chromate (CAS No.: 7758-97-6)	n.d.	0.01	CC 1B; TRC 1A
鉬鉻紅; 顏色索引: 顏料紅 104 / Lead chromate molybdate sulphate red (C.I. Pigment Red 104) (CAS No.: 12656-85-8)	n.d.	0.01	CC 1B; TRC 1A
鉻酸鉛; 顏色索引: 顏料黃 34 / Lead sulfochromate yellow (C.I. Pigment Yellow 34) (CAS No.: 1344-37-2)	n.d.	0.01	CC 1B; TRC 1A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 5 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
丙烯醯胺 / Acrylamide (CAS No.: 79-06-1)	n.d.	0.05	CC 1B; MC 1B
硼酸 / Boric acid*** (CAS No.: 10043-35-3; 11113-50-1)	n.d.	-	TRC 1B
無水四硼酸二鈉 / Disodium tetraborate, anhydrous*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)	n.d.	-	TRC 1B
水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate (CAS No.: 12267-73-1) (*2)	n.d.	-	TRC 1B
三氯乙烯 / Trichloroethylene (CAS No.: 79-01-6)	n.d.	0.05	CC 1B
硫酸鈷(二價) / Cobalt(II) sulphate*** (CAS No.: 10124-43-3)	0.014	-	CC 1B; TRC 1B
硝酸鈷(二價) / Cobalt(II) dinitrate*** (CAS No.: 10141-05-6)	0.016	-	CC 1B; TRC 1B
碳酸鈷(二價) / Cobalt(II) carbonate*** (CAS No.: 513-79-1)	0.011	-	CC 1B; TRC 1B
醋酸鈷(二價) / Cobalt(II) diacetate*** (CAS No.: 71-48-7)	0.016	-	CC 1B; TRC 1B
乙二醇甲醚 / 2-Methoxyethanol (CAS No.: 109-86-4)	n.d.	0.05	TRC 1B
乙二醇乙醚 / 2-Ethoxyethanol (CAS No.: 110-80-5)	n.d.	0.05	TRC 1B
乙二醇乙醚乙酸酯 / 2-ethoxyethyl acetate (CAS No.: 111-15-9)	n.d.	0.05	TRC 1B
鄰苯二甲酸二(C7-11 支鏈與直鏈)烷基酯 / 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNU) (CAS No.: 68515-42-4)	n.d.	0.05	TRC 1B
聯氨 / Hydrazine (CAS No.: 7803-57-8; 302-01-2)	n.d.	0.05	CC 1B
N-甲基吡咯烷酮 / 1-methyl-2-pyrrolidone (CAS No.: 872-50-4)	n.d.	0.05	TRC 1B
1,2,3-三氯丙烷 / 1,2,3-trichloropropane (CAS No.: 96-18-4)	n.d.	0.05	CC 1B; TRC 1B
鄰苯二甲酸二(C6-8 支鏈與直鏈)烷基酯, 富 C7 / 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) (CAS No.: 71888-89-6)	n.d.	0.05	TRC 1B
砷酸 / Arsenic acid*** (CAS No.: 7778-39-4)	n.d.	-	CC 1A
砷酸鈣 / Calcium arsenate*** (CAS No.: 7778-44-1)	n.d.	-	CC 1A
砷酸鉛 / Trilead diarsenate*** (CAS No.: 3687-31-8) (*1)	n.d.	-	CC 1A; TRC 1A
疊氮化鉛 / Lead diazide, Lead azide*** (CAS No.: 13424-46-9)	n.d.	-	TRC 1A
中性斯蒂吩酸鉛 / Lead styphnate*** (CAS No.: 15245-44-0)	n.d.	-	TRC 1A
苦味酸鉛 / Lead dipicrate*** (CAS No.: 6477-64-1)	n.d.	-	TRC 1A
鉻酸鉻 / Dichromium tris (chromate)*** (CAS No.: 24613-89-6)	n.d.	-	CC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 6 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
氫氧化鉻酸鋅鉀 / Potassium hydroxyoctaoxodizincatedi-chromate*** (CAS No.: 11103-86-9)	n.d.	-	CC 1A
八氫氧化五鉻酸鋅 / Pentazinc chromate octahydroxide*** (CAS No.: 49663-84-5)	n.d.	-	CC 1A
甲醛與苯胺的寡聚體 / Formaldehyde, oligomeric reaction products with aniline (technical MDA) (CAS No.: 25214-70-4)	n.d.	0.05	CC 1B
鄰苯二甲酸二甲氧基乙酯 / Bis(2-methoxyethyl) phthalate (CAS No.: 117-82-8)	n.d.	0.05	TRC 1B
鄰甲氧基苯胺 / 2-Methoxyaniline; o-Anisidine (CAS No.: 90-04-0)	n.d.	0.05	CC 1B
對特辛基苯酚 / 辛基酚 / 4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol) (CAS No.: 140-66-9)	n.d.	0.05	EQC
1,2-二氯乙烷 / 1,2-Dichloroethane (CAS No.: 107-06-2)	n.d.	0.05	CC 1B
雙(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether (CAS No.: 111-96-6)	n.d.	0.05	TRC 1B
N,N-二甲基乙醯胺 / N,N-dimethylacetamide (DMAC) (CAS No.: 127-19-5)	n.d.	0.05	TRC 1B
4,4'-亞甲雙(2-氯苯胺) / 2,2'-dichloro- 4,4'-methylenedianiline (MOCA) (CAS No.: 101-14-4)	n.d.	0.05	CC 1B
酞酐 / Phenolphthalein (CAS No.: 77-09-8)	n.d.	0.05	CC 1B
矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) / Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges】	n.d.	0.05	CC 1B
鋯矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) / Zirconia Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】	n.d.	0.05	CC 1B
三甘醇二甲醚 / 1,2-bis (2-methoxyethoxy) ethane (TEGDME; triglyme) (CAS No.: 112-49-2)	n.d.	0.05	TRC 1B
乙二醇二甲醚 / 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) (CAS No.: 110-71-4)	n.d.	0.05	TRC 1B
甲醯胺 / Formamide (CAS No.: 75-12-7)	n.d.	0.05	TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 7 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
甲基磺酸鉛 / Lead(II) bis(methanesulfonate)*** (CAS No.: 17570-76-2)	n.d.	-	TRC 1B
異氰尿酸三縮水甘油酯 / TGIC (1,3,5-tris(oxiranylmethyl)- 1,3,5-triazine-2,4,6 (1H,3H,5H)-trione) (CAS No.: 2451-62-9)	n.d.	0.05	MC 1B
異氰尿酸 β-三縮水甘油酯 / β-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]- 1,3,5-triazine-2,4,6- (1H,3H,5H)-trione) (CAS No.: 59653-74-6) (※3)	n.d.	0.05	MC 1B
4,4'-二(N,N-二甲氨基)二苯甲酮 (米氏酮) / 4,4'-bis (dimethylamino) benzophenone (Michler's ketone) (CAS No.: 90-94-8)	n.d.	0.05	CC 1B
4,4'-(對二甲氨基)二苯基甲烷 (米氏鹼) / N,N,N',N'-tetramethyl- 4,4'-methylenedianiline (Michler's base) (CAS No.: 101-61-1)	n.d.	0.05	CC 1B
鹼性紫 3 [內含 ≥ 0.1 的米氏酮或米氏鹼] / [4-[4,4'- bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) (CAS No.: 548-62-9) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
鹼性藍 26 [內含 ≥ 0.1 的米氏酮或米氏鹼] / [4-[4-anilino-1- naphthyl] [4-(dimethylamino) phenyl] methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) (CAS No.: 2580-56-5) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
溶劑藍 4 [內含 ≥ 0.1 的米氏酮或米氏鹼] / α,α-Bis[4- (dimethylamino) phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4) (CAS No.: 6786-83-0) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
三氧化二硼 / Diboron trioxide*** (CAS No.: 1303-86-2)	n.d.	-	TRC 1B
α, α-二(二甲氨基)苯基-4-甲氨基苯甲醇 [內含 ≥ 0.1 的米氏酮或米氏鹼] / 4,4'-bis (dimethylamino)-4''-(methylamino) trityl alcohol (CAS No.: 561-41-1) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	CC 1B
十溴聯苯醚 / Bis(pentabromophenyl) ether (DecaBDE) (CAS No.: 1163-19-5)	n.d.	0.05	PBT

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 8 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
全氟十三酸 / Pentacosfluorotridecanoic acid (CAS No.: 72629-94-8)	n.d.	0.05	PBT
全氟十二酸 / Tricosfluorododecanoic acid (CAS No.: 307-55-1)	n.d.	0.05	PBT
全氟十一酸 / Hencosafluoroundecanoic acid (CAS No.: 2058-94-8)	n.d.	0.05	PBT
全氟十四酸 / Heptacosfluorotetradecanoic acid (CAS No.: 376-06-7)	n.d.	0.05	PBT
4-(1,1,3,3-四甲基丁基)苯酚, 乙氧基- 以及所有的被定義的物質, 未知成分或可變成分的物質, 聚合物和同系物 / 4-(1,1,3,3- tetramethylbutyl) phenol, ethoxylated- covering well-defined substances and UVCB substances, polymers and homologues	n.d.	0.05	EQC
分支或線性的壬基酚, 包括含有 9 個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支 9 個碳烷基鏈的 UVCB 物質 / 4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	n.d.	0.05	EQC
偶氮[二]甲醯胺 / Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (CAS No.: 123-77-3)	n.d.	0.05	EQC
六氫苯二甲酸酐 / Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane- 1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA) (CAS No.: 85-42-7, 13149-00-3, 14166-21-3)	n.d.	0.05	EQC
甲基六氫苯酐 / Hexahydromethylphthalic anhydride (CAS No.: 25550-51-0) 4-甲基六氫苯酐 / Hexahydro-4-methylphthalic anhydride (CAS No.: 19438-60-9) 1-甲基六氫苯酐 / Hexahydro-1-methylphthalic anhydride (CAS No.: 48122-14-1) 3-甲基六氫苯酐 / Hexahydro-3-methylphthalic anhydride (CAS No.: 57110-29-9)	n.d.	0.05	EQC
甲氧基乙酸 / Methoxy acetic acid (CAS No.: 625-45-6)	n.d.	0.05	TRC 1B
支鏈和直鏈 1,2-苯二羧二戊酯 / 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear (CAS No.: 84777-06-0)	n.d.	0.05	TRC 1B
鄰苯二甲酸二異戊酯 / Diisopentylphthalate (CAS No.: 605-50-5)	n.d.	0.05	TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 9 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
鄰苯二甲酸正戊基異戊基酯 / N-pentyl-isopentylphthalate (CAS No.: 776297-69-9)	n.d.	0.05	TRC 1B
乙二醇二乙醚 / 1,2-Diethoxyethane (CAS No.: 629-14-1)	n.d.	0.05	TRC 1B
N,N-二甲基甲醯胺 / N,N-dimethylformamide; dimethyl formamide (CAS No.: 68-12-2)	n.d.	0.05	TRC 1B
二氯二丁基錫 / Dibutyltin dichloride (DBTC) (CAS No.: 683-18-1)	n.d.	0.05	TRC 1B
城式醋酸鉛 / Acetic acid, lead salt, basic*** (CAS No.: 51404-69-4)	n.d.	-	TRC 1A
城式碳酸鉛 / Trilead bis(carbonate) dihydroxide (basic lead carbonate)*** (CAS No.: 1319-46-6)	n.d.	-	TRC 1A
城式硫酸鉛 / Lead oxide sulfate*** (CAS No.: 12036-76-9)	n.d.	-	TRC 1A
[1,2-苯二羧酸根合]二氧化三鉛 / [Phthalato(2-)] dioxotrilead*** (CAS No.: 69011-06-9)	n.d.	-	TRC 1A
雙(十八酸基)二氧化三鉛 / Dioxobis(stearato) trilead*** (CAS No.: 12578-12-0)	n.d.	-	TRC 1A
C16-18-脂肪酸鉛鹽 / Fatty acids, C16-18, lead salts*** (CAS No.: 91031-62-8)	n.d.	-	TRC 1A
氨基氰鉛鹽 / Lead cyanamidate*** (CAS No.: 20837-86-9)	n.d.	-	TRC 1A
硝酸鉛 / Lead dinitrate*** (CAS No.: 10099-74-8)	n.d.	-	TRC 1A
氧化鉛 / Lead oxide (lead monoxide)*** (CAS No.: 1317-36-8)	n.d.	-	TRC 1A
四氧化鉛 / Lead tetroxide (orange lead)*** (CAS No.: 1314-41-6)	n.d.	-	TRC 1A
氧化鉛與硫酸鉛的複合物 / Pentalead tetraoxide sulphate*** (CAS No.: 12065-90-6)	n.d.	-	TRC 1A
矽酸鉛 / Silicic acid, lead salt*** (CAS No.: 11120-22-2)	n.d.	-	TRC 1A
亞硫酸鉛(II) / Sulfurous acid, lead salt, dibasic*** (CAS No.: 62229-08-7)	n.d.	-	TRC 1A
四乙基鉛 / Tetraethyllead*** (CAS No.: 78-00-2)	n.d.	-	TRC 1A
三鹼式硫酸鉛 / C.I. 顏料白 / Tetralead trioxide sulphate*** (CAS No.: 12202-17-4)	n.d.	-	TRC 1A

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 10 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
四氟硼酸鉛 (II) / Lead bis(tetrafluoroborate)*** (CAS No.: 13814-96-5)	n.d.	-	TRC 1A
鈦酸鉛 / Lead titanium trioxide*** (CAS No.: 12060-00-3)	n.d.	-	TRC 1A
鈦酸鉛鋯 / Lead Titanium Zirconium Oxide*** (CAS No.: 12626-81-2)	n.d.	-	TRC 1A
C.I.顏料黃 41 / Pyrochlore, antimony lead yellow*** (CAS No.: 8012-00-8)	n.d.	-	TRC 1A
磷酸氧化鉛 / Trilead dioxide phosphonate*** (CAS No.: 12141-20-7)	n.d.	-	TRC 1A
含鉛的矽酸鋇 / Silicic acid, barium salt, lead-doped (※4) (CAS No.: 68784-75-8)	n.d.	0.05	TRC 1A
呋喃 / Furan (CAS No.: 110-00-9)	n.d.	0.05	CC 1B
環氧丙烷 / Propylene oxide; 1,2-epoxypropane; methyloxirane (CAS No.: 75-56-9)	n.d.	0.05	CC 1B; MC 1B
硫酸二乙酯 / Diethyl sulphate (CAS No.: 64-67-5)	n.d.	0.05	CC 1B; MC 1B
硫酸二甲酯 / Dimethyl sulphate (CAS No.: 77-78-1)	n.d.	0.05	CC 1B
3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 / 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine (CAS No.: 143860-04-2)	n.d.	0.05	TRC 1B
2-(1-甲基丙基)-4,6-二硝基苯酚 / Dinoseb (CAS No.: 88-85-7)	n.d.	0.05	TRC 1B
4,4'-二氨基-3,3'-二甲基聯苯基甲烷 / 4,4'-methylenedi-o-toluidine (CAS No.: 838-88-0)	n.d.	0.05	CC 1B
4,4'-二氨基二苯醚 / 4,4'-oxydianiline and its salts (CAS No.: 101-80-4)	n.d.	0.05	CC 1B; MC 1B
4-苯基偶氨基苯胺 / 4-Aminoazobenzene; 4-Phenylazoaniline (CAS No.: 60-09-3)	n.d.	0.05	CC 1B
2,4-二氨基甲苯 / 4-methyl-m-phenylenediamine (2,4-toluenediamine) (CAS No.: 95-80-7)	n.d.	0.05	CC 1B
3-甲基-6-甲氧基苯胺 / 6-methoxy-m-toluidine (p-cresidine) (CAS No.: 120-71-8)	n.d.	0.05	CC 1B
4-胺基聯苯 / Biphenyl-4-ylamine (CAS No.: 92-67-1)	n.d.	0.05	CC 1A
鄰氨基偶氮甲苯 / o-aminoazotoluene (CAS No.: 97-56-3)	n.d.	0.05	CC 1B
鄰甲苯胺 / o-Toluidine; 2-Aminotoluene (CAS No.: 95-53-4)	n.d.	0.05	CC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 11 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)	分類 (Classification)
N-甲基乙醯胺 / N-methylacetamide (CAS No.: 79-16-3)	n.d.	0.05	TRC 1B
正丙基溴 / 1-bromopropane (CAS No.: 106-94-5)	n.d.	0.05	TRC 1B
全氟辛酸 / Pentadecafluorooctanoic acid (PFOA) (CAS No.: 335-67-1)	n.d.	0.05	TRC 1B & PBT
全氟辛酸銨 / Ammoniumpentadecafluorooctanoate (APFO)*** (CAS No.: 3825-26-1)	n.d.	-	TRC 1B & PBT
鎘 / Cadmium (Cd) (CAS No.: 7440-43-9)	n.d.	0.005	CC 1B & EQC
氧化鎘 / Cadmium oxide*** (CAS No.: 1306-19-0)	n.d.	-	CC 1B & EQC
鄰苯二甲酸二戊酯 / DPP (Di-pentyl phthalate) (CAS No.: 131-18-0)	n.d.	0.05	TRC 1B
分支或線性的乙氧基王基酚，包括含有 9 個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支 9 個碳烷基鏈的 UVCB 物質 / 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	n.d.	0.05	EQC
鄰苯二甲酸二己酯 / Dihexyl phthalate (CAS No.: 84-75-3)	n.d.	0.05	TRC 1B
直接紅 28 / Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) (CAS No.: 573- 58-0)	n.d.	0.05	CC 1B
直接黑 38 / Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo] -5-hydroxy-6-(phenylazo)naphthalene-2,7- disulphonate (C.I. Direct Black 38) (CAS No.: 1937-37-7)	n.d.	0.05	CC 1B
亞乙基硫脲 / Imidazolidine-2-thione; 2-imidazoline-2-thiol (CAS No.: 96-45-7)	n.d.	0.05	TRC 1B
磷酸三(二甲苯)酯 / Trixylyl phosphate (CAS No.: 25155-23-1)	n.d.	0.05	TRC 1B
硫化鎘 / Cadmium sulphide*** (CAS No.: 1306-23-6)	n.d.	-	CC 1B & EQC
醋酸鉛 / Lead di(acetate)*** (CAS No.: 301-04-2)	n.d.	-	TRC 1A
鄰苯二甲酸二己酯(支鏈和直鏈) / 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear (CAS No.: 68515-50-4)	n.d.	0.05	TRC 1B
氯化鎘 / Cadmium chloride*** (CAS No.: 10108-64-2)	n.d.	-	CC 1B; MC 1B; TRC 1B;
過硼酸鈉 / Sodium perborate; perboric acid, sodium salt***	n.d.	-	TRC 1B
過氧偏硼酸鈉 / Sodium peroxometaborate*** (CAS No.: 7632-04-4)	n.d.	-	TRC 1B

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 12 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

備註(Note) :

1. mg/kg = ppm ; 0.1wt % = 1000ppm
2. n.d.= not detected = below Reporting Limit / 未檢出
3. RL = Reporting Limit / 報告極限值
4. "-" = Not Regulated (無規格值)
5. 各測試單元的濃度及重量請參閱附錄 A. / Please refer to Appendix A to find the concentration and the weight of each tested unit.
6. (*): 重鉻酸鈉二水合物(CAS No.: 7789-12-0)含量 = 重鉻酸鈉含量 × 1.1374
(conc. of Sodium dichromate dihydrate = conc. of sodium dichromate × 1.1374)
7. (**): 上述混合物的濃度是經由所獲得的成分比例介於被選擇標靶物及混合物所推估出來. / The concentrations of above-mentioned mixtures are evaluated per the gained composition rate between the selected marks and the mixtures.
8. F 參數換算表/F Parameter Conversion Table : Please refer to http://twap.sgs.com/sgrsts/chn/download-REACH_tw.asp
9. 分類/Classification : Please refer to http://twap.sgs.com/sgrsts/chn/download-REACH_tw.asp
10. ***: 該物質是由三丁基錫、全氟辛酸或各別元素(例如: 砷、鉛、六價鉻、硼、鈷、鋇、鎘)之測試結果計算得知. / The substance was calculated by the test results of Tributyl Tin, PFOA or element (Ex. Arsenic, Lead, Cr(VI), Boron, Cobalt, Barium, Cadmium respectively).

測試結果如下(The test result is given as):

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限值 (RL)(%)
三丁基錫 / Tributyl Tin (TBT)	n.d.	0.05
砷 / Arsenic (As) (※2)	n.d.	0.005
鉛 / Lead (Pb)	n.d.	0.005
六價鉻 / Hexavalent Chromium Cr(VI)	n.d.	0.005
硼 / Boron (B) (※2)	n.d.	0.005
鈷 / Cobalt (Co)	0.0052	0.005

11. (* 1): 鉻酸與重鉻酸的寡聚體: 因為其寡聚體是由未知數的鉻酸或與重鉻酸所組成, 而導致沒有固定分子量, 因此以單體鉻酸或重鉻酸較為重要並應被考慮. / Oligomers of chromic acid and dichromic acid : since the oligomers are made of the unknown amount of chromic acid or dichromic acid that results in no fixed molecular weight, therefore the monomer of chromic acid or dichromic acid is relevant and considered.
12. (* 2): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作為代表(歐洲化學總署回信編號 Ref no.: INC 000000032519) / Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 000000032519).

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 13 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

13. (※1): 此砷鉛化合物之濃度是取砷及鉛兩者各別換算出砷鉛化合物濃度，並取其最小值做為最後出報告之依據。(Regarding the compound containing arsenic and lead, lead and arsenic are tested and respectively used for the calculation of the independent concentration of the compound containing arsenic and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)
14. (※2): 被萃取出的溶出硼/砷是以感應耦合電漿原子發射光譜儀檢測得之。/ The extracted soluble Boron / Arsenic are detected by ICP-AES.
15. (※3): 由於 TGIC 本身含有 β -TGIC，依照 ECHA 技術文件 β -TGIC 與 TGIC 約為 1:10 比例，因此 β -TGIC 將以 1/10 的 TGIC 計算濃度。/ TGIC is a mixture and also contains β -TGIC. According to the ECHA's technical dossier the ratio of β -TGIC to TGIC is around 1 to 10. Therefore β -TGIC is issued based on the above-mentioned ratio.
16. (※4): 只有在砷與鉛定性結果為陽性時，再以鋇之濃度換算之。/ Only if both qualitative results of lead and silicon are positive, the test result of the compound will be calculated based on the concentration of barium.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 14 of 31

永興軸承有限公司

CC/2014/20043A


YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

SVHC 分析流程圖 / Analytical flow chart of SVHC

- 測試人員：翁賜彬/周穗華/楊登偉 / Name of the person who made measurement: Roman Wong / Stacy Chou / Climbgreat Yang
- 測試負責人：張啟興 / Name of the person in charge of measurement: Troy Chang



測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 15 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)


* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。 *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CC/2014/20043



CC/2014/20043



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 16 of 31

永興軸承有限公司

CC/2014/20043A


YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

【附錄 (Appendix) A】測試

單元(Tested Unit)No.1: 混測所有顏色金屬 (MIXED ALL KINDS OF METAL) (重量 Weight: 25.2g)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
蒽 / Anthracene	n.d.	0.05	
4,4' - 二氨基二苯甲烷 / 4,4' - Diaminodiphenylmethane	n.d.	0.05	
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate)	n.d.	0.05	
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate)	n.d.	0.05	
鄰苯二甲酸二(2-乙基己基)酯 / Bis (2-ethyl(hexyl) phthalate) (DEHP)	n.d.	0.05	
二甲苯麝香 / 5-tert-butyl-2,4,6-trinitro- m-xylene (Musk Xylene)	n.d.	0.05	
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)	n.d.	0.05	
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	n.d.	0.05	
三丁基錫 / Tributyl Tin (TBT)	n.d.	0.05	
三丁基錫氧化物 / Bis(tributyltin)oxide (TBTO)	n.d.	-	
二氯化鈷 / Cobalt dichloride	n.d.	0.005	
砷 / Arsenic (As)	n.d.	0.005	
五氧化二砷 / Diarsenic pentaoxide	n.d.	-	
三氧化二砷 / Diarsenic trioxide	n.d.	-	
三乙基砷酸酯 / Triethyl arsenate	n.d.	-	
鉛 / Lead (Pb)	n.d.	0.005	
砷酸氫鉛 / Lead hydrogen arsenate	n.d.	-	
六價鉻 / Hexavalent Chromium Cr(VI)	n.d.	0.005	
鉻酸鈉 / Sodium chromate	n.d.	-	
重鉻酸銨 / Ammonium dichromate	n.d.	-	
重鉻酸鉀 / Potassium dichromate	n.d.	-	
鉻酸鉀 / Potassium chromate	n.d.	-	
重鉻酸鈉 / Sodium dichromate	n.d.	-	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 17 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
三氧化鉻 / Chromium trioxide	n.d.	-	<p>CC/2014/20043 NO.1</p> 
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 / Acids generated from chromium trioxide and their oligomers: Chromic acid	n.d.	-	
從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 / Acids generated from chromium trioxide and their oligomers: Dichromic acid	n.d.	-	
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 / Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid	n.d.	-	
鉻酸銫 / Strontium chromate	n.d.	-	
蒽油 / Anthracene oil	n.d.	0.05	
蒽油, 蒽糊, 輕油 / Anthracene oil, anthracene paste, distn. Lights	n.d.	0.05	
蒽油, 蒽糊, 蒽餾分 / Anthracene oil, anthracene paste, anthracene fraction	n.d.	0.05	
蒽油, 含蒽量少 / Anthracene oil, anthracene-low	n.d.	0.05	
蒽油, 蒽糊 / Anthracene oil, anthracene paste	n.d.	0.05	
煤瀝青, 高溫 / Pitch, coal tar, high-temp.	n.d.	0.05	
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate)	n.d.	0.05	
2,4-二硝基甲苯 / 2,4-Dinitrotoluene	n.d.	0.05	
磷酸三(2-氯乙基)酯 / Tris(2-chloroethyl) phosphate (TCEP)	n.d.	0.05	
鉻酸鉛 / Lead chromate	n.d.	0.01	
鉬鉻紅; 顏色索引: 顏料紅 104 / Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	n.d.	0.01	
鉻酸鉛; 顏色索引: 顏料黃 34 / Lead sulfochromate yellow (C.I. Pigment Yellow 34)	n.d.	0.01	
丙烯醯胺 / Acrylamide	n.d.	0.05	
硼 / Boron (B)	n.d.	0.005	
硼酸 / Boric acid	n.d.	-	
無水四硼酸二鈉 / Disodium tetraborate, anhydrous	n.d.	-	
水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate	n.d.	-	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 18 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
三氯乙烯 / Trichloroethylene	n.d.	0.05	
鈷 / Cobalt (Co)	0.005	0.005	
硫酸鈷(二價) / Cobalt(II) sulphate	0.014	-	
硝酸鈷(二價) / Cobalt(II) dinitrate	0.017	-	
碳酸鈷(二價) / Cobalt(II) carbonate	0.011	-	
醋酸鈷(二價) / Cobalt(II) diacetate	0.016	-	
乙二醇甲醚 / 2-Methoxyethanol	n.d.	0.05	
乙二醇乙醚 / 2-Ethoxyethanol	n.d.	0.05	
乙二醇乙醚乙酸酯 / 2-ethoxyethyl acetate	n.d.	0.05	
鄰苯二甲酸二(C7-11 支鏈與直鏈)烷基酯 / 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	n.d.	0.05	
聯氨 / Hydrazine	n.d.	0.05	
N-甲基吡咯烷酮 / 1-methyl-2-pyrrolidone	n.d.	0.05	
1,2,3-三氯丙烷 / 1,2,3-trichloropropane	n.d.	0.05	
鄰苯二甲酸二(C6-8 支鏈與直鏈)烷基酯, 富 C7 / 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	n.d.	0.05	
砷酸 / Arsenic acid	n.d.	-	
砷酸鈣 / Calcium arsenate	n.d.	-	
砷酸鉛 / Trilead diarsenate	n.d.	-	
疊氮化鉛 / Lead diazide, Lead azide	n.d.	-	
中性斯蒂酚酸鉛 / Lead styphnate	n.d.	-	
苦味酸鉛 / Lead dipicrate	n.d.	-	
鉻酸鉻 / Dichromium tris (chromate)	n.d.	-	
氫氧化鉻酸鋅鉀 / Potassium hydroxyoctaoxodizincatedi-chromate	n.d.	-	
八氫氧化五鉻酸鋅 / Pentazinc chromate octahydroxide	n.d.	-	
甲醛與苯胺的寡聚體 / Formaldehyde, oligomeric reaction products with aniline (technical MDA)	n.d.	0.05	
鄰苯二甲酸二甲氧基乙酯 / Bis(2-methoxyethyl) phthalate	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 19 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
鄰甲氧基苯胺 / 2-Methoxyaniline; o-Anisidine	n.d.	0.05	 <p>CC/2014/20043 NO.1</p>
對特辛基苯酚 / 辛基酚 / 4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol)	n.d.	0.05	
1,2-二氯乙烷 / 1,2-Dichloroethane	n.d.	0.05	
双(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether	n.d.	0.05	
N,N-二甲基乙醯胺 / N,N-dimethylacetamide (DMAC)	n.d.	0.05	
4,4'-亞甲雙(2-氯苯胺) / 2,2'-dichloro- 4,4'-methylenedianiline (MOCA)	n.d.	0.05	
酚酞 / Phenolphthalein	n.d.	0.05	
矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) / Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges】	n.d.	0.05	
鋯矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) / Zirconia Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】	n.d.	0.05	
三甘醇二甲醚 / 1,2-bis (2-methoxyethoxy) ethane (TEGDME; triglyme)	n.d.	0.05	
乙二醇二甲醚 / 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	n.d.	0.05	
甲醯胺 / Formamide	n.d.	0.05	
甲基磺酸鉛 / Lead(II) bis(methanesulfonate)	n.d.	-	
異氰尿酸三縮水甘油酯 / TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6 (1H,3H,5H)-trione)	n.d.	0.05	
異氰尿酸 β-三縮水甘油酯 / β-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]- 1,3,5-triazine-2,4,6- (1H,3H,5H)-trione)	n.d.	0.05	
4,4'-二(N,N-二甲氨基)二苯甲酮 (米氏酮) / 4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	n.d.	0.05	
4,4'-(對二甲氨基)二苯基甲烷 (米氏鹼) / N,N,N',N'-tetramethyl- 4,4'-methylenedianiline (Michler's base)	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 20 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
鹼性紫 3 [內含 ≥ 0.1 的米氏酮或米氏鹼] / [4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	
鹼性藍 26 [內含 ≥ 0.1 的米氏酮或米氏鹼] / [4-[4-anilino-1-naphthyl] [4-(dimethylamino) phenyl] methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	
溶劑藍 4 [內含 ≥ 0.1 的米氏酮或米氏鹼] / α,α-Bis[4-(dimethylamino) phenyl]-4-(phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	
三氧化二硼 / Diboron trioxide	n.d.	-	
α, α-二[(二甲氨基)苯基]-4-氨基苯甲醇 [內含 ≥ 0.1 的米氏酮或米氏鹼] / 4,4'-bis(dimethylamino)-4''-(methylamino) trityl alcohol [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	
十溴聯苯醚 / Bis(pentabromophenyl) ether (DecaBDE)	n.d.	0.05	
全氟十三酸 / Pentacosfluorotridecanoic acid	n.d.	0.05	
全氟十二酸 / Tricosfluorododecanoic acid	n.d.	0.05	
全氟十一酸 / Henicosfluoroundecanoic acid	n.d.	0.05	
全氟十四酸 / Heptacosfluorotetradecanoic acid	n.d.	0.05	
4-(1,1,3,3-四甲基丁基)苯酚, 乙氧基- 以及所有的被定義的物質, 未知成分或可變成分的物質, 聚合物和同系物 / 4-(1,1,3,3-tetramethylbutyl) phenol, ethoxylated- covering well-defined substances and UVCB substances, polymers and homologues	n.d.	0.05	
分支或線性的壬基酚, 包括含有 9 個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支 9 個碳烷基鏈的 UVCB 物質 / 4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 21 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
偶氮[二]甲醯胺 / Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	n.d.	0.05	 <p>CC/2014/20043 NO.1</p>
六氫苯二甲酸酐 / Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane- 1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)	n.d.	0.05	
甲基六氫苯酐 / Hexahydromethylphthalic anhydride 4-甲基六氫苯酐 / Hexahydro-4-methylphthalic anhydride 1-甲基六氫苯酐 / Hexahydro-1-methylphthalic anhydride 3-甲基六氫苯酐 / Hexahydro-3-methylphthalic anhydride	n.d.	0.05	
甲氧基乙酸 / Methoxy acetic acid	n.d.	0.05	
支鏈和直鏈 1,2-苯二羧二戊酯 / 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	n.d.	0.05	
鄰苯二甲酸二異戊酯 / Diisopentylphthalate	n.d.	0.05	
鄰苯二甲酸正戊基異戊基酯 / N-pentyl-isopentylphthalate	n.d.	0.05	
乙二醇二乙醚 / 1,2-Diethoxyethane	n.d.	0.05	
N,N-二甲基甲醯胺 / N,N-dimethylformamide; dimethyl formamide	n.d.	0.05	
二氯二丁基錫 / Dibutyltin dichloride (DBTC)	n.d.	0.05	
城式醋酸鉛 / Acetic acid, lead salt, basic	n.d.	-	
城式碳酸鉛 / Trilead bis(carbonate) dihydroxide (basic lead carbonate)	n.d.	-	
城式硫酸鉛 / Lead oxide sulfate	n.d.	-	
[1,2-苯二羧酸根合]二氧化三鉛 / [Phthalato(2-)] dioxotrilead	n.d.	-	
雙(十八酸基)二氧代三鉛 / Dioxobis(stearato) trilead	n.d.	-	
C16-18-脂肪酸鉛鹽 / Fatty acids, C16-18, lead salts	n.d.	-	
氨基氰鉛鹽 / Lead cyanamidate	n.d.	-	
硝酸鉛 / Lead dinitrate	n.d.	-	
氧化鉛 / Lead oxide (lead monoxide)	n.d.	-	
四氧化鉛 / Lead tetroxide (orange lead)	n.d.	-	
氧化鉛與硫酸鉛的複合物 / Pentalead tetraoxide sulphate	n.d.	-	
矽酸鉛 / Silicic acid, lead salt	n.d.	-	
亞硫酸鉛(II) / Sulfurous acid, lead salt, dibasic	n.d.	-	
四乙基鉛 / Tetraethyllead	n.d.	-	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 22 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
三鹼式硫酸鉛 / C.I. 顏料白 / Tetralead trioxide sulphate	n.d.	-	 <p>CC/2014/20043 NO.1</p>
四氟硼酸鉛 (II) / Lead bis(tetrafluoroborate)	n.d.	-	
鈦酸鉛 / Lead titanium trioxide	n.d.	-	
鈦酸鉛鋅 / Lead Titanium Zirconium Oxide	n.d.	-	
C.I.顏料黃 41 / Pyrochlore, antimony lead yellow	n.d.	-	
磷酸氧化鉛 / Trilead dioxide phosphonate	n.d.	-	
含鉛的矽酸鋇 / Silicic acid, barium salt, lead-doped	n.d.	0.05	
呋喃 / Furan	n.d.	0.05	
環氧丙烷 / Propylene oxide; 1,2-epoxypropane; methyloxirane	n.d.	0.05	
硫酸二乙酯 / Diethyl sulphate	n.d.	0.05	
硫酸二甲酯 / Dimethyl sulphate	n.d.	0.05	
3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 / 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	n.d.	0.05	
2-(1-甲基丙基)-4,6-二硝基苯酚 / Dinoseb	n.d.	0.05	
4,4'-二氨基-3,3'-二甲基聯苯基甲烷 / 4,4'-methylenedi-o-toluidine	n.d.	0.05	
4,4'-二氨基二苯醚 / 4,4'-oxydianiline and its salts	n.d.	0.05	
4-苯基偶氨基苯胺 / 4-Aminoazobenzene; 4-Phenylazoaniline	n.d.	0.05	
2,4-二氨基甲苯 / 4-methyl-m-phenylenediamine (2,4-toluenediamine)	n.d.	0.05	
3-甲基-6-甲氧基苯胺 / 6-methoxy-m-toluidine (p-cresidine)	n.d.	0.05	
4-胺基聯苯 / Biphenyl-4-ylamine	n.d.	0.05	
鄰氨基偶氮甲苯 / o-aminoazotoluene	n.d.	0.05	
鄰甲苯胺 / o-Toluidine; 2-Aminotoluene	n.d.	0.05	
N-甲基乙醯胺 / N-methylacetamide	n.d.	0.05	
正丙基溴 / 1-bromopropane	n.d.	0.05	
全氟辛酸 / Pentadecafluorooctanoic acid (PFOA)	n.d.	0.05	
全氟辛酸銨 / Ammoniumpentadecafluorooctanoate (APFO)	n.d.	-	
鎘 / Cadmium (Cd)	n.d.	0.005	
氧化鎘 / Cadmium oxide	n.d.	-	
鄰苯二甲酸二戊酯 / DPP (Di-pentyl phthalate)	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 23 of 31

永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
分支或線性的乙氧基王基酚，包括含有 9 個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支 9 個碳烷基鏈的 UVCB 物質 / 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	n.d.	0.05	
鄰苯二甲酸二己酯 / Dihexyl phthalate	n.d.	0.05	
直接紅 28 / Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	n.d.	0.05	
直接黑 38 / Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7- disulphonate (C.I. Direct Black 38)	n.d.	0.05	
亞乙基硫脲 / Imidazolidine-2-thione; 2-imidazoline-2-thiol	n.d.	0.05	
磷酸三(二甲苯)酯 / Trixylyl phosphate	n.d.	0.05	
硫化鎘 / Cadmium sulphide	n.d.	-	
醋酸鉛 / Lead di(acetate)	n.d.	-	
鄰苯二甲酸二己酯(支鏈和直鏈) / 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	n.d.	0.05	
氯化鎘 / Cadmium chloride	n.d.	-	
過硼酸鈉 / Sodium perborate; perboric acid, sodium salt	n.d.	-	
過氧偏硼酸鈉 / Sodium peroxometaborate	n.d.	-	

測試單元(Tested Unit)No.2 : 黑色橡膠 (BLACK RUBBER) (重量 Weight: 0.16g)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
蒽 / Anthracene	n.d.	0.05	
4,4'-二氨基二苯甲烷 / 4,4' - Diaminodiphenylmethane	n.d.	0.05	
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate)	n.d.	0.05	
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate)	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC)

Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 24 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
鄰苯二甲酸二(2-乙基己基)酯 / Bis (2-ethyl(hexyl) phthalate) (DEHP)	n.d.	0.05	<p>CC/2014/20043 NO.2</p> 
二甲苯麝香 / 5-tert-butyl-2,4,6-trinitro- m-xylene (Musk Xylene)	n.d.	0.05	
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)	n.d.	0.05	
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	n.d.	0.05	
三丁基錫 / Tributyl Tin (TBT)	n.d.	0.05	
三丁基錫氧化物 / Bis(tributyltin)oxide (TBTO)	n.d.	-	
二氯化鈷 / Cobalt dichloride	n.d.	0.005	
砷 / Arsenic (As)	n.d.	0.005	
五氧化二砷 / Diarsenic pentaoxide	n.d.	-	
三氧化二砷 / Diarsenic trioxide	n.d.	-	
三乙基砷酸酯 / Triethyl arsenate	n.d.	-	
鉛 / Lead (Pb)	n.d.	0.005	
砷酸氫鉛 / Lead hydrogen arsenate	n.d.	-	
六價鉻 / Hexavalent Chromium Cr(VI)	n.d.	0.005	
鉻酸鈉 / Sodium chromate	n.d.	-	
重鉻酸銨 / Ammonium dichromate	n.d.	-	
重鉻酸鉀 / Potassium dichromate	n.d.	-	
鉻酸鉀 / Potassium chromate	n.d.	-	
重鉻酸鈉 / Sodium dichromate	n.d.	-	
三氧化鉻 / Chromium trioxide	n.d.	-	
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 / Acids generated from chromium trioxide and their oligomers: Chromic acid	n.d.	-	
從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 / Acids generated from chromium trioxide and their oligomers: Dichromic acid	n.d.	-	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 25 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸與重鉻酸的寡聚體 / Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid	n.d.	-	<p>CC/2014/20043 NO.2</p> 
鉻酸鋇 / Strontium chromate	n.d.	-	
蒽油 / Anthracene oil	n.d.	0.05	
蒽油, 蒽糊, 輕油 / Anthracene oil, anthracene paste, distn. Lights	n.d.	0.05	
蒽油, 蒽糊, 蒽醌分 / Anthracene oil, anthracene paste, anthracene fraction	n.d.	0.05	
蒽油, 含蒽量少 / Anthracene oil, anthracene-low	n.d.	0.05	
蒽油, 蒽糊 / Anthracene oil, anthracene paste	n.d.	0.05	
煤瀝青, 高溫 / Pitch, coal tar, high-temp.	n.d.	0.05	
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate)	n.d.	0.05	
2,4-二硝基甲苯 / 2,4-Dinitrotoluene	n.d.	0.05	
磷酸三(2-氯乙基)酯 / Tris(2-chloroethyl) phosphate (TCEP)	n.d.	0.05	
鉻酸鉛 / Lead chromate	n.d.	0.01	
鉬鉻紅; 顏色索引: 顏料紅 104 / Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	n.d.	0.01	
鉻酸鉛; 顏色索引: 顏料黃 34 / Lead sulfochromate yellow (C.I. Pigment Yellow 34)	n.d.	0.01	
丙烯醯胺 / Acrylamide	n.d.	0.05	
硼 / Boron (B)	n.d.	0.005	
硼酸 / Boric acid	n.d.	-	
無水四硼酸二鈉 / Disodium tetraborate, anhydrous	n.d.	-	
水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate	n.d.	-	
三氯乙烯 / Trichloroethylene	n.d.	0.05	
鈷 / Cobalt (Co)	n.d.	0.005	
硫酸鈷(二價) / Cobalt(II) sulphate	n.d.	-	
硝酸鈷(二價) / Cobalt(II) dinitrate	n.d.	-	
碳酸鈷(二價) / Cobalt(II) carbonate	n.d.	-	
醋酸鈷(二價) / Cobalt(II) diacetate	n.d.	-	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 26 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
乙二醇甲醚 / 2-Methoxyethanol	n.d.	0.05	 <p>CC/2014/20043 NO.2</p>
乙二醇乙醚 / 2-Ethoxyethanol	n.d.	0.05	
乙二醇乙醚乙酸酯 / 2-ethoxyethyl acetate	n.d.	0.05	
鄰苯二甲酸二 (C7-11 支鏈與直鏈) 烷基酯 / 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNU)	n.d.	0.05	
聯氨 / Hydrazine	n.d.	0.05	
N-甲基吡咯烷酮 / 1-methyl-2-pyrrolidone	n.d.	0.05	
1,2,3-三氯丙烷 / 1,2,3-trichloropropane	n.d.	0.05	
鄰苯二甲酸二 (C6-8 支鏈與直鏈) 烷基酯, 富 C7 / 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	n.d.	0.05	
砷酸 / Arsenic acid	n.d.	-	
砷酸鈣 / Calcium arsenate	n.d.	-	
砷酸鉛 / Trilead diarsenate	n.d.	-	
疊氮化鉛 / Lead diazide, Lead azide	n.d.	-	
中性斯蒂芬酸鉛 / Lead styphnate	n.d.	-	
苦味酸鉛 / Lead dipicrate	n.d.	-	
鉻酸鉻 / Dichromium tris (chromate)	n.d.	-	
氫氧化鉻酸鋅鉀 / Potassium hydroxyoctaoxodizincatedi-chromate	n.d.	-	
八氫氧化五鉻酸鋅 / Pentazinc chromate octahydroxide	n.d.	-	
甲醛與苯胺的寡聚體 / Formaldehyde, oligomeric reaction products with aniline (technical MDA)	n.d.	0.05	
鄰苯二甲酸二甲氧基乙酯 / Bis(2-methoxyethyl) phthalate	n.d.	0.05	
鄰甲氧基苯胺 / 2-Methoxyaniline; o-Anisidine	n.d.	0.05	
對特辛基苯酚 / 辛基酚 / 4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol)	n.d.	0.05	
1,2-二氯乙烷 / 1,2-Dichloroethane	n.d.	0.05	
雙(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether	n.d.	0.05	
N,N-二甲基乙醯胺 / N,N-dimethylacetamide (DMAC)	n.d.	0.05	
4,4'-亞甲雙 (2-氯苯胺) / 2,2'-dichloro- 4,4'-methylenedianiline (MOCA)	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 27 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
酞酸 / Phenolphthalein	n.d.	0.05	<p>CC/2014/20043 NO.2</p> 
矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) / Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges】	n.d.	0.05	
鋯矽酸鋁，耐火陶瓷纖維 (主要成分濃度於可變範圍內) / Zirconia Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】	n.d.	0.05	
三甘醇二甲醚 / 1,2-bis (2-methoxyethoxy) ethane (TEGDME; triglyme)	n.d.	0.05	
乙二醇二甲醚 / 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	n.d.	0.05	
甲醯胺 / Formamide	n.d.	0.05	
甲基磺酸鉛 / Lead(II) bis(methanesulfonate)	n.d.	-	
異氰尿酸三縮水甘油酯 / TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6 (1H,3H,5H)-trione)	n.d.	0.05	
異氰尿酸 β-三縮水甘油酯 / β-TGIC (1,3,5-tris [(2S and 2R)-2,3-epoxypropyl]- 1,3,5-triazine-2,4,6- (1H,3H,5H)-trione)	n.d.	0.05	
4,4'-二(N,N'-二甲氨基)二苯甲酮 (米氏酮) / 4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	n.d.	0.05	
4,4'-(對二甲氨基)二苯基甲烷 (米氏鹼) / N,N,N',N'-tetramethyl- 4,4'-methylenedianiline (Michler's base)	n.d.	0.05	
鹼性紫 3 [內含 ≥ 0.1 的米氏酮或米氏鹼] / [4-[4,4'- bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	
鹼性藍 26 [內含 ≥ 0.1 的米氏酮或米氏鹼] / [4-[4-anilino-1- naphthyl] [4-(dimethylamino) phenyl] methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 28 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
溶劑藍 4 [內含 ≥ 0.1 的米氏酮或米氏鹼] / α,α-Bis[4-(dimethylamino) phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	<p>CC/2014/20043 NO.2</p> 
三氧化二硼 / Diboron trioxide	n.d.	-	
α, α-二[(二甲基氨基)苯基]-4-甲氨基苯甲醇 [內含 ≥ 0.1 的米氏酮或米氏鹼] / 4,4'-bis (dimethylamino)-4''-(methylamino) trityl alcohol [with ≥ 0.1 of Michler's ketone or Michler's base]	n.d.	0.05	
十溴聯苯醚 / Bis(pentabromophenyl) ether (DecaBDE)	n.d.	0.05	
全氟十三酸 / Pentacosfluorotridecanoic acid	n.d.	0.05	
全氟十二酸 / Tricosfluorododecanoic acid	n.d.	0.05	
全氟十一酸 / Henicosfluoroundecanoic acid	n.d.	0.05	
全氟十四酸 / Heptacosfluorotetradecanoic acid	n.d.	0.05	
4-(1,1,3,3-四甲基丁基)苯酚, 乙氧基- 以及所有的被定義的物質, 未知成分或可變成分的物質, 聚合物和同系物 / 4-(1,1,3,3- tetramethylbutyl) phenol, ethoxylated- covering well-defined substances and UVCB substances, polymers and homologues	n.d.	0.05	
分支或線性的壬基酚, 包括含有 9 個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支 9 個碳烷基鏈的 UVCB 物質 / 4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	n.d.	0.05	
偶氮[二]甲醯胺 / Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	n.d.	0.05	
六氫苯二甲酸酐 / Cyclohexane-1,2-dicarboxylic anhydride (HHPA), cis-cyclohexane-1,2- dicarboxylic anhydride, trans-cyclohexane- 1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)	n.d.	0.05	
甲基六氫苯酐 / Hexahydromethylphthalic anhydride 4-甲基六氫苯酐 / Hexahydro-4-methylphthalic anhydride 1-甲基六氫苯酐 / Hexahydro-1-methylphthalic anhydride 3-甲基六氫苯酐 / Hexahydro-3-methylphthalic anhydride	n.d.	0.05	
甲氧基乙酸 / Methoxy acetic acid	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 29 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
支鏈和直鏈 1,2-苯二羧二戊酯 / 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	n.d.	0.05	<p>CC/2014/20043 NO.2</p> 
鄰苯二甲酸二異戊酯 / Diisopentylphthalate	n.d.	0.05	
鄰苯二甲酸正戊基異戊基酯 / N-pentyl-isopentylphthalate	n.d.	0.05	
乙二醇二乙醚 / 1,2-Diethoxyethane	n.d.	0.05	
N,N-二甲基甲醯胺 / N,N-dimethylformamide; dimethyl formamide	n.d.	0.05	
二氯二丁基錫 / Dibutyltin dichloride (DBTC)	n.d.	0.05	
城式醋酸鉛 / Acetic acid, lead salt, basic	n.d.	-	
城式碳酸鉛 / Trilead bis(carbonate) dihydroxide (basic lead carbonate)	n.d.	-	
城式硫酸鉛 / Lead oxide sulfate	n.d.	-	
[1,2-苯二羧酸根合]二氧化三鉛 / [Phthalato(2-)] dioxotrilead	n.d.	-	
雙(十八酸基)二氧代三鉛 / Dioxobis(stearato) trilead	n.d.	-	
C16-18-脂肪酸鉛鹽 / Fatty acids, C16-18, lead salts	n.d.	-	
氨基氰鉛鹽 / Lead cyanamidate	n.d.	-	
硝酸鉛 / Lead dinitrate	n.d.	-	
氧化鉛 / Lead oxide (lead monoxide)	n.d.	-	
四氧化鉛 / Lead tetroxide (orange lead)	n.d.	-	
氧化鉛與硫酸鉛的複合物 / Pentalead tetraoxide sulphate	n.d.	-	
矽酸鉛 / Silicic acid, lead salt	n.d.	-	
亞硫酸鉛(II) / Sulfurous acid, lead salt, dibasic	n.d.	-	
四乙基鉛 / Tetraethyllead	n.d.	-	
三鹼式硫酸鉛 / C.I. 顏料白 / Tetralead trioxide sulphate	n.d.	-	
四氟硼酸鉛(II) / Lead bis(tetrafluoroborate)	n.d.	-	
鈦酸鉛 / Lead titanium trioxide	n.d.	-	
鈦酸鉛鋯 / Lead Titanium Zirconium Oxide	n.d.	-	
C.I.顏料黃 41 / Pyrochlore, antimony lead yellow	n.d.	-	
磷酸氧化鉛 / Trilead dioxide phosphonate	n.d.	-	
含鉛的矽酸鋇 / Silicic acid, barium salt, lead-doped	n.d.	0.05	
呋喃 / Furan	n.d.	0.05	
環氧丙烷 / Propylene oxide; 1,2-epoxypropane; methyloxirane	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 30 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
硫酸二乙酯 / Diethyl sulphate	n.d.	0.05	 <p>CC/2014/20043 NO.2</p>
硫酸二甲酯 / Dimethyl sulphate	n.d.	0.05	
3-乙基-2-甲基-2-(3-甲基丁基)-1,3-惡唑烷 / 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	n.d.	0.05	
2-(1-甲基丙基)-4,6-二硝基苯酚 / Dinoseb	n.d.	0.05	
4,4'-二氨基-3,3'-二甲基聯苯基甲烷 / 4,4'-methylenedi-o-toluidine	n.d.	0.05	
4,4'-二氨基二苯醚 / 4,4'-oxydianiline and its salts	n.d.	0.05	
4-氨基偶氮基苯胺 / 4-Aminoazobenzene; 4-Phenylazoaniline	n.d.	0.05	
2,4-二氨基甲苯 / 4-methyl-m-phenylenediamine (2,4-toluenediamine)	n.d.	0.05	
3-甲基-6-甲氧基苯胺 / 6-methoxy-m-toluidine (p-cresidine)	n.d.	0.05	
4-胺基聯苯 / Biphenyl-4-ylamine	n.d.	0.05	
鄰氨基偶氮甲苯 / o-aminoazotoluene	n.d.	0.05	
鄰甲苯胺 / o-Toluidine; 2-Aminotoluene	n.d.	0.05	
N-甲基乙醯胺 / N-methylacetamide	n.d.	0.05	
正丙基溴 / 1-bromopropane	n.d.	0.05	
全氟辛酸 / Pentadecafluorooctanoic acid (PFOA)	n.d.	0.05	
全氟辛酸銨 / Ammoniumpentadecafluorooctanoate (APFO)	n.d.	-	
鎘 / Cadmium (Cd)	n.d.	0.005	
氧化鎘 / Cadmium oxide	n.d.	-	
鄰苯二甲酸二戊酯 / DPP (Di-pentyl phthalate)	n.d.	0.05	
分支或線性的乙氧基壬基酚，包括含有 9 個碳烷基鏈的所有獨立的同分異構體和所有含有線性或分支 9 個碳烷基鏈的 UVCB 物質 / 4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	n.d.	0.05	
鄰苯二甲酸二己酯 / Dihexyl phthalate	n.d.	0.05	
直接紅 28 / Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	n.d.	0.05	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Termse-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告 (SVHC) Test Report

號碼(No.): CC/2014/20043A

日期(Date): 2014/07/08

頁數(Page): 31 of 31


永興軸承有限公司

CC/2014/20043A

YOUNG SING BALL BEARING CO., LTD.

新北市新莊區頭前路 28 號

NO. 28, TOUQIAN RD., XINZHUANG DIST., NEW TAIPEI CITY 24252, TAIWAN (R. O.)

物質名稱 (Substance Name)	濃度 (Concentration) (%)	報告極限值 (RL) (%)	樣品圖 (Sample Picture)
直接黑 38 / Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7- disulphonate (C.I. Direct Black 38)	n.d.	0.05	<p>CC/2014/20043 NO.2</p> 
亞乙基硫脲 / Imidazolidine-2-thione; 2-imidazoline-2-thiol	n.d.	0.05	
磷酸三(二甲苯)酯 / Trixylyl phosphate	n.d.	0.05	
硫化鎘 / Cadmium sulphide	n.d.	-	
醋酸鉛 / Lead di(acetate)	n.d.	-	
鄰苯二甲酸二己酯(支鏈和直鏈) / 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	n.d.	0.05	
氯化鎘 / Cadmium chloride	n.d.	-	
過硼酸鈉 / Sodium perborate; perboric acid, sodium salt	n.d.	-	
過氧偏硼酸鈉 / Sodium peroxometaborate	n.d.	-	

備註(Note) :

- A. 整個成品的平均濃度可以依據下列公式被計算得之。(The average concentration of a whole article can be calculated per the following formula.)

$$C_{Average\ of\ Article} = \frac{\sum_{i=1}^n (C_i * W_i)}{\sum_{i=1}^n (W_i)}$$

C_i : 單一 SVHC 測項在各測試單元中的濃度(Concentration of a SVHC item in each tested unit)

W_i : 各測試單元的重量 (Weight of each tested unit)

$C_{Average\ of\ Article}$: 整個成品的平均濃度 (Average concentration of a whole article)

** 報告結尾(End of Report) **